



USDA Foreign Agricultural Service

GAIN Report

Global Agriculture Information Network

Template Version 2.09

Voluntary Report - public distribution

Date: 11/3/2008

GAIN Report Number: TH8176

Thailand

Sanitary/Phytosanitary/Food Safety

Pesticide Residue MRLs in Thailand

2008

Approved by:

Mr. Gary W Meyer, Agricultural Counselor
U.S. Embassy

Prepared by:

Sukanya Sirikeratikul, Marketing Specialist

Report Highlights:

The Thai Agricultural Commodity and Food Standard (ACFS) has issued a list of maximum residue limits for pesticide residues in food and animal feed. Codex MRLs are applied for the MRL of any pesticide residue not listed in the ACFS list.

Includes PSD Changes: No
Includes Trade Matrix: No
Annual Report
Bangkok [TH1]
[TH]

On August 18, the Notification of National Agricultural Commodity and Food Standard Committee regarding National Agricultural Commodity and Food Standard: Pesticide Residues: Maximum Residue Limits B.E. 2551 (2008) was published in the Royal Gazette. The Thai Agricultural Commodity and Food Standard (ACFS) has issued a list of maximum residue limits for pesticide residues in food and animal feed. Residues are not allowed to be over the maximum residue limit (MRL) defined under the Thai Agricultural Commodity and Food Standard for the Maximum Residue Limits of Pesticide Residues (TACFS 9002-2008) listed in the table below. Codex MRLs are applied for the MRL of any pesticide residue not listed in the table.

**The Thai Agricultural Commodity and Food Standard
Pesticide Residues: Maximum Residue Limits (TACFS 9002-2008)
Maximum Residue Limits (arranged by pesticide)**

Pesticide	Definition of residue	Commodities	Maximum Residue Limit (MRL) (mg/kg)
Chlorpyrifos	chlorpyrifos	Okra	0.5
		Banana	2
		Rice	0.1
		Spices, seeds	5
		Spices, fruits or berries	1
		Spices, roots or rhizome	1
		Rambutan	0.5
		Peanut	0.05
		Soya bean (dry)	0.05
		Soya bean (immature seeds)	0.1
		Oil Palm	0.05
		Peppers, Chili	0.5
		Peppers, Chili (dried)	5
		Coconut	0.05
		Sweet potato	0.05
		Longan	1
		Litchi	2
		Shallot	0.2
		Onion, Bulb	0.2
		Cattle meat	1 (fat)
		Meat of goats and sheep	1 (fat)
		Cattle, Edible offal of	0.01
Edible offal of Goat and Sheep	0.01		
Pig Meat	0.02 (fat)		
Pig, Edible offal of	0.01		
Poultry Meat	0.01 (fat)		
Poultry, Edible offal of	0.01		

		Eggs	0.01
Chlorpyrifos	chlorpyrifos	Milks	0.02
Chlorothalonil	chlorothalonil	Peanut	0.05
		Soya bean (dry)	0.2
		Soya bean (immature seeds)	2
		Chinese cabbage	1
		Kale	4
		Tomato	5
		Potato	0.2
		Carbaryl	carbaryl
Sweet corn (corn-on-the-cob)	0.1		
Baby corn	0.1		
Maize	0.02		
Sorghum	0.5		
Rice, husked and polished	1		
Rambutan	1		
Cucumber and other Cucurbits except Watermelon	3		
Watermelon	1		
Peanut	2		
Durian	1		
Oil Palm	0.02		
Brassica Vegetables	5		
Peppers, Chili	0.5		
Peppers, Chili (dried)	2		
Peppers, sweet	5		
Coconut	0.02		
Mango	1		
Mangosteen	1		
Potato	0.2		
Cacao beans	0.02		
Cashew nut	1		
Longan	1		
Litchi	1		
Citrus fruits	15		
Sugar cane	0.02		
Grapes	5		
Meat (from mammals other than marine mammals)	0.05		
Edible offal (Mammalian)	1		

		Poultry meat	0.05
		Eggs	0.5
		Milks	0.05
Carbendazim/ Benomyl	Sum of carbendazim, Benomyl and thiophanate- methyl, expressed as carbendazim	Chives	3
		Rice, husked and polished	2
		Rambutan	3
		Spring onion	3
		Mung bean (dry)	0.5
		Peanut	0.1
		Soya bean (dry)	0.5
		Soya bean (immature seeds)	3
		Mulberry leaves	0.1
		Peppers, Chili	2
		Peppers, Chili (dried)	15
		Tomato	0.5
		Mango	5
		Cotton seed	0.1
		Asparagus	0.2
		Shallot	3
		Onion, Bulb	3
		Grapes	3
		Sugar cane	0.1
		Cattle meat	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
		Poultry fats	0.05
		Poultry, Edible offal of	0.1
		Eggs	0.05
		Milks	0.05
Carbosulfan	carbosulfan	Okra	0.5
		Lead tree leaves	0.2
		Sweet corn (corn-on-the- cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Sorghum	0.05
		Rice, husked and polished	0.2

		Rambutan	0.2
		Cucumber and other Cucurbits except Watermelon	0.5
		Watermelon	0.2
		Mung bean (dry)	0.05
		Yard-long bean (pods)	0.1
		Garden pea (young pods)	0.1
		Peanut	0.05
		Soya bean (dry)	0.05
		Soya bean (immature seeds)	0.5
		Durian	0.2
		Oil Palm	0.05
		Brassica Vegetables	0.5
		Peppers, Chili	0.5
		Peppers, Chili (dried)	5
		Tomato	0.5
		Thai eggplant	0.5
		Eggplant	0.5
		Coconut	0.2
		Sweet potato	0.05
		Potato	0.05
		Coffee beans	0.05
		Cacao beans	0.05
		Sesame seed	0.2
		Sunflower seed	0.05
		Cotton seed	0.05
		Linseed	0.05
		Citrus fruits	0.1
		Asparagus	0.5
		Grapes	0.1
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
		Poultry, Edible offal of	0.05
		Eggs	0.05
		Milks	0.03
Carbosulfan	sum of carbofuran, 3-hydroxy carbofuran and (conjugated 3-Hydroxycarbofura	Okra	0.5

	n), expressed as carbofuran		
		Lead tree leaves	0.2
		Rambutan	0.1
		Garden pea (young pods)	0.2
		Durian	0.1
		Oil Palm	0.1
		Brassica Vegetables	0.2
		Peppers, Chili	0.5
		Peppers, Chili (dried)	5
		Thai eggplant	0.5
		Eggplant	0.5
		Coconut	0.1
		Sweet potato	0.2
		Potato	0.1
		Cacao beans	0.05
		Sesame seed	0.1
		Sunflower seed	0.05
		Linseed	0.1
		Citrus fruits	0.1
		Asparagus	0.5
		Grapes	0.1
Carbofuran	Sum of carbofuran, 3-hydroxycarbofuran, and conjugated 3-Hydroxycarbofuran expressed as carbofuran	Banana	0.1
		Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Maize	0.05
		Sorghum	0.1
		Rice, husked and polished	0.1
		Cucumber and other Cucurbits except Watermelon	0.3
		Watermelon	0.1
		Mung bean (dry)	0.2
		Yard-long bean (pods)	0.1
		Peanut	0.1
		Soya bean (dry)	0.2
		Soya bean (immature seeds)	0.5

		Pepper, Black and White	1
		Tomato	0.1
		Cassava	0.2
		Coffee beans	1
		Cotton seed	0.1
		Sugar cane	0.1
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.08
		Poultry, Edible offal of	0.08
		Eggs	0.1
		Milks	0.05
Captan	captan	Barley	0.1
		Peanut	5
		Soya bean (dry)	5
		Soya bean (immature seeds)	5
		Oil Palm	5
		Mango	5
		Cotton seed	5
		Grapes	10
Quintozene	quintozene	Spices, seeds	0.1
		Spices, fruits or berries	0.02
		Spices, roots or rhizomes	2
Cypermethrin	cypermethrin	Okra	0.5
		Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Spices, fruits or rhizomes	0.1
		Spices, roots or rhizomes	0.2
		Yard-long bean (pods)	0.05
		Garden pea (young pods)	0.05
		Soya bean (dry)	0.05
		Soya bean (immature seeds)	5
		Durian	1
		Brassica Vegetables	1
		Peppers, Chili	1
		Peppers, Chili (dried)	5
		Tomato	0.5
		Eggplant, Thai eggplant and other eggplant-type	0.2

		commodities, except	
		Tomato	
		Mango	0.5
		Cotton seed	0.2
		Longan	1
		Litchi	0.5
		Citrus fruits	2
		Asparagus	0.5
		Shallot	0.1
		Onion, Bulb	0.1
		Sugar cane	0.05
		Meat (from mammals other than marine mammals)	0.2 (fat)
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
		Poultry, Edible offal of	0.05
		Eggs	0.05
		Milks	0.05F
2, 4-D	Sum of 2, 4-D and its salts and esters, expressed as 2, 4-D	Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Sorghum	0.01
		Rice, husked and polished	0.1
		Spring onion	0.05
		Pineapple	0.05
		Meat (from mammals other than marine mammals)	0.2
		Edible offal (Mammalian)	1
		Poultry meat	0.05
		Poultry, Edible offal of	0.05
		Eggs	0.01
		Milks	0.01
Deltamethrin	Sum of deltamethrin alpha-R and trans-deltamethrin (fat soluble)	Garlic	0.1
		Baby corn	0.05
		Maize	1

		Sweet corn (corn-on-the-cob)	0.05
		Spring onion	0.5
		Yard-long bean (pods)	0.2
		Oil palm	0.05
		Pak-choi	0.5
		Chinese cabbage	0.5
		Kale	0.5
		Brassica Vegetables except Chinese Cabbages, Pak-choi and Kale	0.1
		Peppers, Chili	0.5
		Peppers, Chili (dried)	5
		Tomato	0.3
		Mango	0.5
		Cotton seed	0.05
		Cashew nut	0.02
		Asparagus	0.5
		Shallot	0.1
		Onion, Bulb	0.05
		Sugar cane	0.05
		Cattle meat	0.5 (fat)
		Meat of Goats and Sheep	0.5 (fat)
		Cattle, Edible offal of	0.03
		Edible offal of Goat and Sheep	0.03
		Pig meat	0.5 (fat)
		Pig, Edible offal of	0.03
		Poultry meat	0.1 (fat)
		Poultry, Edible offal of	0.02
		Poultry fats	0.1 (fat)
		Eggs	0.02
		Milks	0.05F
Dichlorvos	dichlorvos	Spices, entire group	0.1
		Citrus fruits	0.2
		Cereal grains	0.2
		Meat (from mammals other than marine mammals)	0.05
		Poultry meat	0.05
		Milks	0.02
Dicofol	Plant commodities: Dicofol (sum of o,p' & p,p'-isomers) (fat soluble)	Spices, seeds	0.05

	Animal commodities: sum of dicofol and 2,2-dichloro-1, 1-bis (4-chlorophenyl) ethanol (p,p' - FW 152), expressed as dicofol (fat soluble)		
		Spices, fruits or berries	0.1
		Spices, roots or rhizomes	0.1
		Cucumber	0.5
		Mung bean (dry)	0.1
		Soya bean (dry)	0.05
		Tomato	1
		Cattle meat	3(fat)
		Cattle, Edible offal of	1
		Poultry meat	0.1 (fat)
		Poultry, Edible offal of	0.05
		Eggs	0.05
		Milks	0.1F
Groups of dithiocarbamate s: zineb, thiram, propineb, maneb, and mancozeb	Total dithiocarbamates, determined and expressed as CS2	Okra	0.2
		Garlic	0.5
		Rice, husked and polished	0.05
		Rambutan	4
		Spring onion	10
		Cucumber	2
		Melon except Watermelon	0.5
		Watermelon	1
		Peanut	0.1
		Soya bean (dry)	0.06
		Soya bean (immature seeds)	0.2
		Durian	5
		Oil palm	0.1
		Chinese cabbage	5
		Kale	15
		Fruiting Vegetables- Cucurbits, except Cucumber, Melons,	1

		Watermelon and Pumpkins	
		Water spinach	0.3
		Taro	0.1
		Peppers, Chili	2
		Peppers, Sweet	1
		Pumpkins	0.2
		Tomato	2
		Lime	2
		Mango	2
		Potato	0.2
		Citrus fruits	2
		Asparagus	0.1
		Shallot	0.5
		Onion, Bulb	0.5
		Grapes	2
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.1
		Poultry meat	0.1
		Poultry, Edible offal of	0.1
		Eggs	0.05
		Milks	0.05
Dimethoate	dimethoate	Sorghum	0.01
		Spices, seeds	5
		Spices, fruits or berries	0.5
		Spices, roots or rhizomes	0.1
		Fruiting Vegetables- Cucurbits, except Watermelon	1
		Yard-long bean (pods)	1
		Beans (dry)	0.1
		Tomato	2
		Cotton seed	0.05
		Citrus fruits	5
		Shallot	0.05
		Onion, Bulb	0.05
		Meat (from mammals other than marine mammals)	0.05
		Fat (Mammalian)	0.05
		Edible offal (Mammalian)	0.05
		Poultry Meat	0.05

		Poultry fats	0.05
		Poultry, Edible offal of	0.05
		Eggs	0.05
		Milks	0.05
Diazinon	diazinon	Sweet corn (corn-on-the-cob)	0.02
		Baby corn	0.02
		Maize	0.02
		Sorghum	0.02
		Spices, seeds	5
		Spices, fruits or berries	0.1
		Teas	0.1
		Chinese cabbage	0.05
		Kale	0.05
		Brassica Vegetables except Chinese Cabbages and Kale	0.5
		Coffee beans	0.2
		Cotton seed	0.1
		Meat (from mammals other than marine mammals)	2 (fat)
		Edible offal (Mammalian)	0.03
		Poultry meat	0.02
		Poultry, Edible offal of	0.02
		Eggs	0.02
		Milks	0.02F
Triazophos	triazophos	Garlic	0.05
		Sorghum	0.05
		Mung bean (dry)	0.2
		Peanut	0.05
		Soya bean (dry)	0.05
		Soya bean (immature seeds)	0.2
		Jujube	0.2
		Coffee beans	0.05
		Cacao beans	0.05
		Sesame seed	0.05
		Sunflower seed	0.05
		Shallot	0.05
		Onion, Bulb	0.05
		Grapes	0.02
		Cattle meat	0.01
		Poultry meat	0.01
		Milks	0.01

Permethrin Paraquat	Permethrin paraquat cation	Spices-entire group	0.05
		Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.1
		Sorghum	0.03
		Rice, husked and polished	0.1
		Cucumber and other Cucurbits	0.02
		Beans (dry)	0.5
		Soya bean (dry)	0.1
		Fruits (inedible peel), except Citrus fruits	0.01
		Leafy vegetables	0.07
		Root and tuber vegetables	0.05
		Tomato	0.05
		Potato	0.2
		Cotton seed	0.2
		Strawberry	0.01
		Citrus fruits	0.02
		Grapes	0.01
		Meat (from mammals other than marine mammals)	0.005
		Edible offal (Mammalian)	0.05
		Poultry meat	0.005
Poultry, Edible offal of	0.005		
Eggs	0.005		
Milks	0.005		
Pirimiphos-methyl	pirimiphos-methyl	Sweet corn (corn-on-the-cob)	1
		Baby corn	1
		Maize	1
		Rice, husked and polished	7
		Spices, seeds	3
		Spices, fruits or berries	0.5
		Oil Palm	0.1
		Cacao beans	0.05
		Kapok seed	0.1
		Cashew nut	0.1
		Meat (from mammals other than marine	0.01

		mammals)	
		Edible offal (Mammalian)	0.01
		Poultry meat	0.01
		Poultry, Edible offal of	0.01
		Eggs	0.01
		Milks	0.01
Prothiofos	prothiofos	Mung bean (dry)	0.05
		Peanut	0.05
		Peppers, Chili	3
		Potato	0.05
Profenofos	profenofos	Cabbages, Head	1
		Rose apple	0.05
		Spring onion	0.05
		Soya bean (dry)	0.05
		Durian	0.05
		Cotton seed oil	0.05
		Brassica Vegetables, except Cabbages, Head	0.5
		Peppers, Chili	5
		Peppers, Chili (dried)	35
		Peppers, sweet	0.5
		Tomato	2
		Lime	0.05
		Mango	0.2
		Mangosteen	5
		Cotton seed	2
		Citrus fruits	0.1
		Shallot	0.05
		Onion, Bulb	0.05
		Grapes	0.05
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
		Poultry, Edible offal of	0.05
		Eggs	0.02
		Milks	0.01
Fenvalerate	fenvalerate	Cabbages, Head	3
		Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Yard-long bean (pods)	1
		Peanut	0.1

		Soya bean (dry)	0.1
		Oil Palm	0.5
		Chinese Cabbage	1
		Kale	10
		Brassica Vegetables except Chinese Cabbages, Pak-choi and Kale	2
		Tomato	1
		Mango	1
		Potato	0.05
		Cotton seed	0.2
		Longan	1
		Litchi	1
		Meat (from mammals other than marine mammals)	1 (fat)
		Edible offal (Mammalian)	0.02
		Milks	0.1F
Fenitrothion	fenitrothion	Sweet corn (corn-on-the- cob)	1
		Baby corn	1
		Maize	1
		Rice, husked and polished	1
		Spices, seeds	7
		Spices, fruits or berries	1
		Spices, roots or rhizome	0.1
		Teas	0.5
		Soya bean (dry)	0.5
		Soya bean (immature seeds)	0.5
		Coffee beans	0.05
		Meat (from mammals other than marine mammals)	0.05
		Poultry meat	0.05
		Eggs	0.05
		Milks	0.01
Phosalone	phosalone	Spices, seeds	2
		Spices, fruits or berries	2
		Spices, roots or rhizome	3
		Spring onion	1
		Yard-long bean (pods)	1
		Garden pea (young pods)	1

		Soya bean (dry)	0.05
		Soya bean (immature seeds)	0.5
		Durian	1
		Mulberry leaves	0.1
		Brassica Vegetables	1
		Peppers, Chili	1
		Peppers, Chili (dried)	7
		Peppers, sweet	1
		Tomato	1
		Thai Eggplant	1
		Eggplant	0.5
		Mangosteen	1
		Cotton seed	1
		Citrus fruits	1
		Asparagus	0.5
		Shallot	1
		Onion, Bulb	1
Folpet	folpet	Rambutan	0.1
Phenthoate	phenthoate	Spices, seed	7
Malathion	malathion	Cabbages, Head	8
		Sweet corn (corn-on-the-cob)	0.02
		Baby corn	0.02
		Maize	0.05
		Sorghum	3
		Spices, seeds	2
		Spices, fruits or berries	1
		Spices, roots or rhizome	0.5
		Cauliflower	0.5
		Spring onion	5
		Broccoli	5
		Chinese cabbage	8
		Kale	3
		Peppers, Chili	0.5
		Peppers, Chili (dried)	1
		Tomato	0.5
		Cassava	0.5
		Citrus fruits	7
		Shallot	1
		Onion, Bulb	1
		Sugar cane	0.01
Metalaxyl	metalaxyl	Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05

		Spices, seeds	5
		Cucumber	0.5
		Melon except Watermelon	0.2
		Watermelon	0.2
		Durian	1
		Angled loofah	0.2
		Kale	2
		Water spinach (KangKuag)	2
		Taro	0.5
		Pepper, Black;White	0.05
		Betel leaves	0.05
		Pumpkins	2
		Wax gourd	0.2
		Potato	0.05
		Citrus fruits	5
		Pineapple	1
		Onion, Bulb	2
		Grapes	1
Methidathion	methidathion	Rambutan	0.5
		Durian	0.5
		Custard apple	0.5
		Pear	0.2
		Citrus fruits	0.5
		Grapes	0.2
		Meat (from mammals other than marine mammals)	0.02
		Edible offal (Mammalian)	0.02
		Poultry meat	0.02
		Poultry, Edible offal of	0.02
		Eggs	0.02
		Milks	0.001
Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Okra	2
		Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Maize	0.02
		Sorghum	0.2
		Cucumber and other Cucurbits except	0.2

		Watermelon	
		Watermelon	0.2
		Mung bean (dry)	0.05
		Yard-long bean (pods)	1
		Peanut	0.1
		Soya bean (dry)	0.2
		Soya bean (immature seeds)	0.1
		Soya bean oil	0.2
		Cotton seed oil	0.04
		Pear	0.2
		Peppers, Chili	0.7
		Peppers, Chili (dried)	5
		Tomato	0.5
		Eggplant, Thai eggplant and other similar commodities except Tomato	0.2
		Lime	1
		Potato	0.02
		Sesame seed	0.2
		Cotton seed	0.2
		Citrus fruits	1
		Asparagus	2
		Shallot	0.2
		Onion, Bulb	0.2
		Grapes	1
		Apple	0.2
		Meat (from mammals other than marine mammals)	0.02
		Edible offal (Mammalian)	0.02
		Poultry meat	0.02
		Poultry, Edible offal of	0.02
		Eggs	0.02
		Milks	0.02
Lambda-cyhalothrin	lambda-cyhalothrin	Okra	0.2
		Sorghum	0.2
		Rambutan	0.5
		Mung bean (dry)	0.2
		Soya bean (dry)	0.2
		Soya bean (immature seeds)	0.2
		Durian	0.5

		Oil Palm	0.02
		Brassica Vegetables	0.2
		Mango	0.1
		Cacao beans	0.02
		Sesame seed	0.2
		Kapok seed	0.02
		Cotton seed	0.02
		Longan	0.5
		Litchi	0.5
		Asparagus	0.02
Acephate	acephate	Spices, entire group	0.2
		Mung bean (dry)	0.02
		Peanut	0.02
		Coffee beans	0.02
		Cacao beans	0.02
		Cotton seed	2
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.01
		Poultry, Edible offal of	0.01
		Eggs	0.01
		Milks	0.02
Atrazine	atrazine	Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Maize	0.1
		Pineapple	0.1
		Sugar cane	0.1
Abamectin	abamectin	Watermelon	0.01
		Yard-long bean (pods)	0.01
		Garden pea (young pods)	0.01
		Pak-choi	0.01
		Kale	0.01
		Brassica Vegetables	0.01
		Peppers, Chili	0.02
		Peppers, Chili (dried)	0.2
		Peppers, sweet	0.02
		Thai eggplant	0.02
		Lime	0.01
		Cotton seed	0.01
		Citrus fruits	0.01
		Grapes	0.01
		Meat (from mammals)	0.01

		other than marine mammals)	
		Fat (Mammalian)	0.1
		Edible offal (Mammalian)	0.1
		Poultry meat	0.01
		Poultry, Edible offal of	0.02
		Eggs	0.01
		Milks	0.005
Ametryn	ametryn	Teas	0.05
		Coffee beans	0.05
		Pineapple	0.05
		Sugar cane	0.2
Ethephon	ethephon	Banana	2
		Cherries	3
		Durian	2
		Mango	2
		Pineapple	2
		Grapes	1
		Apple	1
		Meat (from mammals other than marine mammals)	0.1
		Edible offal (Mammalian)	0.2
		Poultry meat	0.1
		Poultry, Edible offal of	0.2
		Eggs	0.2
		Milks	0.05
Ethion	ethion	Spices, seeds	3
		Spices, fruits or berries	5
		Spices, roots or rhizome	0.3
		Cucumber and other Cucurbits except Watermelon	0.3
		Beans (dry)	1
		Bean and Peas (green pods and immature seeds)	1
		Peppers, Chili	3
		Peppers, Chili (dried)	20
		Tomato	0.3
		Eggplant, Thai eggplant and other eggplant-type commodities, except Tomato	0.3

		Lime	1
		Citrus fruits	1
Iprodion	iprodion	Spices, seeds	0.05
		Spices, roots or rhizome	0.1
Omethoate	omethoate	Lead tree leaves	0.01
		Mung bean (dry)	0.05
		Soya bean (dry)	0.05
		Cassava	0.05
		Coffee beans	0.01
		Cotton seed	0.05

End of Report.