

Voluntary Report – Voluntary - Public Distribution

Date: November 18, 2019

Report Number: CH2019-0170

Report Name: National Food Safety Standard Maximum Residue Limits for Pesticides in Foods

Country: China - Peoples Republic of

Post: Beijing

Report Category: Agricultural Situation, Agriculture in the Economy, Policy and Program Announcements, Agriculture in the News, Dairy and Products, Poultry and Products, Sanitary/Phytosanitary/Food Safety, Vegetables, Fishery Products, WTO Notifications, Livestock and Products

Prepared By: FAS-Beijing Staff

Approved By: LASHONDA MCLEOD

Report Highlights:

On August 15, 2019, China's National Health Commission, Ministry of Agriculture and Rural Affairs, and the State Administration for Market Regulation jointly released the National Food Safety Standard - Maximum Residue Limits for Pesticides in Foods (GB 2763-2019), which will be implemented on February 15, 2020. GB 2763-2019 sets 7,107 maximum limits of 483 pesticides in 256 categories (kinds) of foods.

This report provides an unofficial translation of the standard. This translation was jointly funded by the Embassy of Australia in Beijing, the Embassy of Canada in Beijing, and the USDA Foreign Agricultural Service.

Disclaimer: The translation is a Word document converted from the PDF version of the standard, due to the size of the document there might be unintentional errors. Please contact agbeijing@usda.gov if you notice an error.

Editors' Note: The asterisk appearing in the MRL column means that the limit is a temporary MRL. A temporary MRL is usually set under the following four conditions:

1. The dietary risk assessment data is incomplete;
2. The Acceptable Daily Intake (ADI) is temporary (ADI is used as the basis for MRL setting);
3. There is no surveillance or analysis method for the MRL that complies with the standard requirements;
4. In emergency situations, the pesticide is approved to be used on un-registered crops.

National Food Safety Standard Maximum Residue Limits for Pesticides in Foods (GB 2763-2019)

Table of Content

<u>1</u>	<u>Scope</u>	14
<u>2</u>	<u>Normative reference</u>	14
<u>3</u>	<u>Terms and definitions</u>	21
<u>4</u>	<u>Technical requirements</u>	21
<u>4.1</u>	<u>2,4-D and 2,4-D Na</u>	21
<u>4.2</u>	<u>2,4-D butylate</u>	22
<u>4.3</u>	<u>2,4-D-dimethylamine</u>	22
<u>4.4</u>	<u>2,4-D-ethylhexyl</u>	23
<u>4.5</u>	<u>MCPA (sodium)</u>	23
<u>4.6</u>	<u>MCPA-dimethylammonium</u>	24
<u>4.7</u>	<u>MCPA-isoctyl</u>	24
<u>4.8</u>	<u>Abamectin</u>	24
<u>4.9</u>	<u>Chlormequat</u>	25
<u>4.10</u>	<u>Picloram</u>	26
<u>4.11</u>	<u>Picloram-tris (2-hydroxypropyl)ammonium</u>	26
<u>4.12</u>	<u>Amicarbazone</u>	26
<u>4.13</u>	<u>Ethametsulfuron</u>	27
<u>4.14</u>	<u>Diethyl aminoethyl hexanoate</u>	27
<u>4.15</u>	<u>Paraquat</u>	27
<u>4.16</u>	<u>Chlorothalonil</u>	28
<u>4.17</u>	<u>Azinphos-methyl</u>	29
<u>4.18</u>	<u>Fenthion</u>	30
<u>4.19</u>	<u>Benzovindiflupyr</u>	31
<u>4.20</u>	<u>Fenbutatin oxide</u>	31
<u>4.21</u>	<u>Dichlofluanid</u>	32
<u>4.22</u>	<u>Tribenuron-methyl</u>	32
<u>4.23</u>	<u>Benomyl</u>	32
<u>4.24</u>	<u>Metrafenone</u>	33
<u>4.25</u>	<u>Fenothiocarb</u>	33
<u>4.26</u>	<u>Benzoximate</u>	34
<u>4.27</u>	<u>Difenoconazole</u>	34
<u>4.28</u>	<u>Saflufenacil</u>	35
<u>4.29</u>	<u>Metamitron</u>	36
<u>4.30</u>	<u>Mefenacet</u>	36
<u>4.31</u>	<u>Benalaxy</u>	36
<u>4.32</u>	<u>Zoxamide</u>	37
<u>4.33</u>	<u>Fenamiphos</u>	37
<u>4.34</u>	<u>Fenpropidin</u>	38
<u>4.35</u>	<u>Topramezone</u>	38
<u>4.36</u>	<u>Pyriproxyfen</u>	38
<u>4.37</u>	<u>Pyraflufen-ethyl</u>	39
<u>4.38</u>	<u>Imidacloprid</u>	39
<u>4.39</u>	<u>Fluazifop and fluazifop-P-butyl</u>	41
<u>4.40</u>	<u>Diflufenican</u>	41
<u>4.41</u>	<u>Pyrazosulfuron-ethyl</u>	41

4.42	Penthiopyrad	41
4.43	Pymetrozine	42
4.44	Metazachlor	43
4.45	Pyraclostrobin	43
4.46	Isopyrazam	44
4.47	Bensulfuron-methyl	44
4.48	Pretilachlor	45
4.49	Propiconazole	45
4.50	Albendazole	46
4.51	Prothioconazole	46
4.52	Benfuracarb	47
4.53	Propyrisulfuron	47
4.54	Oxadiargyl	47
4.55	Flumioxazin	48
4.56	Propineb	48
4.57	Profenofos	49
4.58	Glufosinate-ammonium	50
4.59	Benazolin-ethyl	51
4.60	Glyphosate	51
4.61	Chlorfenapyr	51
4.62	Tebufenozide	52
4.63	Pyrethrins	53
4.64	Diflubenzuron	54
4.65	Kasugamycin	55
4.66	Pyridaben	55
4.67	Pyridaphenthion	55
4.68	Amobam	56
4.69	Metiram	56
4.70	Mancozeb	57
4.71	Zineb	59
4.72	Semiamitraz and semiamitraz chloride	60
4.73	Monosulfuron	60
4.74	Cyanamide	60
4.75	Phenthate	60
4.76	Isoprothiolane	61
4.77	Fenoxyanil	61
4.78	Trichlorfon	61
4.79	Propanil	62
4.80	Napropamide	62
4.81	Dichlobenil	62
4.82	Diquat	63
4.83	Diuron	64
4.84	Dichlorvos	64
4.85	Fenaminosulf	65
4.86	Anilazine	66
4.87	Dinocap	66
4.88	Edifenphos	66
4.89	Fonofos	66
4.90	Fenpropimorph	67
4.91	Pyrimorph	68

4.92	Butachlor	68
4.93	Flufiprole	68
4.94	Cyflumetofen	68
4.95	Carbosulfan	69
4.96	Diafenthiuron	70
4.97	Tebuthiuron	70
4.98	Daminozide	70
4.99	Coumoxystrobin	70
4.100	Acetamiprid	71
4.101	Pyrisoxazole	72
4.102	Boscalid	72
4.103	Picoxystrobin	73
4.104	Propachlor	73
4.105	Dufulin	74
4.106	Chlorpyrifos	74
4.107	Parathion	75
4.108	Dodine	76
4.109	Carbendazim	76
4.110	Polyoxins	78
4.111	Spinosad	78
4.112	Paclobutrazol	79
4.113	Oxadiazon	79
4.114	Hymexazol	80
4.115	Oxaziclomefone	80
4.116	Oxadixyl	80
4.117	Famoxadone	81
4.118	Metamifop	81
4.119	Diphenylamine	81
4.120	Pendimethalin	82
4.121	Clopyralid	82
4.122	Quinclorac	82
4.123	Diazinon	83
4.124	Dithianon	84
4.125	Flutriafol	85
4.126	Rimsulfuron	85
4.127	Flurtamone	85
4.128	Dinotefuran	86
4.129	Furan tebufenozone	86
4.130	Phosalone	87
4.131	Triflusulfuron-methyl	87
4.132	Tau-fluvalinate	87
4.133	Flubendiamide	88
4.134	Teflubenzuron	88
4.135	Flucetosulfuron	89
4.136	Haloxyfop-methyl and haloxyfop-P-methyl	89
4.137	Fluopicolide	89
4.138	Fluopyram	90
4.139	Fipronil	91
4.140	Flufenoxuron	92
4.141	Fluazinam	92

4.142	Sulfoxaflor	92
4.143	Flonicamid	93
4.144	Chlorfluazuron	94
4.145	Flusilazole	94
4.146	Epoxiconazole	95
4.147	Fomesafen	95
4.148	Flumetralin	95
4.149	Triflumizole	96
4.150	Trifluralin	96
4.151	Hexaflumuron	96
4.152	Cyfluthrin and beta-cyfluthrin	96
4.153	Flumorph	97
4.154	Flucythrinate	98
4.155	Flufenacet	98
4.156	Flumiclorac	98
4.157	Flutolanil	98
4.158	Novaluron	99
4.159	Sedaxane	99
4.160	Flucarbazone-sodium	100
4.161	Fluxapyroxad	100
4.162	Thiram	100
4.163	Ziram	101
4.164	Procymidone	102
4.165	Sodium nitrophenolate	102
4.166	Fludioxonil	103
4.167	Silthiofam	104
4.168	Thiobencarb	104
4.169	Molinate	104
4.170	Diclofop-methyl	104
4.171	Cyclosulfamuron	105
4.172	Cyperconazole	105
4.173	Hexazinone	105
4.174	Fenhexamid	105
4.175	Pyriproxyfen	106
4.176	Sulcotrione	106
4.177	Blasticidin-S	106
4.178	Hexaconazole	107
4.179	Emamectin benzoate	107
4.180	Methamidophos	108
4.181	Phorate	108
4.182	Tolylfluanid	109
4.183	Alachlor	110
4.184	Sulfentrazone	110
4.185	Metsulfuron-methyl	110
4.186	Iodosulfuron-methyl-sodium	111
4.187	Chlorpyrifos-methyl	111
4.188	Parathion-methyl	111
4.189	Mesosulfuron-methyl	112
4.190	Tolclofos-methyl	112
4.191	Phosfolan-methyl	112

4.192	Thiophanate-methyl	113
4.193	Pirimiphos-methyl	113
4.194	Isofenphos-methyl	114
4.195	Methiocarb	114
4.196	Imazapic	115
4.197	Carbaryl	115
4.198	Mepiquat chloride	116
4.199	Fenpropathrin	116
4.200	Metalaxyll and metalaxyll-M	117
4.201	Bifenox	118
4.202	Methoxyfenozide	118
4.203	Imazamox	119
4.204	Fenbuconazole	119
4.205	Myclobutanil	120
4.206	Fenoxyprop-P-ethyl	121
4.207	Dimethenamid-P	121
4.208	Jiangangmycin	122
4.209	Monocrotophos	122
4.210	Trinexapac-ethyl	122
4.211	Pirimicarb	123
4.213	Residue: pirimicarb.	123
4.212	Carbofuran	124
4.213	Captan	124
4.214	Matrine	125
4.215	Quizalofop-P-tefuryl	125
4.216	Quizalofop andquizalofop-P-ethyl	126
4.217	Oxine-copper	126
4.218	Quinalphos	126
4.219	Fenazaquin	127
4.220	Quinoxifen	127
4.221	Dimethoate	127
4.222	Bifenazate	129
4.223	Bifenthrin	130
4.224	Bitertanol	130
4.225	2-phenylphenol	131
4.226	Phosphamidon	131
4.227	Aluminiumphosphide	132
4.228	Megnesium phosphide	132
4.229	Hydrogenphosphide	132
4.230	Endosulfan	133
4.231	Phosfolan	133
4.232	Thiodicarb	134
4.233	Streptomycin sesquissulfate	134
4.234	Sulfuryl fluoride	134
4.235	Cadusafos	135
4.236	Spirotetramat	135
4.237	Spirodiclofen	136
4.238	Chlortoluron	137
4.239	Aminopyralid	137
4.240	Chlorpropham	137

4.241	Fenarimol	138
4.242	Halosulfuron-methyl	138
4.243	Forchlorsfenuron	139
4.244	Aminocyclopyrachlor	139
4.245	Chlorantraniliprole	139
4.246	Triclopyricarb	140
4.247	Fluroxypyr and fluroxypyr-meptyl	140
4.248	Cyhalothrin and lambda-cyhalothrin	140
4.249	Chloropicrin	142
4.250	Chlorsulfuron	142
4.251	Permethrin	143
4.252	Chlorimuron-ethyl	144
4.253	Cypermethrin and beta-cypermethrin	144
4.254	Imidaclothiz	146
4.255	Dicloran	146
4.256	Chloroisobromine cyanuric acid	146
4.257	Isazofos	147
4.258	Malathion	147
4.259	Dicamba	149
4.260	Prochloraz and prochloraz-manganese chloride complex	149
4.261	Fenamidone	150
4.262	Imazaquin	151
4.263	Imazapyr	151
4.264	Imazethapyr	151
4.265	Triasulfuron	151
4.266	Cinosulfuron	152
4.267	Etofenprox	152
4.268	Kresoxim-methyl	152
4.269	Orthosulfamuron	153
4.270	Pyriminobac-methyl	153
4.271	Pyribenzoxim	154
4.272	Cypredinil	154
4.273	Aroxystrobin	155
4.274	Pyrimethanil	156
4.275	Dazomet	157
4.276	Bentazone	157
4.277	Methomyl	157
4.278	Folpet	158
4.279	Ethoprophos	159
4.280	Mepronil	159
4.281	Cyromazine	160
4.282	Chlorbenzuron	160
4.283	1-naphthylacetic acid and sodium 1-naphthalacitic acid	161
4.284	Demeton	161
4.285	Ningnanmycin	162
4.286	Dimepiperate	162
4.287	Prometryn	162
4.288	Triforine	162
4.289	Metazosulfuron	163
4.290	Fluthiacet-methyl	163

4.291	Metribuzin	163
4.292	Cyanazine	164
4.293	Cyhalofop-butyl	164
4.294	Metaflumizone	164
4.295	Ciazofamid	164
4.296	Fenvalerate and esfenvalerate	165
4.297	Phenamacril	166
4.298	Propyzamide	166
4.299	Clodinafop-propargyl	166
4.300	Propargite	167
4.301	Lactofen	167
4.302	Thidiazuron	167
4.303	Cycloxydim	168
4.304	Clothianidin	168
4.305	Thiacloprid	169
4.306	Thiamethoxam	170
4.307	Thifensulfuron-methyl	171
4.308	Thifluzamide	171
4.309	Dimethipin	172
4.310	Thiabendazole	172
4.311	Tthiediazole copper	173
4.312	Hexythiazox	173
4.313	Benzothiazolinone	174
4.314	Buprofezin	174
4.315	Thiencarbazone-methyl	175
4.316	Fosthiazate	175
4.317	Zinc thiazole	175
4.318	Fentin hydroxide	176
4.319	Fentin acetate	176
4.320	Pyridalyl	176
4.321	Acifluorfen	176
4.322	Cyhexatin	176
4.323	Tricyclazole	177
4.324	Tralkoxydim	177
4.325	Triclopyr	177
4.326	Dicofol	177
4.327	Tetradifon	178
4.328	Fosetyl-aluminium	178
4.329	Triadimenol	178
4.330	Triazophos	179
4.331	Triadimefon	179
4.332	Azocyclotin	180
4.333	Amitrole	180
4.334	Thiosultap-monosodium	181
4.335	Thiocyclam	182
4.336	Chlordimeform	182
4.337	Thiosultap-disodium	182
4.338	Triflumuron	183
4.339	Niclosamide-olamine	183
4.340	Cartap	183

4.341	Fenitrothion	184
4.342	Methidathion	184
4.343	Oxamyl	185
4.344	Anilofos	186
4.345	Phenazino-1-carboxylic acid	186
4.346	Bioresmethrin	186
4.347	Lufenuron	186
4.348	Bispyribac-sodium	187
4.349	Florasulam	187
4.350	Iminoctadinetris (albesilate)	187
4.351	Amitraz	187
4.352	Mandipropamid	188
4.353	Propamocarb and propamocarb hydrochloride	189
4.354	Cymoxanil	189
4.355	Isocarbophos	190
4.356	Tetraconazole	190
4.357	Metaldehyde	191
4.358	Phthalide	191
4.359	Tecnazene	191
4.360	Clofentezine	192
4.361	Terbutylazine	193
4.362	Terbufos	193
4.363	Aldicarb	194
4.364	Desmedipham	194
4.365	Phenmedipham	196
4.366	Prohexadione -calcium	196
4.367	Metam -sodium	196
4.368	Carboxin	196
4.369	Trifloxystrobin	196
4.370	Penoxsulam	197
4.371	Quintozene	198
4.372	Penconazole	198
4.373	Tebuconazole	199
4.374	Simetryn	200
4.375	Simazine	200
4.376	Probenazole	200
4.377	Clethodim	201
4.378	Methoprene	201
4.379	Nitenpyram	201
4.380	Sethoxydim	202
4.381	Fenaminstrobin	202
4.382	Enestroburin	202
4.383	Dimethomorph	202
4.384	Uniconazole	203
4.385	Diniconazole	203
4.386	Amidosulfuron	204
4.387	Meptyldinocap	204
4.388	Mesotrione	204
4.389	Xinjunan	205
4.390	Phoxim	205

4.391	Bromoxynil octanoate	206
4.392	Bromoxynil	206
4.393	Methyl bromide	206
4.394	Bromothalonil	206
4.395	Bromopropylate	207
4.396	Cyantraniliprole	207
4.397	Deltamethrin	208
4.398	Bronopol	209
4.399	Vamidothion	209
4.400	Phosmet	209
4.401	Imibenconazole	210
4.402	Oxydemeton-methyl	210
4.403	Nicotine	210
4.404	Nicosulfuron	211
4.405	Moroxydinehydrochloride	211
4.406	Omethoate	211
4.407	Triallate	212
4.408	Difenoquat	212
4.409	Ivermectin	212
4.410	Disulfoton	212
4.411	Acetochlor	213
4.412	Ethiprole	213
4.413	Spinetoram	213
4.414	Ethion	214
4.415	Etoxazole	214
4.416	Diethofencarb	214
4.417	Ethirimol	215
4.418	Bupirimate	215
4.419	Ethylicin	215
4.420	Fluoroglycofen-ethyl	215
4.421	Vinclozolin	216
4.422	Ethephon	216
4.423	Acephate	216
4.424	Ethofumesate	217
4.425	Oxyfluorfen	217
4.426	Ethoxysulfuron	218
4.427	Ethoxyquin	218
4.428	Propisochlor	218
4.429	Metolachlor and S-metolachlor	218
4.430	Isoproturon	219
4.431	Isoprocarb	219
4.432	Iprobenfos	219
4.433	Clomazone	219
4.434	Isoxaflutole	220
4.435	Iprodione	220
4.436	Imazalil	221
4.437	Maleic hydrazide	221
4.438	Amisulbrom	221
4.439	Azadirachtin	222
4.440	Indoxacarb	222

4.441	Coumaphos	223
4.442	Ametryn	223
4.443	Atrazine	223
4.444	Rotenone	224
4.445	Piperonyl butoxide	224
4.446	Sulfotep	224
4.447	Ipecanazole	225
4.448	Butralin	225
4.449	Fenobucarb	225
4.450	Pyrametostrobin	226
4.451	Carfentrazone-ethyl	226
4.452	Tolfenpyrad	226
4.453	Pyraoxystrobin	226
4.454	Pinoxaden	227
4.455	Fenpyroximate	227
4.456	Flumetsulam	227
4.457	Ametoctradin	228
4.458	Aldrin	228
4.459	DDT	228
4.460	Dieldrin	229
4.461	Camphechlor	230
4.462	Lindane	230
4.463	HCH	231
4.464	Chlordane	231
4.465	Mirex	233
4.466	Heptachlor	233
4.467	Endrin	234
Appendix A		236
Appendix B		239
Index	240	
	Index of Pesticides's Chinese Common Names	240
	Index of the Pesticides' English Common Names	248

Preface

This standard is formulated pursuant to rules provided in the GB/T 1.1 -2009.

This standard replaces the National Food Safety Standard Maximum Residue Limits for Pesticides in Food (GB 2763-2016) and the National Food Safety Standard Maximum Residue Limits for 43 Pesticides in Food (GB 2763.1-2018), and main technical changes are as follows compared with GB 2763-2016 and GB 2763.1-2018:

- Revised the definition of 6 pesticide residues including 2,4-di-isooctyl and the daily allowable intake of 21 pesticides such as Abamectin in the original standard.
- Added 51 kinds of pesticides including 2,4-dip dimethylamine salt, and deleted 1 kind of haloxyfop, and its maximum residue limit is combined into flupiroxicam and haloxyfop-P-methyl;
- Revised the Chinese and English common names of 5 pesticides including metriam.
- Added 2967 maximum pesticide residue limits;
- Revised 28 maximum pesticide residue limits.
- The partial limit values of 12 pesticides including glufosinate-ammonium were changed from temporary limit to formal limit.
- The partial limit values of 17 pesticides such as dithianon were changed from the formal limit to the temporary limit.
- Added 45 testing method standards, removed 17 testing method standards, and revised 9 testing method standards.
- Revised normative annex A, added 22 food names such as lupin, revised 7 food names and revised 2 food classifications;
- Revised normative annex B and added 11 pesticides.

The previous releases of the standards replaced by this standard are as follows:

- GB 2763-2005, GB 2763-2012, GB 2763-2014, GB 2763-2016.
- GB 2763.1-2018.

National Food Safety Standard Maximum Residue Limits of Pesticides in Foods

1 Scope

This standard sets the 7,107 maximum residue limits of 483 pesticides including 2,4-D, etc. in foods.

The standard applies to foods related to residue limits.

The food categories and testing parts (Appendix A) are used to define the application scope of the pesticide's maximum residue limits, which applies only to this standard. For instance, the maximum residue limit of a pesticide is applicable for a certain food category, all the food in this category will be applicable to this MRL, unless otherwise specified.

The List of Pesticides that are Exempted from Developing MRL Standards in Foods (the Normative Reference Annex B) is used to define the scope of pesticides that do not need MRLs developed in foods.

2 Normative reference

The following documents are essential for the application of this document. For dated references, only the dated versions apply to this standard. For not dated references, the latest versions (including all modifications) apply to this standard.

The supporting testing method that meets the testing requirements is selected for testing. After the release of this standard, the newly released and implemented national food safety standard (GB 23200) is also applicable to the testing of corresponding parameters.

GB/T 5009.19 Determination of organochlorine pesticide multiresidues in foods

GB/T 5009.20 Determination of organophosphorous pesticide residues in foods

GB/T 5009.21 Determination of carbaryl residues in cereals, oils and vegetables

GB/T 5009.36 Analytical methods for hygienic standard of grain

GB/T 5009.102 Determination of phoxim pesticide residues in vegetable foods

GB/T 5009.103 Determination of methamidophos and acephate pesticide residues in vegetable foods

GB/T 5009.104 Determination of carbamate pesticide residues in vegetable foods

GB/T 5009.105 Determination of chlorothalonil residues in cucumber

GB/T 5009.107 Determination of diazinon residues in vegetable foods

GB/T 5009.110 Determination of cypermethrin,fenvalerate and deltamethrin residues in vegetable foods

GB/T 5009.113 Determination of thiocyclam residues in rice

GB/T 5009.114 Determination of bisultap residues in rice

GB/T 5009.115 Determination of tricyclazole residues in rice

GB/T 5009.126 Determination of triadmefon residues in vegetable foods

GB/T 5009.129 Determination of ethoxyquin residues in fruits

GB/T 5009.130 Determination of fomesafen residues in soybeans and cereals

GB/T 5009.131 Determination of phosmet residues in vegetable foods

GB/T 5009.132 Determination of atrazine residues in foods

GB/T 5009.133 Determination of chlorotoluron residues in grains

GB/T 5009.134 Determination of molinate residues in rice

GB/T 5009.135 Determination of chlorbenzuron residues in vegetable foods

GB/T 5009.136 Determination of quintozone residues in vegetable foods

GB/T 5009.142 Determination of fluazifop-butyl and its acid residues in vegetable food

GB/T 5009.143 Determination of amitraz residues in vegetables,fruits,edible oil

GB/T 5009.144 Determination of isofenphos-methyl residues in vegetable foods

GB/T 5009.145 Determination of organophosphorus and carbamate pesticide multiresidues in vegetable foods

GB/T 5009.146 Determination of organochlorines and pyrethroid pesticide multiresidues in vegetable foods

GB/T 5009.147 Determination of diflubenzuron residues in vegetable foods

GB/T 5009.155 Determination of isoprothiolane residues in rice

GB/T 5009.160 Determination of semianitraz residues in fruits

GB/T 5009.161 Determination of organophosphorus pesticide multiresidues in animal foods

GB/T 5009.162 Determination of organochlorine pesticide and pyrethroid pesticide multiresidues in animal original foods

GB/T 5009.164 Determination of butachlor residues in rice
GB/T 5009.165 Determination of 2, 4-D butylate residues in grains
GB/T 5009.172 Determination of trifluralin residues in soybean, peanut, soybean oil, peanut oil.
GB/T 5009.174 Determination of metolachlor residues in peanut and soybean
GB/T 5009.175 Determination of 2, 4-D in grains and vegetables
GB/T 5009.176 Determination of dicofol residues in tea, fruits, edible vegetable oils
GB/T 5009.177 Determination of propanil residues in rice
GB/T 5009.180 Determination of oxadiazon residues in cereals and peanuts
GB/T 5009.184 Determination of buprofezin in cereals and vegetables
GB/T 5009.200 Determination of difenoquat residues in wheat
GB/T 5009.201 Determination of diniconazole residues in pear
GB/T 5009.218 Determination of multi pesticide residues in fruits and vegetables
GB/T 5009.219 Determination of the residues of chlorocholine chloride in cereals
GB/T 5009.22 0Determination of the residues of anilazine in cereals
GB/T 5009.221 Determination of the residues of diquat in cereals
GB/T 14553 Cereal, Fruit and Vegetable Quality - Determination of Organophosphorus pesticides -Gas chromatography
GB/T 14929.2 Method for Determination of Aldicarb Residues in Peanut, Cottonseed Oil and Peanut Oil
GB/T 19650 Method for determination of 478 pesticides and related chemicals residues in animal muscles-GC-MS method
GB/T 20769 Determination of 450 pesticides and related chemicals residues in fruits and vegetables-LC-MS-MS method
GB/T 20770 Method for determination of 486 pesticides and related chemicals residues in grains-LC-MS-MS method
GB/T 20771 D etermination of 486 pesticides and related chemicals residues in honey - LC-MS-MS method
GB/T 20772 Determination of 461 pesticides and related chemicals residues in animal muscles-LC-MS-MS method
GB/T 22243Determination of residue limits of fluroxypyr in rice,vegetable and fruit
GB/T 22979Determination of boscalid residues in milk and milk powder-GC-MS method
GB 23200.2 National Food Safety Standard Testing Methods for Residue of Herbicides Part 2: Determination of Diphenyl Ether Herbicides Residues in Cereal and Oilseed by GC/MS Method
GB 23200.3National Food Safety Standard-Determination of cyclohexanediones herbicide residues in foods Liquid chromatography-mass spectrometry
GB 23200.6National Food Safety Standard Determination of amitrole residue in foods Liquid chromatography-mass spectrometry
GB 23200.8 National Food Safety Standard Determination of Residues of 500 Herbicides and Relevant Chemicals in Fruits and Vegetables by GC/MS Method
GB 23200.9National Food Safety Standard Determination of Residues of 475 Pesticides and Relevant Chemicals in Cereal by GC/MS Method
GB 23200.11National Food Safety Standard Determination of 413 pesticides and related chemicals residues in mulberry twig, honeysuckle, barbary wolfberry fruitand lotus leaf Liqulid chromatography-mass spectrometry
GB 23200.13 National Food Safety Standard Determination of Residues of 448 Pesticides and Relevant Chemicals in Tea Liquid Chromatography-Mass Spectrography
GB 23200.14National Food Safety Standard Determination of Residues of 512 Pesticides and Relevant Chemicals in Fruit/Vegetable Juice and Fruit Wine Liquid Chromatography-Mass Spectrography
GB23200.15 National Food Safety Standard Determination of Residues of 503 Pesticides and Relevant Chemicals in Edible Fungi Gas Chromatography-Mass Spectrography
GB23200.16 National Food Safety Standard Determination of Etephon Residue in Fruits and Vegetables Gas chromatography
GB23200.19 National Food Safety Standard Determination of Abamectin in Fruits and Vegetables Liquid Chromatography
GB23200.20 National Food Safety Standard Determination of Abamectin Residue in Foods Liquid Chromatography-Mass Spectrography/ Mass Spectrography
GB23200.22 National Food Safety Standard Determination of maleic hydrazide residue in nuts and nut products

GB23200.24 National Food Safety Standard Determination of Eleven Herbicides Residues in Grains and Soybean Gas Chromatography-Mass Spectrography

GB23200.29 National Food Safety Standard Determination of Fenpyroximate Residue in Fruits and Vegetables Liquid Chromatography

GB23200.31 National Food Safety Standard Determination of flumioxazin Residue in Foods Gas Chromatography-Mass Spectrography

GB23200.32 National Food Safety Standard Determination of Daminozide Residue in Foods Gas Chromatography-Mass Spectrography

GB23200.33 National Food Safety Standard—Determination of Benoxacor, Anilofos, Allidochlor 110 pesticides residues in foods Gas chromatography-mass spectrometry

GB23200.34 National Food Safety Standard Determination of 65 Pesticides in Foods (including Aldoxycarb, Pyraclostrobin and Azoxystrobin) Liquid Chromatography—Mass Spectrometry / Mass Spectrometry

GB23200.37 National Food Safety Standard Determination of 20 Pesticides Residues in Foods (including Nitrenpyram, Dinotefuran) Liquid Chromatography—Mass Spectrometry / Mass Spectrometry

GB23200.38 National Food Safety Standard—Determination of cyclohexanedione herbicides residue in plant-derived foods Liquid chromatography-mass spectrometry

GB23200.39 National Food Safety Standard—Determination of thiamethoxam and its metabolite clothianidin residues in foods Liquid chromatography-mass spectrometry

GB23200.43 National Food Safety Standard Determination of Quinclorac Residue in Grains and Oil Seeds Gas chromatography

GB23200.45 National Food Safety Standard—Determination of diflubenzuron residue in foods-Liquid chromatography-mass spectrometry

GB23200.46 National Food Safety Standard—Determination of Pyrimethanil, Mepanipyrim, Myclobutanil, Azoxystrobin Residues in Foods Gas Chromatography-Mass Spectrography

GB23200.47 National Food Safety Standard Determination of Clofentezine Residue in Foods Gas Chromatography-Mass Spectrography

GB23200.49 National Food Safety Standard Determination of Difenoconazole Residue in Foods Gas Chromatography-Mass Spectrography

GB23200.50 National Food Safety Standard Determination of pyridine pesticides residue in foods Liquid chromatography - mass spectrometry

GB23200.51 National Food Safety Standard Determination of Dinotefuran Residue in Foods Liquid Chromatography—Mass Spectrometry / Mass Spectrometry

GB23200.53 National Food Safety Standard Determination of flusilazole Residue in Foods Gas Chromatography-Mass Spectrography

GB23200.54 National Food Safety Standard Determination of Strobilurin Fungicide Residues in Foods Gas Chromatography-Mass Spectrography

GB23200.56 National Food Safety Standard—Determination of quinoxyfen residue in foods

GB23200.57 National Food Safety Standard Determination of acetochlor Residue in Foods

GB23200.60 National Food Safety Standard Determination of Clodinafop-propargyl Residue in Foods

GB23200.62 National Food Safety Standard—Determination of flumiclorac-pentyl residue in foods-Gas chromatography-mass spectrometry

GB23200.64 National Food Safety Standard—Determination of pyriproxyfen residue in foods-Liquid chromatography-mass spectromtry

GB23200.65 National Food Safety Standard Determination of tetaconazole residues in food

GB23200.68 National Food Safety Standard—determination of boscalid residue in foods Gas chromatography-mass spectrometry

GB23200.69 National Food Safety Standard Determination of dinitroaniline Pesticide Residue in Foods Liquid Chromatography—Mass Spectrometry / Mass Spectrometry

GB23200.70 National Food Safety Standard Determination of Acifluorfen Residue in Foods Liquid Chromatography—Mass Spectrometry / Mass Spectrometry

- GB23200.72 National Food Safety Standard-Determination of phenylbenzamide pesticides residues in foods Gas chromatography-mass spectrometry
- GB23200.73 National Food Safety Standard-Determination of rotenone and azadirachtin residues in foods-Liquid Chromatography-mass spectrometry
- GB23200.74 National Food Safety Standard Determination of Jiangangmycin Residue in Foods Liquid Chromatography-Mass Spectrometry / Mass Spectrometry
- GB23200.75 National Food Safety Standard-Determination of flonicamid residue in foods
- GB23200.76 National Food Safety Standard-Determination of flubendiamide residue in foods Liquid chromatography-mass spectrometry
- GB23200.83 National Food Safety Standard Testing Methods of Iprobenfos Residue in Foods
- GB23200.104 National Food Safety Standard-Determination of MCPA and MCPB residues in meat and meat products Liquid chromatography-mass spectrometry
- GB23200.108 National Food Safety Standard-Determination of glufosinate-ammonium residue in foods of plant origin-Liquid chromatography tandem mass spectrometry
- GB23200.109 National Food Safety Standard-Determination of clopyralid in foods of plant origin- Liquid chromatography-mass spectrometry
- GB23200.110 National Food Safety Standard-Determination of forchlorfenuron in foods of plant origin-Liquid chromatography tandem mass spectrometry
- GB23200.111 National Food Safety Standard-Determination of flumetsulamin foods of plant origin-Liquid chromatography tandem mass spectrometry
- GB23200.112 National Food Safety Standard-Determination of 9 carbamate pesticides and metabolites residues in foods of plant origin-Liquid chromatography-post-column derivation method
- GB23200.113 National Food Safety Standard Determination of 208 pesticides and metabolites residues in foods of plant origin- Gas chromatography-tandem mass spectrometry method
- GB23200.115 National Food Safety StandardDetermination of fipronil and metabolites residues in eggs Liqid chromatography-tandem mass spectrometry method
- GB/T23204 Determination of 519 pesticides and related chemicals residues in tea. GC-MS method
- GB/T23210 rmination of 511 pesticides and related chemicals residues in milk and milk powder -GC-MS
- GB/T23211 Determination of 493 pesticides and related chemicals residues in milk and milk powder –LC-MS-MS method
- GB/T23376 Determination of pesticides residues in tea - GC/MS method
- GB/T23379 Determination of imidacloprid residues in fruits,vegetables and teas - HPLCPLC
- GB/T23584 Determination of acetamiprid residue in fruits and vegetables – Liquid chromatography-tandem mass spectrometry
- GB/T23750 Determination of Glyphosate residues in plant products-GC-MS method
- GB/T23816 Method for determination of triazine herbicide residues in soybean
- GB/T23818 Determination of imidazolinone herbicide residues in soybean
- GB/T25222 Inspection of grain and oils - Determination of phosphide residues in grain - Spectrophotometric method
- GB29707 National Food Safety StandardDetermination of marker residues of Amitraz in milk by Gas Chromatographic method
- NY/T 761 Pesticide multi-residue screen methods for determination of organophosphorus pesticides, organochlorine pesticides, pyrethroid pesticides and carbamate pesticides in vegetables and fruits
- NY/T1096 Determination of Glyphosate Residues in food
- NY/T1277 Determination of Iprodione Residues in Vegetables by HPLC
- NY/T1379 Multi-residue Determination of 334 Pesticides in Vegetable by GC/MS and LC/MS
- NY/T1434 Multi-residue Determination of 2 4 - D and Other 12 Herbicides in Vegetable by LC/MS
- NY/T1453 Determination of 16 pesticide residues in fruits and vegetables by LC - MS/MS
- NY/T1455 Determination of myclobutanil residue in fruits by gas chromatogram
- NY/T1456 Determination of prochloraz residue in fruits by gas chromatography

NY/T1616 Determination of Nine sulfonylurea herbicides residues in soils by LC-MS
NY/T1652 Determination of propargite residues in vegetables and fruits - GC
NY/T1679 Determination of carbamate pesticide residues in vegetable foods by LC - MS/MS
NY/T1680 Determination of Carbendazim and other Three Benzimidazoles in vegetable and fruit by HPLC
NY/T1720 Determination of seven benzoylurea pesticides residues in fruits and vegetables by HPLC
NY/T1722 Determination of anilazine residue in vegetables by HPLC
NY/T1725 Determination of cyromazine residue in vegetables by HPLC
NY/T2820 Determination of yishijing tebufenozide, methoxyfenozide, furan tebufeno zide and chromafenozide residues in plant foods-LC-MS-MS method

- SN/T0134 Determination of pesticide residues of 12 kinds carbamates including oxamyl in foods for import and export –LC-MS/MS method
- SN/T0139 Method for determination of dithiocarbamate residues in grain for export
- SN/T0157 Method for determination of dithiocarbamateresidue in fruit for export
- SN/T0162 Method for the determination of thiophanate-methyl, thiophanate, carbendazim, benomyl and thiabendazole residues in foods for exports - HPLCHPLC
- SN/T0192 Method for determination of bromopropylate residues in fruits for export
- SN/T0217 Determination of Residual Amounts of Various Chrysanthemum Esters in Plant-derived Foods for Export-Gas Chromatography-Mass Spectrometry
- SN/T0293 Determination of Paraquat and diquat Residues in Plant-derived Foods for Export-Liquid Chromatography-Mass Spectrometry/Mass Spectrometry
- SN/T0519 Determination of propiconazole residue in food for import and export
- SN/T0525 Determination of phenylbutatin residues in cereals and oilseeds for export
- SN/T0592 Method for the determination of fenbutatin oxide residues in cereals and oil seeds for export
- SN0654 Method for the determination of captan residues in fruits for export
- SN/T0685 Method for the determination of propamocarb residues inf cereals for export
- SN/T0695 Method for the determination of triforine residues in cereals for export
- SN/T0697 Determination of oxamyl residues in export meat and meat products
- SN/T0701 Method for the determination of phosphamidon residues in cereals for export
- SN/T0931 Method for the determination of prohexadione-calcium residue in cereals for exports - Liquid chromatography
- SN/T 1477 Inspection of paclobutrazol residues in food for import and export
- SN/T 1541 Inspection of the total residues of dithiocarbamate pesticides in tea for export
- SN/T 1605 Inspection of cyanazin fluometuron atrazine propanil and linuron residues in products of plant origin for import and export - HPLC
- SN/T 1606 Inspection of phenoxy acid herbicides residues in products of plant origin for import and export - gc
- SN/T 1739 Determination of organophosphorous pesticides residues in cereals and oil seeds for import and export-Gas chromatography mass spectrometry method
- SN/T 1923 Determination of glyphosate residues in food for import and export - HPLC-MS/MS method
- SN/T 1968 Determination of prometryne residues in food for import and export.GC-MS Method
- SN/T 1969 Determination of bifenthrin residue in food for import and export-GC-MS method
- SN/T 1976 Determination of azoxystrobin residues in fruit and vegetable for import and export-GC method
- SN/T 1982 Determination of fipronil residues in food for import and export-GC-MS method
- SN/T 1986 Determination of chlufenapyr residues in food for import and export
- SN/T 2095 Determination of chlorfluazuron residues in vegetables for import and export - HPLC
- SN/T 2147 Determination of cadusafos residues in food for import and export
- SN/T 2151 Determination of pesticides residue of 28 kinds of including bioresmethrin, acinathrin, bifenthrin in food import and export - GC-MS method
- SN/T 2152 Determination of hexaflumuron residue in food for import and export - HPLC-MS/MS method
- SN/T 2158 Determination of chlorpyrifos residue in foods for import and export
- SN/T 2212 Determination of bensulfuron methyl residues in cereals for import and export - Liquid chromatography
- SN/T 2228 Determination of 31 acid pesticide residues in foods for import and export - GC-MS method
- SN/T 2229 Determination of isoprothiolane residues in foods for import and export
- SN/T 2233 Determination of fenpropathrin residue in food for import and export
- SN/T 2234 Determination of profenofos residue in food for import and export - GC and GC-MS method
- SN/T 2320 Determination of chlorthalonil, dichlofluanid, tolyfluanid, captan, folpet, captafol and deltamethrin residues in food for import and export GC-MS method

SN/T 2324 Determination of 33 organophosphorous pesticides residues (butamifos, chlorpyrifos, chlorpyrifos-methyl et al infoodstuffs) for import and export

SN/T 2325 Determination of 45 pesticides residues including azimsulfron, bensulfron-methyl, cinousulfron et al in foods for import and export - HPLC-MS/MS method

SN/T 2397 Method for determination of Nicotine in foods for import and export
SN/T 2432 Determination of pyridaben residues in food for import and export
SN/T 2441 Determination of aldicarb, aldicarb-sulfone and aldicarb-sulfoxide residues in food for import and export- LC-MS/MS method
SN/T 2540 Determination of benzoylurea pesticides residues in foodstuffs for import and export- LC-MS/MS method
SN/T 2560 Determination of carbamate pesticide residues in food for import and export - LC-MS method
SN/T 2915 Determination of 160 pesticides residues including alachlor, acetochlor, azamethiphos in foodstuffs for export- GC-MS method
SN/T3539 Determination of cyflumetofen in food for export
SN/T3768 Determination of organicphosforus residues in cereal grains for export.GC/MS method
SN/T3769 Determination of trichlorfon, phoxim residues in cereal grains for export - LC-MS/MS method
SN/T3852: Determination of metaflumizone residues in food for export - LC-MS/MS method
SN/T3859 Determination of butralin pesticide residue in foodstuffs for export
SN/T3860 Determination of pymetrozine residues in food for export.LC-MS/MS method
SN/T4264 Determination of metaldehyde residue in foodstuffs for export.GC-MS method
SN/T4558 Determination of cyhexatin (azocyclotin) and fenbutatin oxide in foods for export
SN/T4586 Determination of thidiazuron residue in foodstuffs for export.GC-MS method
YC/T180 Tobacco and tobacco products-Determination of camphechlor residues-GC method

3 Terms and definitions

The terms and definitions below apply to this standard.

3.1 Residue definition

Any particular substance in foods, agricultural products and animal feed due to the use of pesticides, including the pesticide derivatives which is considered to have toxicological significance, such as pesticide conversion products, metabolites, reaction products and impurities, etc.

3.2 Maximum residue limit (MRL)

The statutory maximum concentration of pesticide residues allowed in the internal or surface of foods or agricultural products, expressed as the milligrams of pesticide residues per kilogram of foods or agricultural products (mg/kg).

3.3 Extraneous maximum residue limit (EMRL)

Although some persistent pesticides have been banned, they still could exist in the environment for a long time and therefore cause residues in foods once again; the EMRL in foods are developed in order to control contamination caused by such pesticides in foods. EMRL is expressed as the milligrams of pesticide residues per kilogram of food or agricultural products (mg/kg).

3.4 Acceptable daily intake (ADI)

The estimated amount of a substance, consumed daily for a person's lifetime, without causing detectable harms to health; expressed by the amount of intake allowed per kilogram of body weight (mg/kg).

4 Technical requirements

4.1 2,4-D and 2,4-D Na

- 4.1.1 Major purpose of use: herbicide.
- 4.1.2 ADI: 0.01mg/kgbw.
- 4.1.3 Residue: 2,4-D.
- 4.1.4 Maximum residue limit: Shall comply with provisions in the Table 1.

Table 1 List and Sequence of Core Primers

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	2
Rye	2
Corn	0.05
Fresh maize	0.1
Sorghum	0.01
Oil seed and oil	
Soybean	0.01
Vegetables	
Celery	0.2
Cabbage	
Tomato	0.5
Eggplant	0.1
Chili	0.1
Potato	0.2
Cactus	0.05
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	1
Mandarin orange	0.1
Orange	0.1
Tangerine	0.1
Pome fruit	0.01
Stone fruit	0.05
Berries and other small fruits	0.1
Nuts	0.2
Sugar crops	
Sugarcane	0.05
Edible fungi	
Mushroom (fresh)	0.1
Meat from mammals (with the exception of marine mammal)	0.2*
Viscera of mammal animals (with the exception of marine mammal)	5*
Poultry	0.05*
Poultry viscera	0.05*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.1.5 Testing method: Cereals (with the exception of sorghum), vegetables, edible fungi shall be tested by methods provided in GB/T 5009.175; sorghum, oil seed and oil, fruits, nuts, sugar crops shall be tested referring to methods provided in NY/T 1434.

4.2 2,4-D butylate

- 4.2.1 Major purpose of use: herbicide.
- 4.2.2 ADI: 0.01 mg/kg bw.
- 4.2.3 Residue: 2,4-D butylate.
- 4.2.4 Maximum residue limit: Shall comply with provisions in the Table 2.

Table 2

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.05
Corn	0.05
Oil seed and oil	
Soybean	0.05
Sugar crops	
Sugarcane	0.05

4.2.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.165, GB/T 5009.175; oil seed and oil shall be tested referring to methods provided in GB/T 5009.165; sugar crops shall be tested referring to methods provided in GB/T 5009.175.

4.3 2,4-D-dimethylamine

- 4.3.1 Major purpose of use: herbicide.
- 4.3.2 ADI: 0.01 mg/kg bw.

4.3.3 Residue: 2,4-D.

4.3.4 Maximum residue limit: Shall comply with provisions in the Table 3.

Table 3

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05
Wheat	2

4.3.5 Testing method: Cereals shall be tested by methods provided in SN/T 2228.

4.4 2,4-D-ethylhexyl

4.4.1 Major purpose of use: herbicide.

4.4.2 ADI: 0.01 mg/kg bw.

4.4.3 Residue: sum of 2,4-D-ethylhexyl and 2,4-D, expressed as 2,4-D-ethylhexyl.

4.4.4 Maximum residue limit: Shall comply with provisions in the Table 4.

Table 4

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	2*
Fresh maize	0.1*
Corn	0.1*

*The MRL is the temporary limit.

4.5 MCPA (sodium)

4.5.1 Major purpose of use: herbicide.

4.5.2 ADI: 0.1 mg/kg bw.

4.5.3 Residue: MCPA.

4.5.4 Maximum residue limit: Shall comply with provisions in the Table 5.

Table 5

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.05
Wheat	0.1
Barley	0.2
Oats	0.2
Rye	0.2
Triticale	0.2
Corn	0.05
Sorghum	0.05
Pea	0.01
Oil seed and oil	
Flaxseed	0.01
Fruits	
Mandarin orange	0.1
Orange	0.1
Tangerine	0.1
Apple	0.05
Sugar crops	
Sugarcane	0.05
Meat from mammals (with the exception of marine mammal)	0.1*
Viscera of mammal animals (with the exception of marine mammal)	3*
Fat of mammal animals (with the exception of milk fat)	0.2*
Poultry meats	0.05*
Poultry viscera	0.05*
Poultry fat	0.05*
Eggs	0.05*
Raw milk	0.04*

* The MRL is the temporary limit.

4.5.5 Testing method: Cereals shall be tested referring to methods provided in SN/T 2228, NY/T 1434; Oil seed and oil shall be tested referring to methods provided in NY/T 1434; Fruits shall be tested referring to methods provided in SN/T 228; Sugar crops shall be tested referring to methods provided in SN/T 2228; Animal-derived food shall be tested by methods provided in

4.6 MCPA-dimethylammonium

- 4.6.1 Major purpose of use: herbicide.
 4.6.2 ADI: 0.1 mg/kg bw.
 4.6.3 Residue: MCPA.
 4.6.4 Maximum residue limit: Shall comply with provisions in the Table 6 .

Table 6

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugarcane	0.05

4.6.5 Testing method: Sugar crops shall be tested by methods provided in SN/T 2228.

4.7 MCPA-isooctyl

- 4.7.1 Major purpose of use: herbicide.
 4.7.2 ADI: 0.1 mg/kg bw.
 4.7.3 Residue: MCPA-isooctyl.
 4.7.4 Maximum residue limit: Shall comply with provisions in the Table 7 .

Table 7

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.05*
Brown rice	0.05*
Wheat	0.1*

* The MRL is the temporary limit.

4.8 Abamectin

- 4.8.1 Major purpose of use: pesticide.
 4.8.2 ADI: 0.001 mg/kg bw.
 4.8.3 Residue: abamectin Bla.
 4.8.4 Maximum residue limit: Shall comply with provisions in the Table 8 .

Table 8

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.02
Wheat	0.01
Oil seed and oil Cotton seed	0.01
Soybean	0.05
Peanut kernel	0.05
Vegetables Leek	0.05
Scallion	0.1
Head cabbage	0.05
Broccoli	0.5
Sprouting broccoli	0.05
Cabbage mustard	0.02
Flower Chinese cabbage	0.1
Spinach	0.05
Pakchoi	0.05
Edible rape	0.1
Green vegetable	0.05
Edible amaranth	0.05
Garland chrysanthemum	0.05
Stem and leaf lettuce	0.05
Leaf musta	0.05
Leaf mustard	0.2
Rappini leaf	0.05
Celery	0.05
Cumin	0.02
Celery cabbage	0.05

Tomato	0.02
Eggplant	0.2
Sweet pepper	0.02
Cucumber	0.02
Squash	0.01
Aucchini	0.02
Cowpea	0.05
Kidney bean	0.1
Vegetable soybean	0.05
Radish	0.01
Turnip	0.02
Potato	0.01
Cane shoots	0.3
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.01
Mandarin orange	0.02
Orange	0.02
Tangerine	0.02
Apple	0.02
Pear	0.02
Date (fresh)	0.05
Goji berry (fresh)	0.1
Strawberry	0.02
Red bayberry	0.02
Melons (with the exception of watermelon)	0.01
Watermelon	0.02
Dried fruits	
Goji berry (dry)	0.1
Nuts	
Apricot kernel	0.01
Walnut	0.01
Beverages	
Hop	0.1
Condiments	
Dried chili	0.2
Pepper	0.05

4.8.5 Testing method: Cereals, dried fruits shall be tested by methods provided in GB 23200.20; Oil seed and oil shall be tested referring to methods provided in GB 23200.20; Vegetables shall be tested by methods provided in GB 23200.19, GB 23200.20, NY/T 1379; Fruits shall be tested by methods provided in GB 23200.19, GB 23200.20; Nuts, beverages and condiments shall be tested referring to methods provided in GB 23200.19.

4.9 Chlormequat

- 4.9.1 Major purpose of use: plant growth regulator.
- 4.9.2 ADI: 0.05 mg/kg bw.
- 4.9.3 Residue: Chlormequat cation, expressed as chloride compound.
- 4.9.4 Maximum residue limit: Shall comply with provisions in the Table 9.

Table 9

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	5
Barley	2
Oats	10
Rye	3
Triticale	3
Corn	5
Wheat flour	2
Whole wheatmeal	5
Rye flour	3
Whole rye flour	4
Oil seed and oil	
Rapeseed	5
Cotton seed	0.5
Peanut kernel	0.2
Crude rapeseed oil	0.1

Vegetables		
Tomato		1
Meat from mammals (with the exception of marine mammal)		
Beef	0.2*	
Pork	0.2*	
Meat of sheep	0.2*	
Meat of goat	0.2*	
Viscera of mammal animals (with the exception of marine mammal)		
Beef kidney	0.5*	
Pork kidney	0.5*	
Sheep kidney	0.5*	
Goat kidney	0.5*	
Beef liver	0.1*	
Pork liver	0.1*	
Sheep liver	0.1*	
Goat liver	0.1*	
Poultry meats	0.04*	
Poultry viscera	0.1*	
Eggs	0.1*	
Raw milk		
Milk	0.5*	
Sheep milk	0.5*	
Goat milk	0.5*	

* The MRL is the temporary limit.

4.9.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.219; Oil seed and oil, vegetables shall be tested referring to methods provided in GB/T 5009.219.

4.10 Picloram

4.10.1 Major purpose of use: herbicide.

4.10.2 ADI: 0.3 mg/kg bw.

4.10.3 Residue: picloram.

4.10.4 Maximum residue limit: Shall comply with provisions in the Table 10.

Table 10

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.2*
Oil seed and oil	
Rapeseed	0.1*

* The MRL is the temporary limit.

4.11 Picloram-tris (2-hydroxypropyl)ammonium

4.11.1 Major purpose of use: herbicide.

4.11.2 ADI: 0.5 mg/kg bw.

4.11.3 Residue: picloram.

4.11.4 Maximum residue limit: Shall comply with provisions in the Table 11.

Table 11

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.2*
* The MRL is the temporary limit.	

4.12 Amicarbazone

4.12.1 Major purpose of use: herbicide.

4.12.2 ADI: 0.023 mg/kg bw.

4.12.3 Residue: amicarbazone.

4.12.4 Maximum residue limit: Shall comply with provisions in the Table 12.

Table 12

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05*

Fresh maize | 0.05*
* The MRL is the temporary limit.

4.13 Ethametsulfuron

4.13.1 Major purpose of use: herbicide.

4.13.2 ADI: 0.2mg/kg bw.

4.13.3 Residue: ethametsulfuron.

4.13.4 Maximum residue limit: Shall comply with provisions in the Table 13.

Table 13

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Rapeseed	0.02

4.13.5 Testing method: Oil seed and oil shall be tested referring to methods provided in NY/T 1616.

4.14 Diethyl aminoethyl hexanoate

4.14.1 Major purpose of use: plant growth regulator.

4.14.2 ADI: 0.023 mg/kg bw.

4.14.3 Residue: diethyl aminoethyl hexanoate .

4.14.4 Maximum residue limit: Shall comply with provisions in the Table 14.

Table 14

Food Category/Name	Maximum residue limit, mg/kg
Cereals Corn	0.2*
Oil seed and oil Soybean	0.05*
Peanut kernel	0.1*
Vegetables Ordinary cabbage	0.05*
Celery cabbage	0.2*
Vegetable soybean	0.05*

* The MRL is the temporary limit.

4.15 Paraquat

4.15.1 Major purpose of use: herbicide.

4.15.2 ADI: 0.005 mg/kg bw.

4.15.3 Residue: Paraquat cation, expressed as dichloro paraquat.

4.15.4 Maximum residue limit: Shall comply with provisions in the Table 15.

Table 15

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Corn	0.1
Sorghum	0.03
Coarse cereals	0.5
Wheat flour	0.5
Oil seed and oil	
Canola oil	0.05*
Cotton seed	0.2*
Soybean	0.5*
Sunflower seed	2*
Vegetables	
Bulb vegetables	0.05*
Brassica vegetables	0.05*
Leaf vegetables	0.05*
Solanaceous vegetables	0.05*
Gourd vegetables	0.05*
Leguminous vegetables	0.05*
Stem vegetables	0.05*
Root, tuber and tuberous rooted	0.05*
Aquatic vegetables	0.05*
Sprout vegetables	0.05*

Other vegetables	0.05*
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.02*
Mandarin orange	0.2*
Orange	0.2*
Tangerine	0.2*
Pome fruit (with the exception of apple)	0.01*
Apple	0.05*
Stone fruit	0.01*
Berries and other small fruits	0.01*
Olive	0.1*
Tropical and sub-tropical fruits – inedible peel (with the exception of banana)	0.01*
Banana	0.02*
Melons	0.02*
Nuts	0.05*
Beverages	
Tea	0.2
Hop	0.1*
Meat from mammals (with the exception of marine mammal)	0.005*
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Poultry meats	0.005*
Poultry viscera	0.005*
Eggs	0.005*
Raw milk	0.005*

* The MRL is the temporary limit.

4.15.5 Testing method: Cereals, tea shall be tested referring to methods provided in SN/T 0293.

4.16 Chlorothalonil

4.16.1 Major purpose of use: fungicide.

4.16.2 ADI: 0.02 mg/kg bw.

4.16.3 Residue: for plant-derived foods, it is chlorothalonil; for animal-derived foods, it is 4-Hydroxy-2,5,6-Trichloroisophthalonitrile.

4.16.4 Maximum residue limit: Shall comply with provisions in the Table 16.

Table 16

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Wheat	0.1
Fresh maize	5
Coarse cereals (with the exception of Mung bean, Adzuki bean)	1
Mung bean	0.2
Adzuki bean	0.2
Oil seed and oil	
Soybean	0.2
Peanut kernel	0.05
Vegetables	
Onion	10
Brussels sprouts	6
Head inflorescence brassica vegetables	5
Spinach	5
Ordinary cabbage	5
Stem and leaf lettuce	5
Celery	5
Celery cabbage	5
Tomato	5
Cherry tomato	7
Eggplant	5
Chili	5
Sweet pepper	5
Cucumber	5
Small cucumber used for pickling	3
Squash	5
Aucchini	5

Bitter gourd	5
Loofah	5
Wax gourd	5
Pumpkin	5
Winter squash	5
Cowpea	5
Kidney bean	5
Edible podded pea	7
Vegetable soybean	2
Stem and root vegetables	0.3
Potato	0.2
Fruits	
Mandarin orange	1
Orange	1
Tangerine	1
Apple	1
Pear	1
Peach	0.2
Cherry	0.5
Cranberry	5
Gooseberry	20
Grape	10
Strawberry	5
Litchi	0.2
Banana	0.2
Papaya	20
Watermelon	5
Sweet melons	5
Sugar crops	
Sugar beet	50
Beverages	
Tea	10
Edible fungi	
Mushroom (fresh)	5
Condiments	
Dried chili	70
Meat from mammals (with the exception of marine mammal)	0.02*
Viscera of mammal animals (with the exception of marine mammal)	0.2*
Fat of mammal animals (with the exception of milk fat)	0.07*
Poultry meats	0.01*
Poultry viscera	0.07*
Poultry fat	0.01*
Raw milk	0.07*

* The MRL is the temporary limit.

4.16.5 Testing method: Cereals shall be tested by methods provided in SN/T 2320; Oil seed and oil; Sugar crops, condiments shall be tested referring to methods provided in SN/T 2320; Vegetables shall be tested by methods provided in GB/T 5009.105, NY/T 761,SN/T 2320; Fruits and edible fungi shall be tested by methods provided in GB/T 5009.105, NY/T 761; Tea shall be tested referring to methods provided in NY/T 761.

4.17 Azinphos-methyl

4.17.1 Major purpose of use: pesticide.

4.17.2 ADI: 0.03 mg/kg bw.

4.17.3 Residue: azinphos-methyl

4.17.4 Maximum residue limit: Shall comply with provisions in the Table 17.

Table 17

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Soybean	0.05
Cotton seed	0.2
Vegetables	
Vegetables (with the exception of the separately listed)	0.5
Broccoli	1
Sprouting broccoli	1
Tomato	1

Sweet pepper	1
Cucumber	0.2
Potato	0.05
Fruits	
Fruits (with the exception of the separately listed)	1
Apple	2
Pear	2
Peach	2
Cherry	2
Nectarine	2
Prune	2
Blueberry	5
Cranberry	0.1
Watermelon	0.2
Sweet melons	0.2
Dried fruits	
Dried prune	2
Nuts	
Apricot kernel	0.05
Carya cathayensis	0.3
Sugar crops	
Sugarcane	0.2
Condiments	
Condiments (with the exception of dried chili)	0.5
Dried chili	10

4.17.5 Testing method: Oil seed and oil, potato, nuts, sugar crops, condiments shall be tested referring to methods provided in SN/T 1739; Vegetables (with the exception of potato), fruits, dried fruits shall be tested by methods provided in NY/T761.

4.18 Fenthion

4.18.1 Major purpose of use: pesticide.

4.18.2 ADI: 0.007 mg/kg bw.

4.18.3 Residue: sum of fenthion and its oxide analogues (sulphoxide, sulphone compounds), expressed as fenthion.

4.18.4 Maximum residue limit: Shall comply with provisions in the Table 18.

Table 18

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05
Wheat	0.05
Oil seed and oil	
Vegetable oil (with the exception of virgin olive oil)	0.01
Virgin olive oil	1
Vegetables	
Bulb vegetables	0.05
Brassica vegetables (with the exception of head cabbage)	0.05
Head cabbage	2
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit (with the exception of cherry)	0.05
Cherry	2
Berries and other small fruits	0.05
Tropical and sub-tropical fruits (with the exception of olive)	0.05
Olive	1

Melons	0.05
--------	------

4.18.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113 , GB/T 20769; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.19 Benzovindiflupyr

4.19.1 Major purpose of use: fungicide.

4.19.2 ADI: 0.05 mg/kg bw.

4.19.3 Residue: benzovindiflupyr.

4.19.4 Maximum residue limit: Shall comply with provisions in the Table 19.

Table 19

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Soybean	0.08*
Meat from mammals (with the exception of marine mammal)	0.03*
Viscera of mammal animals (with the exception of marine mammal)	0.1*
Fat of mammal animals (with the exception of milk fat)	0.03*
Poultry meats	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.20 Fenbutatin oxide

4.20.1 Major purpose of use: Acaricide.

4.20.2 ADI: 0.03 mg/kg bw.

4.20.3 Residue: Fenbutatin oxide.

4.20.4 Maximum residue limit: Shall comply with provisions in the Table 20.

Table 20

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	1
Cucumber	0.5
Fruits Mandarin orange	1
Orange	1
Tangerine	5
Lemon	5
Pumelo	5
Bergamot	5
Kumquat	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Cherry	10
Peach	7
Prune	3
Grape	5
Strawberry	10
Banana	10
Dried fruits Preserved citrus	25
Dried prune	10
Raisin	20
Nuts Apricot kernel	0.5
Walnut	0.5
Carya cathayensis	0.5
Meat from mammals (with the exception of marine mammal)	0.05

Viscera of mammal animals (with the exception of marine mammal)	0.2
Poultry meats Chicken	0.05
Poultry viscera Chicken viscera	0.05
Eggs	0.05
Raw milk	0.05

4.20.5 Testing method: Vegetables, fruits, dried fruits, nuts shall be tested referring to methods provided in SN 0592; Meat from mammals (with the exception of marine mammal); viscera of mammal animals (with the exception of marine mammal); Poultry meat, poultry viscera, eggs shall be tested by methods provided in SN/T 4558; Raw milk shall be tested referring to methods provided in SN/T 4558.

4.21 Dichlofuanid

4.21.1 Major purpose of use: fungicide.

4.21.2 ADI: 0.3 mg/kg bw.

4.21.3 Residue: dichlofuanid.

4.21.4 Maximum residue limit: Shall comply with provisions in the Table 21.

Table 21

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Onion	0.1
Stem and leaf lettuce	10
Tomato	2
Chili	2
Cucumber	5
Potato	0.1
Fruits	
Apple	5
Pear	5
Peach	5
Current (black, red, white)	15
Raspberry	7
Gooseberry (red, black)	15
Grape	15
Strawberry	10
Condiments	
Dried chili	20

4.21.5 Testing method: Vegetables, fruits, condiments shall be tested referring to methods provided in SN/T 2320.

4.22 Tribenuron-methyl

4.22.1 Major purpose of use: herbicide.

4.22.2 ADI: 0.01 mg/kg bw.

4.22.3 Residue: tribenuron-methyl.

4.22.4 Maximum residue limit: Shall comply with provisions in the Table 22.

Table 22

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.05

4.22.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.23 Benomyl

4.23.1 Major purpose of use: fungicide.

4.23.2 ADI: 0.1 mg/kg bw.

4.23.3 Residue: The sum of benomyl and carbendazim, expressed as carbendazim.

4.23.4 Maximum residue limit: Shall comply with provisions in the Table 23.

Table 23

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Asparagus	0.5*
Fruits	

Mandarin orange	5*
Orange	5*
Tangerine	5*
Apple	5*
Pear	3*
Banana	2*

* The MRL is the temporary limit.

4.23.5 Testing method: Vegetables and fruits shall be tested referring to methods provided in SN/T0162.

4.24 Metrafenone

4.24.1 Major purpose of use: fungicide.

4.24.2 ADI: 0.3 mg/kg bw.

4.24.3 Residue: metrafenone.

4.24.4 Maximum residue limit: Shall comply with provisions in the Table 24.

Table 24

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.06*
Barley	0.5*
Oats	0.5*
Rye	0.06*
Triticale	0.06*
Whole wheatmeal	0.08*
Vegetables	
Tomato	0.4*
Chili	2*
Sweet pepper	2*
Cucumber	0.2*
Small cucumber used for pickling	0.2*
Squash	0.06*
Pea	0.05*
Fruits	
Grape	5*
Strawberry	0.6*
Dried fruits	
Raisin	20*
Edible fungi	
Mushroom (fresh)	0.5*
Condiments	
Dried chili	20*
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Fat of mammal animals (with the exception of milk fat)	0.01*
Poultry meat	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.25 Fenothiocarb

4.25.1 Major purpose of use: Acaricide.

4.25.2 ADI: 0.0075mg/kg bw.

4.25.3 Residue: fenothiocarb.

4.25.4 Maximum residue limit: Shall comply with provisions in the Table 25.

Table 25

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Mandarin orange	0.5*
Orange	0.5*
Tangerine	0.5*

* The MRL is the temporary limit.

4.25.5 Testing method: Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.26 Benzoximate

4.26.1 Major purpose of use: Acaricide.

4.26.2 ADI :0.15mg/kg bw.

4.26.3 Residue: benzoximate.

4.26.4 Maximum residue limit: Shall comply with provisions in the Table 26.

Table 26

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Mandarin orange	0.3*
Orange	0.3*
Tangerine	0.3*

* The MRL is the temporary limit.

4.26.5 Testing method: Fruits shall be tested by methods provided in GB/T 20769.

4.27 Difenoconazole

4.27.1 Major purpose of use: fungicide.

4.27.2 ADI: 0.01mg/kg bw.

4.27.3 Residue: For plant-derived foods, it is difenoconazole; Animal-derived food is the sum of difenoconazole and 1-[2-chloro -4-(4-chlorophenoxy) phenyl]-2-(1,2,4-triazole) -1-yl-ethanol), expressed as difenoconazole.

4.27.4 Maximum residue limit: Shall comply with provisions in the Table 27.

Table 27

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.5
Wheat	0.1
Corn	0.1
Coarse cereals	0.02
Oil seed and oil	
Rapeseed	0.05
Cotton seed	0.1
Soybean	0.05
Peanut kernel	0.2
Sunflower seed	0.02
Vegetables	
Garlic	0.2
Onion	0.5
Scallion	0.3
Spring onion	0.3
Head cabbage	0.2
Brussels sprouts	0.2
Broccoli	0.2
Sprouting broccoli	0.5
Stem and leaf lettuce	2
Cabbage lettuce	2
Celery	3
Celery cabbage	1
Solanaceous vegetables (with the exception of tomato, chili)	0.6
Tomato	0.5
Chili	1
Cucumber	1
Small cucumber used for pickling	0.2
Squash	0.2
Kidney bean	0.5
Edible podded pea	0.7
Asparagus	0.03
Carrot	0.2
Celeriac	0.5
Potato	0.02
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.6

Mandarin orange	0.2
Orange	0.2
Tangerine	0.2
Apple	0.5
Pear	0.5
Hawthorn	0.5
Loquat	0.5
Quinces	0.5
Prune	0.2
Peach	0.5
Nectarine	0.5
Cherry	0.2
Grape	0.5
Passion fruit	0.05
Olive	2
Litchi	0.5
Mango	0.2
Pomegranate	0.1
Banana	1
Papaya	0.2
Melons (with the exception of watermelon)	0.7
Watermelon	0.1
Dried fruits	
Dried prune	0.2
Raisin	6
Nuts	0.03
Sugar crops	
Sugar beet	0.2
Beverages	
Tea	10
Condiments	
Dried chili	5
Medicinal plant	
Ginseng	0.5
Notoginseng (Sanchi) root tuber (dry)	5
Notoginseng (Sanchi) fibrous root (dry)	5
Notoginseng (Sanchi) flower (dry)	10
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.2
Viscera of mammal animals (with the exception of marine mammal)	1.5
Poultry meat, expressed as residue in the fat	0.01
Poultry viscera	0.01
Eggs	0.03
Raw milk	0.02

4.27.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.49, GB 23200.113; Vegetables and fruits, dried fruits, tea shall be tested by methods provided in GB 23200.8, GB 23200.49, GB 23200.113, GB/T 5009.218; Nuts, sugar crops, medicinal plants shall be tested referring to methods provided in GB 23200.8, GB 23200.49, GB 23200.113, GB/T 5009.218; Condiments shall be tested by methods provided in GB 23200.113; Meat from mammals (with the exception of marine mammal) Viscera of mammal animals (with the exception of marine mammal), poultry meat, poultry viscera shall be tested by methods provided in GB 23200.49; Eggs, raw milk shall be tested referring to methods provided in GB 23200.49.

4.28 Saflufenacil

4.28.1 Major purpose of use: herbicide.

4.28.2 ADI: 0.05 mg/kg bw.

4.28.3 Residue: saflufenacil.

4.28.4 Maximum residue limit: Shall comply with provisions in the Table 28.

Table 28

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.01*
Wheat	
Corn	0.01*
Sorghum	0.01*

Millet	0.01*
Coarse cereals	0.3*
Oil seed and oil	
Rapeseed	0.6*
Cotton seed	0.2*
Sunflower seed	0.7*
Vegetables	
Leguminous vegetables	0.01*
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.01*
Mandarin orange	0.05*
Orange	0.05*
Tangerine	0.05*
Pome fruit	0.01*
Stone fruit	0.01*
Grape	0.01*
Banana	0.01*
Nuts	0.01*
Beverages	
Coffee bean	0.01*
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.3*
Fat of mammal animals (with the exception of milk fat)	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.29 Metamitron

4.29.1 Major purpose of use: herbicide.

4.29.2 ADI: 0.03 mg/kg bw.

4.29.3 Residue: metamitron.

4.29.4 Maximum residue limit: Shall comply with provisions in the Table 29.

Table 29

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugar beet	0.1

4.29.5 Testing method: Sugar crops shall be tested referring to methods provided in GB 23200.34, GB/T 20769.

4.30 Mefenacet

4.30.1 Major purpose of use: herbicide.

4.30.2 ADI: 0.007 mg/kg bw.

4.30.3 Residue: mefenacet.

4.30.4 Maximum residue limit: Shall comply with provisions in the Table 30.

Table 30

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05*

4.30.5 Testing method: cereals shall be tested by methods provided in GB 23200.9, GB 23200.24, GB 23200.113, GB/T 20770 .

4.31 Benalaxy1

4.31.1 Major purpose of use: fungicide.

4.31.2 ADI: 0.07 mg/kg bw.

4.31.3 Residue: benalaxy1.

4.31.4 Maximum residue limit: Shall comply with provisions in the Table 31.

Table 31

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Onion	0.02
Cabbage lettuce	1
Tomato	0.2
Potato	0.02

Fruits	
Grape	0.3
Watermelon	0.1
Sweet melons	0.3

4.31.5 Testing method: vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769.

4.32 Zoxamide

4.32.1 Major purpose of use: fungicide.

4.32.2 ADI: 0.5 mg/kg bw.

4.32.3 Residue: zoxamide.

4.32.4 Maximum residue limit: Shall comply with provisions in the Table 32.

Table 32

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	2
Gourd vegetables	2
Potato	0.02
Fruits	
Grape	5
Melons	2
Dried fruits	
Raisin	15

4.32.5 Testing method: vegetables, fruits and dried fruits shall be tested by methods provided in GB 23200.8, GB/T 20769.

4.33 Fenamiphos

4.33.1 Major purpose of use: pesticide.

4.33.2 ADI: 0.0008 mg/kg bw.

4.33.3 Residue: the sum of Fenamiphos and its oxygen analogue (sulfoxide, sulphone), expressed as Fenamiphos.

4.33.4 Maximum residue limit: Shall comply with provisions in the Table 33.

Table 33

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.02
Brown rice	0.02
Wheats	0.02
Upland crops	0.02
Coarse cereals	0.02
Oil seed and oil	
Cotton seed	0.05
Soybean	0.02
Peanut kernel	0.02
Crude peanut oil	0.02
Crude cotton seed oil	0.05
Peanut oil	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02

Melons	0.02
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.005*

* The MRL is the temporary limit.

4.33.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables and fruits shall be tested by methods provided in GB 23200.8.

4.34 Fenpropidin

4.34.1 Major purpose of use: fungicide.

4.34.2 ADI: 0.02 mg/kg bw.

4.34.3 Residue: Fenpropidin

4.34.4 Maximum residue limit: Shall comply with provisions in the Table 34.

Table 34

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	1

4.34.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.35 Topramezone

4.35.1 Major purpose of use: herbicide.

4.35.2 ADI: 0.004 mg/kg bw.

4.35.3 Residue: topramezone.

4.35.4 Maximum residue limit: Shall comply with provisions in the Table 35.

Table 35

Food Category/Name	Maximum residue limit, mg/kg
Cereals Corn	0.05*
Fresh maize	0.05*

* The MRL is the temporary limit.

4.36 Pyriproxyfen

4.36.1 Major purpose of use: pesticide.

4.36.2 ADI: 0.1 mg/kg bw.

4.36.3 Residue: pyriproxyfen.

4.36.4 Maximum residue limit: Shall comply with provisions in the Table 36.

Table 36

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.05
Crude cotton seed oil	0.01
Cotton seed oil	0.01
Vegetables Head cabbage	3
Tomato	1
Fruits Citrus fruit (with the exception of mandarin orange, orange, tangerine) Mandarin orange	0.5 2
Orange	2
Tangerine	2
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat Beef	0.01
Meat of goat	0.01
Viscera of mammal animals (with the exception of marine mammal) Beef viscera	0.01
Goat viscera	0.01

4.36.5 Testing method: Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal) shall be tested by methods provided in GB 23200.64.

4.37 Pyraflufen-ethyl

4.37.1 Major purpose of use: herbicide.

4.37.2 ADI: 0.2 mg/kg bw.

4.37.3 Residue: pyraflufen-ethyl.

4.37.4 Maximum residue limit: Shall comply with provisions in the Table 37.

Table 37

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.03
Oil seed and oil Cotton seed	0.1
Fruits Apple	0.03

4.37.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9; Oil seed and oil shall be tested referring to methods provided in GB 23200.9; Fruits shall be tested by methods provided in GB 23200.8, NY/T 1379.

4.38 Imidacloprid

4.38.1 Major purpose of use: pesticide.

4.38.2 ADI: 0.06 mg/kg bw.

4.38.3 Residue: For plant-derived foods, it is imidacloprid.; For animal-derived food, it is the sum of imidacloprid and its metabolites containing 6-chloro-pyridyl, expressed as imidacloprid.

4.38.4 Maximum residue limit: Shall comply with provisions in the Table 38.

Table 38

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05
Wheat	0.05
Corn	0.05
Fresh maize	0.05
Sorghum	0.05
Millet	0.05
Coarse cereals	2
Oil seed and oil Cotton seed	0.5
Soybean	0.05
Peanut kernel	0.5
Sunflower seed	0.05
Vegetables Onion	0.1
Leek	1
Scallion	2
Head cabbage	1
Broccoli	1
Sprouting broccoli	1
Cabbage mustard	1
Flower Chinese cabbage	0.5
Spinach	5
Ordinary cabbage	0.5
Stem and leaf lettuce	1
Cabbage lettuce	2
Radish leaf	5
Celery	5
Celery cabbage	0.2
Tomato	1
Eggplant	1
Chili	1
Sweet pepper	0.2
Cucumber	1

Squash	1
Aucchini	0.5
Bitter gourd	0.1
Loofah	0.5
Leguminous vegetables (with the exception of broad bean, vegetable soybean, kidney bean and edible podded pea)	2
Kidney bean	0.1
Edible podded pea	5
Vegetable soybean	0.1
Stem and root vegetables (with the exception of carrot)	0.5
Carrot	0.2
Potato	0.5
Lotus seed (fresh)	0.05
Lotus root	0.05
Bamboo sprout	0.1
Fruits	
Mandarin orange	1
Orange	1
Tangerine	1
Lemon	1
Pumelo	1
Bergamot	1
Kumquat	1
Apple	0.5
Pear	0.5
Peach	0.5
Nectarine	0.5
Apricot	0.5
Prune	0.2
Cherry	0.5
Berries and other small fruits (with the exception of cranberry, grape and strawberry)	5
Cranberry	0.05
Grape	1
Strawberry	0.5
Mango	0.2
Pomegranate	1
Banana	0.05
Melons	0.2
Dried fruits	
Goji berry (dry)	1
Nuts	0.01
Sugar crops	
Sugarcane	0.2
Beverages	
Tea	0.5
Coffee bean	1
Hop	10
Chrysanthemum (fresh)	1
Chrysanthemum (dry)	2
Condiments	
Dried chili	10
Meat from mammals (with the exception of marine mammal)	0.1*
Viscera of mammal animals (with the exception of marine mammal)	0.3*
Poultry meats	0.02*
Poultry viscera	0.05*
Eggs	0.02*
Raw milk	0.1*

* The MRL is the temporary limit.

4.38.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20769, GB/T 20770; Vegetables, fruits and dried fruits shall be tested by methods provided in GB/T 20769, GB/T 23379; Nuts and condiments shall be tested referring to methods provided in GB/T 20769; Sugar crops shall be tested referring to methods provided in GB/T 23379; Beverages shall be tested referring to methods provided in GB/T 20769, GB/T 23379, NY/T 1379.

4.39 Fluazifop and fluazifop-P-butyl

4.39.1 Major purpose of use: herbicide.

4.39.2 ADI: 0.004 mg/kg bw.

4.39.3 Residue: the sum of fluazifop and its metabolite fluazifop acid, expressed as fluazifop.

4.39.4 Maximum residue limit: Shall comply with provisions in the Table 39.

Table 39

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	0.1
Cotton seed	0.5
Peanut kernel	0.1
Sugar crops	0.5
Sugar beet	

4.39.5 Testing method: Oil seed and oil, sugar crops shall be tested by methods provided in GB/T 5009.142.

4.40 Diflufenican

4.40.1 Major purpose of use: herbicide.

4.40.2 ADI: 0.2 mg/kg bw.

4.40.3 Residue: diflufenican.

4.40.4 Maximum residue limit: Shall comply with provisions in the Table 40.

Table 40

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05
Wheat	

4.40.5 Testing method: Cereals shall be tested by methods provided in GB 23200.24.

4.41 Pyrazosulfuron-ethyl

4.41.1 Major purpose of use: herbicide.

4.41.2 ADI: 0.043 mg/kg bw.

4.41.3 Residue: Pyrazosulfuron-ethyl

4.41.4 Maximum residue limit: Shall comply with provisions in the Table 41.

Table 41

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1
Brown rice	

4.41.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.42 Pentiopyrad

4.42.1 Major purpose of use: fungicide.

4.42.2 ADI: 0.1mg/kg bw.

4.42.3 Residue: for plant-derived foods, it is pymetrozine; for animal-derived foods, it is the sum of pymetrozine and metabolite 1-methyl-3-(trifluoromethyl) 1H-pyrazole-4-carboxamide, expressed as pymetrozine.

4.42.4 Maximum residue limit: Shall comply with provisions in the Table 42.

Table 42

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1*
Wheat	0.2*
Barley	0.2*
Oats	0.2*
Rye	0.1*
Triticale	0.1*
Corn	0.01*
Sorghum	0.8*
Millet	0.8*
Coarse cereals	3*
Corn flour	0.05*
Wheat germ	0.2*
Oil seed and oil	0.5*
Rapeseed	

Cotton seed	0.5*
Soybean	0.3*
Peanut kernel	0.05*
Sunflower seed	1.5*
Crude rapeseed oil	1*
Crude corn oil	0.15*
Canola oil	1*
Peanut oil	0.5*
Vegetables	
Onion	0.7*
Scallion	4*
Head cabbage	4*
Head Inflorescence Brassica Vegetables	5*
Solanaceous vegetables	2*
Leguminous vegetables	0.3*
Radish	3*
Carrot	0.6*
Potato	0.05*
Cactus	0.02*
Fruits	
Pome fruit	0.4*
Stone fruit	4*
Strawberry	3*
Nuts	0.05*
Sugar crops	
Sugar beet	0.5*
Condiments	
Dried chili	14*
Meat from mammals (with the exception of marine mammal)	0.04*
Viscera of mammal animals (with the exception of marine mammal)	0.08*
Fat of mammal animals (with the exception of milk fat)	0.05*
Poultry meats	0.03*
Poultry viscera	0.03*
Poultry fat	0.03*
Eggs	0.03*
Raw milk	0.04*

* The MRL is the temporary limit.

4.43 Pymetrozine

4.43.1 Major purpose of use: pesticide.

4.43.2 ADI: 0.03 mg/kg bw.

4.43.3 Residue: pymetrozine.

4.43.4 Maximum residue limit: Shall comply with provisions in the Table 43.

Table 43

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1
Brown rice	0.2
Wheat	0.02
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Head cabbage	0.2
Spinach	15
Cucumber	1
Lotus seed (fresh)	0.02
Lotus root	0.02
Beverages	
Tea	2

4.43.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables shall be tested by methods provided in SN/T 3860; Tea shall be tested by methods provided in GB 23200.13.

4.44 Metazachlor

4.44.1 Major purpose of use: herbicide.

4.44.2 ADI: 0.08mg/kg bw.

4.44.3 Residue: metazachlor.

4.44.4 Maximum residue limit: Shall comply with provisions in the Table 44.

Table 44

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Rapeseed	0.5

4.44.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20770.

4.45 Pyraclostrobin

4.45.1 Major purpose of use: fungicide.

4.45.2 ADI: 0.03 mg/kg bw.

4.45.3 Residue: pyraclostrobin.

4.45.4 Maximum residue limit: Shall comply with provisions in the Table 45.

Table 45

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.2
Barley	1
Oats	1
Rye	0.2
Triticale	0.2
Sorghum	0.5
Coarse cereals (with the exception of pea, lentils)	0.2
Pea	0.3
Lentils	0.5
Oil seed and oil	
Oil seeds (with the exception of cotton seed, soybean, peanut kernel)	0.4
Cotton seed	0.1
Soybean	0.2
Peanut kernel	0.05
Vegetables	
Onion	1.5
Spring onion	0.7
Head cabbage	0.5
Brussels sprouts	0.3
Kale	1
Head Inflorescence Brassica Vegetables	0.1
Stem and leaf lettuce	2
Radish leaf	20
Celery cabbage	5
Solanaceous vegetables (with the exception of tomato)	0.5
Tomato	1
Cucumber	0.5
Edible podded pea	0.02
Artichoke	2
Radish	0.5
Carrot	0.5
Potato	0.02
Chinese yam	0.2
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	2
Apple	0.5
Peach	1
Nectarine	0.3
Apricot	0.3
Date (fresh)	1
Prune	0.8
Cherry	3
Blackberry	3
Blueberry	4

Gooseberry	3
Grape	2
Strawberry	2
Red bayberry	3
Litchi	0.1
Mango	0.05
Banana	1
Papaya	0.15
Watermelon	0.5
Sweet melons (with the exception of honey-dew melon)	0.5
Honey-dew melon	0.2
Dried fruits	
Dried prune	0.8
Raisin	5
Nuts	
Nuts (with the exception of pistachio nuts)	0.02
Pistachio nuts	1
Sugar crops	
Sugar beet	0.2
Beverages	
Tea	10
Coffee bean	0.3
Hop	15
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.5*
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Poultry meat	0.05*
Poultry viscera	0.05*
Eggs	0.05*
Raw milk	0.03*

* The MRL is the temporary limit.

4.45.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits and dried fruits shall be tested by methods provided in GB 23200.8; Nuts and sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20770; Beverages shall be tested by methods provided in GB 23200.113.

4.46 Isopyrazam

4.46.1 Major purpose of use: fungicide.

4.46.2 ADI: 0.06 mg/kg bw.

4.46.3 Residue: isopyrazam (Sum of isomers).

4.46.4 Maximum residue limit: Shall comply with provisions in the Table 46.

Table 46

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.03*
Barley	0.07*
Rye	0.03*
Triticale	0.03*
Vegetables	
Cucumber	0.5*
Fruits	
Banana	0.06*
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.02*
Fat of mammal animals (with the exception of milk fat)	0.01*
Poultry meats	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.47 Bensulfuron-methyl

4.47.1 Major purpose of use: herbicide.

4.47.2 ADI: 0.2mg/kg bw.

4.47.3 Residue: bensulfuron-methyl.

4.47.4 Maximum residue limit: Shall comply with provisions in the Table 47.

Table 47

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05
	0.05
	0.02
Fruits	0.02
	0.02
	0.02

4.47.5 Testing method: Cereals shall be tested by methods provided in SN/T 2212, SN/T 2325; Fruits shall be tested referring to methods provided in NY/T 1379, SN/T 2212, SN/T 2325.

4.48 Pretilachlor

4.48.1 Major purpose of use: herbicide.

4.48.2 ADI: 0.018 mg/kg bw.

4.48.3 Residue: pretilachlor.

4.48.4 Maximum residue limit: Shall comply with provisions in the Table 48.

Table 48

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1
	0.05

4.48.5 Testing method: Cereals shall be tested by methods provided in GB 23200.24, GB 23200.113.

4.49 Propiconazole

4.49.1 Major purpose of use: fungicide.

4.49.2 ADI: 0.07 mg/kg bw.

4.49.3 Residue: propiconazole.

4.49.4 Maximum residue limit: Shall comply with provisions in the Table 49.

Table 49

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1
	0.05
	0.2
	0.02
	0.02
	0.05
Oil seed and oil	0.02
	0.2
	0.1
Vegetables	3
	0.1
	0.05
	0.05
	0.05
	0.05
	0.05
	0.05
	0.05
	0.05
	0.05
Fruits	9
Tangerine	

Apple	0.1
Peach	5
Date (fresh)	5
Prune	0.6
Cranberry	0.3
Banana	1
Pineapple	0.02
Dried fruits	
Dried prune	0.6
Nuts	
Carya cathayensis	0.02
Sugar crops	
Sugarcane	0.02
Sugar beet	0.02
Beverages	
Coffee bean	0.02
Medicinal plant	
Ginseng (fresh)	0.1
Ginseng (dry)	0.1
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.5
Poultry meats	0.01
Poultry fat	0.01
Eggs	0.01
Raw milk	0.01

4.49.5 Testing method: cereals shall be tested by methods provided in GB 23200.9, GB 23200.13, GB/T 20770; oil seed and oil, beverages shall be tested by methods provided in GB 23200.13; vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.13, GB/T 20769; dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.13; sugar crops and nuts shall be tested referring to methods provided in GB 23200.13, SN/ T0519; medicinal plant shall be tested referring to methods provided in GB 23200.113, GB/T 20769; animal-derived food shall be tested referring to methods provided in GB/T 20772.

4.50 Albendazole

4.50.1 Major purpose of use: fungicide.

4.50.2 ADI: 0.05 mg/kg bw.

4.50.3 Residue: albendazole.

4.50.4 Maximum residue limit: Shall comply with provisions in the Table 50.

Table 50

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1*
Brown rice	0.1*
Fruits	
Banana	0.2*
Watermelon	0.05*

* The MRL is the temporary limit.

4.51 Prothioconazole

4.51.1 Major purpose of use: fungicide.

4.51.2 ADI: 0.01 mg/kg bw.

4.51.3 Residue: Prothioconazole.

4.51.4 Maximum residue limit: Shall comply with provisions in the Table 51.

Table 51

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.1*
Barley	0.2*
Oats	0.05*
Rye	0.05*
Triticale	0.05*
Corn	0.1*

Coarse cereals	1*
Oil seed and oil	
Rapeseed	0.1*
Soybean	1*
Peanut kernel	0.02*
Vegetables	
Solanaceous vegetables	0.2*
Potato	0.02*
Cactus	0.02*
Fruits	
Cranberry	0.15*
Sugar crops	
Sugar beet	0.3*
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.5*
Raw milk	0.004*

* The MRL is the temporary limit.

4.52 Benfuracarb

4.52.1 Major purpose of use: pesticide.

4.52.2 ADI: 0.01 mg/kg bw.

4.52.3 Residue: benfuracarb.

4.52.4 Maximum residue limit: Shall comply with provisions in the Table 52.

Table 52

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Brown rice	0.2
Fresh maize	0.05
Corn	0.05
Oil seed and oil	
Cotton seed	0.5*
Cotton seed oil	0.05*

* The MRL is the temporary limit.

4.52.5 Testing method: Cereals shall be tested by methods provided in SN/T 2915.

4.53 Propyrisulfuron

4.53.1 Major purpose of use: herbicide.

4.53.2 ADI: 0.011 mg/kg bw.

4.53.3 Residue: propyrisulfuron.

4.53.4 Maximum residue limit: Shall comply with provisions in the Table 53.

Table 53

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05*
Brown rice	0.05*

* The MRL is the temporary limit.

4.54 Oxadiargyl

4.54.1 Major purpose of use: herbicide.

4.54.2 ADI: 0.008 mg/kg bw.

4.54.3 Residue: oxadiargyl.

4.54.4 Maximum residue limit: Shall comply with provisions in the Table 54.

Table 54

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.02*
Vegetables	
Potato	0.02*

* The MRL is the temporary limit.

4.55 Flumioxazin

4.55.1 Major purpose of use: herbicide.

4.55.2 ADI: 0.02 mg/kg bw.

4.55.3 Residue: flumioxazin.

4.55.4 Maximum residue limit: Shall comply with provisions in the Table 55.

Table 55

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	0.02
Soybean	0.02
Peanut kernel	0.02
Fruits	
Mandarin orange	0.05
Orange	0.05
Tangerine	0.05

4.55.5 Testing method: oil seed and oil shall be tested by methods provided in GB 23200.31; fruits shall be tested by methods provided in GB 23200.8.

4.56 Propineb

4.56.1 Major purpose of use: fungicide.

4.56.2 ADI: 0.007 mg/kg bw.

4.56.3 Residue: desulfurized metabolite of prothioconazole, expressed as prothioconazole.

4.56.4 Maximum residue limit: Shall comply with provisions in the Table 56.

Table 56

Food Category/Name	Maximum residue limit, mg/kg
Cereals	2
Rice	1
Brown rice	0.1
Corn	1
Fresh maize	
Vegetables	0.5
Garlic	0.5
Onion	0.5
Scallion	0.5
Spring onion	0.5
Celery cabbage	50
Tomato	5
Sweet pepper	2
Cucumber	5
Squash	3
Pumpkin	0.2
Winter squash	0.1
Asparagus	2
Carrot	5
Potato	0.5
Cactus	0.1
Fruits	
Mandarin orange	3
Orange	3
Tangerine	3
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Stone fruit (with the exception of cherry)	7
Cherry	0.2
Cranberry	5
Grape	5
Strawberry	5
Mango	2
Banana	1
Papaya	5

	Watermelon	1
Nuts		
	Apricot kernel	0.1
	Carya cathayensis	0.1
Sugar crops		
	Sugar beet	0.5
Condiments		
	Pepper	0.1
	Round cardamom	0.1
	Cumin	10
	Cumin seed	0.1
	Coriander seed	0.1
Medicinal plant		
	Ginseng	0.3
	Notoginseng (Sanchi) root tuber (dry)	3
	Notoginseng (Sanchi) fibrous root (dry)	3

4.56.5 Testing method: Cereals shall be tested by methods provided in SN 0139; Vegetables shall be tested referring to methods provided in SN0139, SN0157, SN/T1541; Fruits, nuts, sugar crops, condiments, medicinal plant shall be tested referring to methods provided in SN0157, SN/T1541.

4.57 Profenofos

4.57.1 Major purpose of use: pesticide.

4.57.2 ADI: 0.03 mg/kg bw.

4.57.3 Residue: profenofos.

4.57.4 Maximum residue limit: Shall comply with provisions in the Table 57.

Table 57

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.02
Oil seed and oil	
Cotton seed	1
Cotton seed oil	0.05
Vegetables	
Head cabbage	0.5
Broccoli	2
Cabbage mustard	2
Ordinary cabbage	5
Radish leaf	5
Tomato	10
Chili	3
Radish	1
Potato	0.05
Sweet potato	0.05
Fruits	
Mandarin orange	0.2
Orange	0.2
Tangerine	0.2
Apple	0.05
Mango	0.2
Mangosteen	10
Beverages	
Tea	0.5
Condiments	
Dried chili	20
Condiment made from fruits	0.07
Condiment made from plant root and stem	0.05
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.05
Poultry meats	0.05
Poultry viscera	0.05
Eggs	0.02
Raw milk	0.01

4.57.5 Testing method: Cereals shall be tested by methods provided in GB 23200.13, GB/T 20770, SN/T 2234; Oil seed and

oil shall be tested by methods provided in GB 23200.113; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761, SN/T 2234; Tea shall be tested by methods provided in GB 23200.13, GB 23200.113; Condiments shall be tested by methods provided in GB 23200.113; Animal-derived food shall be tested referring to methods provided in SN/T 2234.

4.58 Glufosinate-ammonium

4.58.1 Major purpose of use: herbicide.

4.58.2 ADI: 0.01 mg/kg bw.

4.58.3 Residue: For plant-derived foods, it is glufosinate-ammonium; For animal-derived foods, it is the sum of glufosinate-ammonium parent and its metabolite N-acetylglufosinate, 3-(methylphosphonyl) propionic acid.

4.58.4 Maximum residue limit: Shall comply with provisions in the Table 58.

Table 58

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.9*
Corn	0.1*
Pea	0.05*
Oil seed and oil	
Rapeseed	1.5*
Cotton seed	5*
Soybean	2*
Crude rapeseed oil	0.05*
Vegetables	
Onion	0.1*
Stem and leaf lettuce	0.4*
Cabbage lettuce	0.4*
Tomato	0.5*
Cowpea	0.5*
Edible podded pea	0.1*
Vegetable soybean	0.05*
Asparagus	0.1*
Carrot	0.3*
Potato	0.1*
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.05
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Pome fruit	0.1
Stone fruit[Date (fresh)with the exception of]	0.15
Date (fresh)	0.1
Blueberry	0.1
Current (black, red, white)	1
Raspberry	0.1
Gooseberry (red, black)	0.1
Grape	0.1
Kiwi fruit	0.6
Strawberry	0.3
Tropical and sub-tropical fruits (with the exception of banana, papaya)	0.1
Banana	0.2
Papaya	0.2
Dried fruits	
Dried prune	0.3*
Nuts	
Sugar crops	
Sugar beet	1.5*
Beverages	
Tea	0.5*
Coffee bean	0.2*
Meat from mammals (with the exception of marine mammal)	0.05*
Viscera of mammal animals (with the exception of marine mammal)	3*
Poultry meats	0.05*
Poultry viscera	0.1*
Eggs	0.05*

Raw milk	0.02*
* The MRL is the temporary limit.	

4.58.5 Testing method: Fruits shall be tested by methods provided in GB 23200.108.

4.59 Benazolin-ethyl

4.59.1 Major purpose of use: herbicide.

4.59.2 ADI: 0.006 mg/kg bw.

4.59.3 Residue: benazolin-ethyl.

4.59.4 Maximum residue limit: Shall comply with provisions in the Table 59.

Table 59

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Rapeseed	0.2*

* The MRL is the temporary limit.

4.60 Glyphosate

4.60.1 Major purpose of use: herbicide.

4.60.2 ADI: 1 mg/kg bw.

4.60.3 Residue: glyphosate.

4.60.4 Maximum residue limit: Shall comply with provisions in the Table 60.

Table 60

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.1
Wheat	5
Corn	1
Fresh maize	1
Coarse cereals (with the exception of pea, lentils) Pea	2
Lentils	5
Wheat flour	0.5
Whole wheat flour	5
Oil seed and oil Rapeseed	2
Sunflower seed	7
Cotton seed oil	0.05
Vegetables Lily	0.2
Cactus	3
Fruits Citrus fruit (with the exception of mandarin orange, orange, tangerine) Mandarin orange	0.1
Orange	0.5
Tangerine	0.5
Pome fruit (with the exception of apple) Apple	0.1
Stone fruit	0.5
Berries and other small fruits	0.1
Tropical and sub-tropical fruits	0.1
Melons	0.1
Sugar crops Sugarcane	2
Beverages Tea	1

4.60.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB/T 23750, SN/T 1923; Vegetables, tea shall be tested by methods provided in SN/T 1923; Fruits shall be tested by methods provided in GB/T 23750, NY/T 1096, SN/T 1923; Sugar crops shall be tested by methods provided in GB/T 23750.

4.61 Chlорfenапир

4.61.1 Major purpose of use: pesticide.

4.61.2 ADI: 0.03 mg/kg bw.

4.61.3 Residue: chlorfenapyr.

4.61.4 Maximum residue limit: Shall comply with provisions in the Table 61.

Table 61

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Head cabbage	1
Cabbage mustard	0.1
Ordinary cabbage	10
Celery cabbage	2
Eggplant	1
Cucumber	0.5
Fruits	
Mulberry	2
Beverages	
Tea	20

4.61.5 Testing method: vegetables shall be tested by methods provided in GB 23200.8, NY/T 1379, SN/T 1986; fruits shall be tested by methods provided in SN/T 1986; tea shall be tested by methods provided in GB/T 23204.

4.62 Tebufenoziide

4.62.1 Major purpose of use: pesticide.

4.62.2 ADI: 0.02 mg/kg bw.

4.62.3 Residue: tebufenoziide.

4.62.4 Maximum residue limit: Shall comply with provisions in the Table 62.

Table 62

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	5
Brown rice	2
Oil seed and oil	
Rapeseed	2
Vegetables	
Head cabbage	1
Broccoli	10
Sprouting broccoli	0.5
Cabbage mustard	10
Flower Chinese cabbage	10
Leaf vegetables (with the exception of stem lettuce leaf, celery cabbage)	10
Stem lettuce leaf	20
Celery cabbage	0.5
Tomato	1
Chili	1
Stem lettuce	5
Radish	2
Carrot	5
Turnip	1
Fruits	
Citrus fruit	2
Pome fruit (with the exception of apple)	
Apple	1
Peach	3
Nectarine	0.5
Blueberry	0.5
Gooseberry (red, black)	3
Cranberry	2
Grape	0.5
Kiwi fruit	2
Avocado	0.5
Dried fruits	
Raisin	1
Nuts	
Apricot kernel	0.05
Walnut	0.05

Carya cathayensis	0.01
Sugar crops	
Sugarcane	1
Condiments	
Mint	20
Dried chili	10
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.02
Poultry meats	0.02
Eggs	0.02
Raw milk	
Raw milk (with the exception of cow milk)	0.01
Cow milk	0.05

4.62.5 Testing method: Cereals, fruits and dried fruits shall be tested referring to methods provided in GB/T 20769; Vegetables shall be tested by methods provided in GB/T 20769; Oil seed and oil, nuts, sugar crops, condiments shall be tested referring to methods provided in GB 23200.34, GB/T 20770; Animal-derived foodshall be tested referring to methods provided in GB/T 23211.

4.63 Pyrethrins

4.63.1 Major purpose of use: pesticide.

4.63.2 ADI: 0.04 mg/kg bw.

4.63.3 Residue: sum of Pyrethrins I and Pyrethrins II.

4.63.4 Maximum residue limit: Shall comply with provisions in the Table 63.

Table 63

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.3
Wheat	0.3
Corn	0.3
Sorghum	0.3
Millet	0.3
Coarse cereals	0.1
Oil seed and oil	
Peanut kernel	0.5
Vegetables	
Head cabbage	1
Broccoli	1
Sprouting broccoli	1
Cabbage mustard	2
Spinach	5
Ordinary cabbage	5
Garland chrysanthemum	5
Stem and leaf lettuce	5
Leaf musta	1
Radish leaf	1
Rappini leaf	1
Celery	1
Cumin	1
Celery cabbage	1
Solanaceous vegetables	0.05
Root, tuber and tuberous rooted (with the exception of radish, carrot, turnip)	0.05
Radish	1
Carrot	1
Turnip	1
Fruits	
Citrus fruit	0.05
Dried fruits	
Nuts	0.5
Condiments	
Dried chili	0.5

4.63.5 Testing method: cereals, oil seed and oil, nuts, condiments shall be tested referring to methods provided in GB/T 20769; vegetables shall be tested by methods provided in GB/T 20769; fruits and dried fruits shall be tested by methods provided in

4.64 Diflubenzuron

4.64.1 Major purpose of use: pesticide.

4.64.2 ADI: 0.02 mg/kg bw.

4.64.3 Residue: diflubenzuron.

4.64.4 Maximum residue limit: Shall comply with provisions in the Table 64.

Table 64

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.01
Wheat	0.2
Barley	0.05
Oats	0.05
Triticale	0.05
Corn	0.2
Oil seed and oil	
Cotton seed	0.2
Peanut kernel	0.1
Vegetables	
Head cabbage	2
Broccoli	1
Sprouting broccoli	3
Cabbage mustard	2
Flower Chinese cabbage	7
Spinach	1
Ordinary cabbage	1
Stem and leaf lettuce	1
Leaf mustard	10
Radish leaf	7
Celery cabbage	1
Chili	3
Sweet pepper	0.7
Radish	1
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine, pumelo, lemon)	0.5
Mandarin orange	1
Orange	1
Tangerine	1
Pumelo	1
Lemon	1
Apple	5
Pear	1
Hawthorn	5
Loquat	5
Quinces	5
Peach	0.5
Nectarine	0.5
Prune	0.5
Dried fruits	
Dried prune	0.5
Nuts	
Beverages	
Tea	20
Edible fungi	
Mushroom (fresh)	0.3
Condiments	
Dried chili	20
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.1*
Viscera of mammal animals (with the exception of marine mammal)	0.1*
Poultry meats	0.05*
Poultry fat	0.05*

Eggs	0.05*
Raw milk	0.02*

* The MRL is the temporary limit.

4.64.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.147; Oil seed and oil shall be tested by methods provided in GB 23200.45; Vegetables and fruits shall be tested by methods provided in GB/T 5009.147, NY/T 1720; Dried fruits shall be tested by methods provided in NY/T 1720; Nuts and condiments shall be tested referring to methods provided in GB/T 5009.147; Tea, edible fungi shall be tested referring to methods provided in GB/T 5009.147, NY/T 1720.

4.65 Kasugamycin

4.65.1 Major purpose of use: fungicide.

4.65.2 ADI: 0.113 mg/kg bw.

4.65.3 Residue: kasugamycin.

4.65.4 Maximum residue limit: Shall comply with provisions in the Table 65.

Table 65

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.1*
Vegetables Tomato	0.05*
Chili	0.1*
Cucumber	0.2*
Fruits Mandarin orange	0.1*
Orange	0.1*
Tangerine	0.1*
Litchi	0.05*
Watermelon	0.1*

* The MRL is the temporary limit.

4.66 Pyridaben

4.66.1 Major purpose of use: Acaricide.

4.66.2 ADI: 0.01 mg/kg bw.

4.66.3 Residue: pyridaben.

4.66.4 Maximum residue limit: Shall comply with provisions in the Table 66.

Table 66

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	1
Brown rice	0.1
Oil seed and oil Cotton seed	0.1
Soybean	0.1
Vegetables Head cabbage	2
Chili	2
Cucumber	0.1
Fruits Mandarin orange	2
Orange	2
Tangerine	2
Apple	2
Goji berry (fresh)	3
Dried fruits Goji berry (dry)	3
Beverages Tea	5

4.66.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB23200.113; Oil seed and oil shall be tested by methods provided in GB23200.113; Vegetables shall be tested by methods provided in GB23200.113, GB/T 20769; Fruits and dried fruits shall be tested by methods provided in GB 23200.8, GB23200.113, GB/T 20769; Tea shall be tested by methods provided in GB23200.113, GB/T 23204, SN/T 2432 .

4.67 Pyridaphenthion

4.67.1 Major purpose of use: pesticide.

4.67.2 ADI: 0.00085 mg/kg bw.

4.67.3 Residue: Pyridaphenthion.

4.67.4 Maximum residue limit: Shall comply with provisions in the Table 67.

Table 67

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Head cabbage	0.3

4.67.5 Testing method: Vegetables shall be tested by methods provided in GB 23200.8, GB23200.113.

4.68 Amobam

4.68.1 Major purpose of use: fungicide.

4.68.2 ADI: 0.03 mg/kg bw.

4.68.3 Residue: Dithiocar-bamate (Dithiocarbamate), expressed as carbon disulfide..

4.68.4 Maximum residue limit: Shall comply with provisions in the Table 68.

Table 68

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	2
Brown rice	1
Corn	0.1
Fresh maize	1
Vegetables Celery cabbage	50
Cucumber	5
Sweet potato	0.5
Fruits Tangerine	3
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Cherry	0.2
Cranberry	5
Grape	5
Strawberry	5
Mango	2
Banana	1
Papaya	5
Watermelon	1
Condiments Pepper	0.1
Round cardamom	0.1
Cumin	10
Cumin seed	0.1
Coriander seed	0.1
Medicinal plant Ginseng	0.3

4.68.5 Testing method: cereals and vegetables shall be tested referring to methods provided in SN/T 1541; fruits shall be tested by methods provided in SN 0157; condiments, medicinal plant shall be tested referring to methods provided in SN 0157, SN/T 1541.

4.69 Metiram

4.69.1 Major purpose of use: fungicide.

4.69.2 ADI: 0.03 mg/kg bw.

4.69.3 Residue: Dithiocar-bamate (Dithiocarbamate), expressed as carbon disulfide.

4.69.4 Maximum residue limit: Shall comply with provisions in the Table 69.

Table 69

Food Category/Name	Maximum residue limit, mg/kg
Cereals	

	Wheat Barley	1 1
Vegetables		
Garlic		0.5
Onion		0.5
Scallion		0.5
Young garlic sprouts		0.5
Garlic sprouts		2
Spring onion		0.5
Cabbage lettuce		0.5
Celery cabbage		50
Tomato		5
Chili		10
Sweet pepper		2
Squash		3
Pumpkin		0.2
Winter squash		0.1
Carrot		5
Ginger		1
Potato		0.5
Cactus		0.1
Fruits		
Mandarin orange		3
Orange		3
Tangerine		3
Apple		5
Pear		5
Hawthorn		5
Loquat		5
Quinces		5
Stone fruit (with the exception of peach, cherry)		7
Peach		5
Cherry		0.2
Cranberry		5
Current (black, red, white)		10
Gooseberry		10
Grape		5
Strawberry		5
Banana		1
Papaya		5
Watermelon		1
Sweet melons		0.5
Nuts		
Apricot kernel		0.1
Carya cathayensis		0.1
Sugar crops		
Sugar beet		0.5
Beverages		
Hop		30
Condiments		
Dried chili		20
Pepper		0.1
Round cardamom		0.1
Cumin		10
Cumin seed		0.1
Coriander seed		0.1
Medicinal plant		
Ginseng		0.3

4.69.5 Testing method: Cereals shall be tested by methods provided in SN 0139; vegetables shall be tested referring to methods provided in SN 0139, SN 0157, SN/T 1541; fruits shall be tested by methods provided in SN 0157; nuts, sugar crops, condiments shall be tested referring to methods provided in SN 0157; beverages shall be tested referring to methods provided in SN/T 1541; medicinal plant shall be tested referring to methods provided in SN 0157, SN/T 1541.

4.70 Mancozeb

4.70.1 Major purpose of use: fungicide.

4.70.2 ADI: 0.03 mg/kg bw.

4.70.3 Residue: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.70.4 Maximum residue limit: Shall comply with provisions in the Table 70.

Table 70

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	1
Barley	1
Fresh maize	1
Oil seed and oil	
Cotton seed	0.1
Peanut kernel	0.1
Vegetables	
Garlic	0.5
Onion	0.5
Scallion	0.5
Spring onion	0.5
Broccoli	2
Celery cabbage	50
Tomato	5
Eggplant	1
Chili	10
Sweet pepper	2
Hibiscus esculentus	2
Cucumber	5
Squash	3
Pumpkin	0.2
Winter squash	0.1
Cowpea	3
Kidney bean	3
Edible podded pea	3
Hyacinth bean	3
Asparagus	2
Carrot	5
Potato	0.5
Sweet potato	0.5
Cassava	0.5
Chinese yam	0.5
Cactus	0.1
Fruits	
Mandarin orange	3
Orange	3
Tangerine	3
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Date (fresh)	2
Cherry	0.2
Blackberry	5
Cranberry	5
Gooseberry	10
Grape	5
Kiwi fruit	2
Strawberry	5
Litchi	5
Mango	2
Banana	1
Papaya	5
Pineapple	2
Watermelon	1
Nuts	
Apricot kernel	0.1
Carya cathayensis	0.1

Sugar crops		
Sugar beet		0.5
Edible fungi		
Mushroom (fresh)		5
Condiments		
Dried chili		20
Pepper		0.1
Round cardamom		0.1
Cumin		10
Cumin seed		0.1
Coriander seed		0.1
Medicinal plant		
Ginseng		0.3
Notoginseng (Sanchi) root tuber (dry)		3
Notoginseng (Sanchi) fibrous root (dry)		3

4.70.5 Testing method: Cereals shall be tested by methods provided in SN 0139; Oil seed and oil shall be tested referring to methods provided in SN 0139, SN/T 1541; Vegetables shall be tested referring to methods provided in SN 0157, SN/T 1541; Fruits shall be tested by methods provided in SN 0157; Nuts, sugar crops, condiments, medicinal plant shall be tested referring to methods provided in SN/T 1541; Edible fungi shall be tested referring to methods provided in SN 0157.

4.71 Zineb

4.71.1 Major purpose of use: fungicide.

4.71.2 ADI: 0.03 mg/kg bw.

4.71.3 Residue: Dithiocarbamate (Dithiocarbamate), expressed as carbon disulfide.

4.71.4 Maximum residue limit: Shall comply with provisions in the Table 71.

Table 71

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Rapeseed	10
Peanut kernel	0.1
Vegetables	
Garlic	0.5
Onion	0.5
Scallion	0.5
Spring onion	0.5
Head cabbage	5
Celery cabbage	50
Tomato	5
Eggplant	1
Chili	10
Sweet pepper	2
Cucumber	5
Squash	3
Pumpkin	0.2
Winter squash	0.1
Asparagus	2
Stem lettuce	30
Radish	1
Carrot	5
Potato	0.5
Cactus	0.1
Fruits	
Mandarin orange	3
Orange	3
Tangerine	3
Apple	5
Cherry	0.2
Watermelon	1
Nuts	
Apricot kernel	0.1
Carya cathayensis	0.1
Sugar crops	
Sugar beet	0.5
Condiments	

Dried chili	20
Pepper	0.1
Round cardamom	0.1
Cumin	10
Fennel seed	0.1
Coriander seed	0.1
Medicinal plant	
Ginseng	0.3

4.71.5 Testing method: Oil seed and oil shall be tested referring to methods provided in SN 0139, SN/T 1541; Vegetables shall be tested referring to methods provided in SN 0139, SN 0157, SN/T 1541; Fruits shall be tested by methods provided in SN 0157; Nuts, sugar crops, condiments, medicinal plant shall be tested referring to methods provided in SN/T 1541.

4.72 Semiamitraz and semiamitraz chloride

4.72.1 Major purpose of use: pesticide.

4.72.2 ADI: 0.004 mg/kg bw.

4.72.3 Residue: semiamitraz.

4.72.4 Maximum residue limit: Shall comply with provisions in the Table 72.

Table 72

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Apple	0.5
Pear	0.5

4.72.5 Testing method: Fruits shall be tested by methods provided in GB/T 5009.160.

4.73 Monosulfuron

4.73.1 Major purpose of use: herbicide.

4.73.2 ADI: 0.12 mg/kg bw.

4.73.3 Residue: monosulfuron.

4.73.4 Maximum residue limit: Shall comply with provisions in the Table 73.

Table 73

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.1*
Millet	0.1*

* The MRL is the temporary limit.

4.74 Cyanamide

4.74.1 Major purpose of use: plant growth regulator.

4.74.2 ADI: 0.002 mg/kg bw.

4.74.3 Residue: cyanamide.

4.74.4 Maximum residue limit: Shall comply with provisions in the Table 74.

Table 74

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Grape	0.05*

* The MRL is the temporary limit.

4.75 Phenthroate

4.75.1 Major purpose of use: pesticide.

4.75.2 ADI: 0.003 mg/kg bw.

4.75.3 Residue: phenthroate.

4.75.4 Maximum residue limit: Shall comply with provisions in the Table 75.

Table 75

Food Category/Name	Maximum residue limit, mg/kg
Cereals	

Brown rice	0.2
Rice	0.05
Vegetables	
Aucchini	0.1
Fruits	
Mandarin orange	1
Orange	1
Tangerine	1
Condiments	
Condiment made from seeds	7

4.75.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.20; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB/T 5009.20, GB/T 20769; Condiments shall be tested referring to methods provided in GB/T 5009.20.

4.76 Isoprothiolane

4.76.1 Major purpose of use: fungicide.

4.76.2 ADI: 0.1 mg/kg bw.

4.76.3 Residue: isoprothiolane.

4.76.4 Maximum residue limit: Shall comply with provisions in the Table 76.

Table 76

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1
Fruits	
Watermelon	0.1

4.76.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.155; Fruits shall be tested by methods provided in GB 23200.113.

4.77 Fenoxanil

4.77.1 Major purpose of use: fungicide.

4.77.2 ADI: 0.007 mg/kg bw .

4.77.3 Residue: Fenoxanil.

4.77.4 Maximum residue limit: Shall comply with provisions in the Table 77.

Table 77

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1

4.77.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770.

4.78 Trichlorfon

4.78.1 Major purpose of use: pesticide.

4.78.2 ADI: 0.002 mg/kg bw.

4.78.3 Residue: trichlorfon.

4.78.4 Maximum residue limit: Shall comply with provisions in the Table 78.

Table 78

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.1
Wheat	0.1
Oil seed and oil	
Cotton seed	0.1
Peanut kernel	0.1
Soybean	0.1
Vegetables	
Bulb vegetables	0.2
Brassica vegetables (with the exception of head cabbage, broccoli, sprouting broccoli, cabbage mustard)	0.2
Head cabbage	0.1
Broccoli	0.1

Sprouting broccoli	0.5
Cabbage mustard	1
Leaf vegetables (with the exception of ordinary cabbage, celery cabbage)	0.2
Ordinary cabbage	0.1
Celery cabbage	2
Solanaceous vegetables	0.2
Gourd vegetables	0.2
Leguminous vegetables (with the exception of vegetable soybean)	0.2
Vegetable soybean	0.1
Stem vegetables (with the exception of stem lettuce)	0.2
Stem lettuce	1
Root, tuber and tuberous rooted (with the exception of radish, carrot)	0.2
Radish	0.5
Carrot	0.5
Aquatic vegetables	0.2
Sprout vegetables	0.2
Other vegetables	0.2
Fruits	
Citrus fruit	0.2
Pome fruit	0.2
Stone fruit (with the exception of date)	0.2
Date (fresh)	0.3
Berries and other small fruits	0.2
Tropical and sub-tropical fruits	0.2
Melons	0.2
Sugar crops	
Sugarcane	0.1
Beverages	
Tea	2

4.78.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables and fruits shall be tested by methods provided in GB/T 20769, NY/T 761; Sugar crops shall be tested referring to methods provided in GB/T 20769; Tea shall be tested referring to methods provided in NY/T 761.

4.79 Propanil

4.79.1 Major purpose of use: herbicide.

4.79.2 ADI: 0.2 mg/kg bw.

4.79.3 Residue: propanil.

4.79.4 Maximum residue limit: Shall comply with provisions in the Table 79.

Table 79

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	2

4.79.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.177.

4.80 Napropamide

4.80.1 Major purpose of use: herbicide.

4.80.2 ADI: 0.3mg/kg bw.

4.80.3 Residue: napropamide.

4.80.4 Maximum residue limit: Shall comply with provisions in the Table 80.

Table 80

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.05
Fruits Watermelon	0.05

4.80.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.14; Fruits shall be tested by methods provided in GB 23200.8.

4.81 Dichlobenil

4.81.1 Major purpose of use: herbicide.

4.81.2 ADI: 0.01 mg/kg bw.

4.8.3 Residue: 2,6-Dichlorobenzamide.

4.8.4 Maximum residue limit: Shall comply with provisions in the Table 81.

Table 81

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.01*
Wheats	0.01*
Upland crops	0.01*
Coarse cereals	0.01*
Vegetables	
Onion	0.01*
Scallion	0.02*
Head cabbage	0.05*
Brussels sprouts	0.05*
Leaf vegetables (with the exception of celery)	0.3*
Celery	0.07*
Solanaceous vegetables	0.01*
Gourd vegetables	0.01*
Fruits	
Vines and shrubs plant fruits	0.2*
Grape	0.05*
Melons	0.01*
Dried fruits	
Raisin	0.15*
Beverages	
Grape juice	0.07*
Condiments	
Dried chili	0.01*

* The MRL is the temporary limit.

4.82 Diquat

4.82.1 Major purpose of use: herbicide.

4.82.2 ADI: 0.006 mg/kg bw.

4.82.3 Residue: Diquat cation, expressed as dibromide.

4.82.4 Maximum residue limit: Shall comply with provisions in the Table 82.

Table 82

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1
Wheat	2
Oats	2
Corn	0.05
Sorghum	2
Coarse cereals (with the exception of pea)	0.2
Pea	0.3
Wheat flour	0.5
Whole wheat flour	2
Oil seed and oil	
Rapeseed	1
Cotton seed	0.1
Soybean	0.2
Sunflower seed	1
Vegetable oil	0.05
Vegetables	
Solanaceous vegetables	0.01
Potato	0.05
Sweet potato	0.05
Cassava	0.05
Chinese yam	0.05
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.02

Mandarin orange	0.1
Orange	0.1
Tangerine	0.1
Pome fruit (with the exception of apple)	0.02
Apple	0.1
Stone fruit	0.02
Strawberry	0.05
Banana	0.02
Nuts	
Cashew nut	0.02
Sugar crops	
Sugarcane	0.05
Beverages	
Coffee bean	0.02
Meat from mammals (with the exception of marine mammal)	0.05*
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Poultry meats	0.05*
Poultry viscera	0.05*
Eggs	0.05*
Raw milk	0.01*

* The MRL is the temporary limit.

4.82.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.221, SN/T 029; Oil seed and oil, vegetables and fruits shall be tested by methods provided in SN/T 0293; Nuts and beverages shall be tested referring to methods provided in GB/T 5009.221, SN/T 0293; Sugar crops shall be tested referring to methods provided in GB/T 5009.221.

4.83 Diuron

4.83.1 Major purpose of use: herbicide.

4.83.2 ADI: 0.001 mg/kg bw.

4.83.3 Residue: diuron.

4.83.4 Maximum residue limit: Shall comply with provisions in the Table 83.

Table 83

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.1
Sugar crops	
Sugarcane	0.1

4.83.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Sugar crops shall be tested by methods provided in GB/T 20769.

4.84 Dichlorvos

4.84.1 Major purpose of use: pesticide.

4.84.2 ADI: 0.004 mg/kg bw.

4.84.3 Residue: dichlorvos.

4.84.4 Maximum residue limit: Shall comply with provisions in the Table 84.

Table 84

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.2
Wheats	0.1
Corn	0.2
Upland crops	0.1
Coarse cereals	0.1
Oil seed and oil	
Cotton seed	0.1
Soybean	0.1
Vegetables	
Bulb vegetables	0.2
Brassica vegetables (with the exception of head cabbage, broccoli, sprouting broccoli, cabbage mustard, flower Chinese cabbage)	0.2
Head cabbage	0.5
Broccoli	0.1

Sprouting broccoli	0.1
Cabbage mustard	0.1
Flower Chinese cabbage	0.1
Leaf vegetables (with the exception of spinach, ordinary cabbage, stem lettuce leaf, celery cabbage)	0.2
Spinach	0.5
Ordinary cabbage	0.1
Stem lettuce leaf	0.3
Celery cabbage	0.5
Solanaceous vegetables	0.2
Gourd vegetables	0.2
Leguminous vegetables	0.2
Stem vegetables (with the exception of stem lettuce)	0.2
Stem lettuce	0.1
Root, tuber and tuberous rooted (with the exception of radish, carrot)	0.2
Radish	0.5
Carrot	0.5
Aquatic vegetables	0.2
Sprout vegetables	0.2
Other vegetables	0.2
Fruits	
Citrus fruit	0.2
Pome fruit (with the exception of apple)	0.2
Apple	0.1
Stone fruit (with the exception of peach)	0.2
Peach	0.1
Berries and other small fruits	0.2
Tropical and sub-tropical fruits	0.2
Melons	0.2
Condiments	0.1
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Fat of mammal animals (with the exception of milk fat)	0.01*
Poultry meats	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01*

*The MRL is the temporary limit..

4.84.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.20, SN/T 2324; Oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.20; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 5009.20, NY/T 761; Condiments shall be tested by methods provided in GB 23200.113.

4.85 FenaminoSulf

4.85.1 Major purpose of use: fungicide.

4.85.2 ADI: 0.02 mg/kg bw.

4.85.3 Residue: fenaminoSulf.

4.85.4 Maximum residue limit: Shall comply with provisions in the Table 85.

Table 85

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5*
Brown rice	0.5*
Oil seed and oil	
Cotton seed	0.1*
Vegetables	
Celery cabbage	0.2*
Tomato	0.1*
Cucumber	0.5*
Potato	0.1*
Fruits	
Watermelon	0.1*
Sugar crops	

Sugar beet	0.1*
* The MRL is the temporary limit.	

4.86 Anilazine

4.86.1 Major purpose of use: fungicide.

4.86.2 ADI: 0.1mg/kg bw.

4.86.3 Residue: anilazine.

4.86.4 Maximum residue limit: Shall comply with provisions in the Table 86.

Table 86

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.2
Vegetables Tomato	10
Cucumber	10

4.86.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.220; Vegetables shall be tested by methods provided in NY/T 1722.

4.87 Dinocap

4.87.1 Major purpose of use: fungicide.

4.87.2 ADI: 0.008 mg/kg bw.

4.87.3 Residue: sum of dinocap isomers and the dinocap phenols, expressed as dinocap.

4.87.4 Maximum residue limit: Shall comply with provisions in the Table 87.

Table 87

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	0.3*
Chili	0.2*
Gourd vegetables (with the exception of squash, cucumber) Squash	0.05*
Cucumber	0.07*
Fruits Apple	0.2*
Peach	0.1*
Grape	0.5*
Strawberry	0.5*
Melons (with the exception of sweet melons) Sweet melons	0.05*
Condiments Dried chili	0.5*
* The MRL is the temporary limit.	

4.88 Edifenphos

4.88.1 Major purpose of use: fungicide.

4.88.2 ADI: 0.003 mg/kg bw.

4.88.3 Residue: edifenphos.

4.88.4 Maximum residue limit: Shall comply with provisions in the Table 88.

Table 88

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.1
Brown rice	0.2

4.88.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770, SN/T 2324.

4.89 Fonofos

4.89.1 Major purpose of use: pesticide.

4.89.2 ADI: 0.002 mg/kg bw.

4.89.3 Residue: fonofos.

4.89.4 Maximum residue limit: Shall comply with provisions in the Table 89.

Table 89

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil	
Soybean	0.05
Peanut kernel	0.05
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetables	0.01
Root, tuber and tuberous rooted	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruits	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01
Sugar crops	
Sugarcane	0.1

4.89.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 761.

4.90 Fenpropimorph

4.90.1 Major purpose of use: fungicide.

4.90.2 ADI: 0.003 mg/kg bw.

4.90.3 Residue: fenpropimorph.

4.90.4 Maximum residue limit: Shall comply with provisions in the Table 90.

Table 90

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.5
Barley	0.5
Oats	0.5
Rye	0.5
Fruits	
Banana	2
Sugar crops	
Sugar beet	0.05
Meat from mammals (with the exception of marine mammal)	0.02
Viscera of mammal animals (with the exception of marine mammal)	
Beef liver	0.3
Pork liver	0.3
Lamb liver	0.3
Beef kidney	0.05
Pork kidney	0.05
Lamb kidney	0.05
Fat of mammal animals (with the exception of milk fat)	0.01
Poultry meats	0.01
Poultry viscera	0.01
Poultry fat	0.01

Eggs	0.01
Raw milk	0.01

4.90.5 Testing method: Cereals shall be tested by methods provided in GB 23200.37, GB/T 20770; Fruits, sugar crops shall be tested referring to methods provided in GB 23200.37, GB/T 20769; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), fat of mammal animals (with the exception of milk fat), poultry meats, poultry viscera, poultry fat, eggs shall be tested referring to methods provided in GB/T 23210; Raw milk shall be tested by methods provided in GB/T 23210.

4.91 Pyrimorph

4.91.1 Major purpose of use: fungicide.

4.91.2 ADI: 0.01 mg/kg bw.

4.91.3 Residue: pyrimorph.

4.91.4 Maximum residue limit: Shall comply with provisions in the Table 91.

Table 91

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	10*
Cucumber	10*

* The MRL is the temporary limit.

4.92 Butachlor

4.92.1 Major purpose of use: herbicide.

4.92.2 ADI: 0.1mg/kg bw.

4.92.3 Residue: butachlor.

4.92.4 Maximum residue limit: Shall comply with provisions in the Table 92.

Table 92

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Corn	0.5
Oil seed and oil	
Cotton seed	0.2

4.92.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 5009.164, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113.

4.93 Flufiprole

4.93.1 Major purpose of use: pesticide.

4.93.2 ADI: 0.008 mg/kg bw.

4.93.3 Residue: Flufiprole.

4.93.4 Maximum residue limit: Shall comply with provisions in the Table 93.

Table 93

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1*
Brown rice	0.02*
Vegetables	
Head cabbage	0.1*

* The MRL is the temporary limit.

4.94 Cyflumetofen

4.94.1 Major purpose of use: Acaricide.

4.94.2 ADI: 0.1mg/kg bw.

4.94.3 Residue: Cyflumetofen.

4.94.4 Maximum residue limit: Shall comply with provisions in the Table 94.

Table 94

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	0.3
Fruits	

Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.3
Mandarin orange	5
Orange	5
Tangerine	5
Pome fruit	0.4
Grape	0.6
Strawberry	0.6
Dried fruits	
Raisin	15
Nuts	0.01

4.94.5 Testing method: Vegetables, fruits and dried fruits shall be tested by methods provided in SN/T 3539; Nuts shall be tested referring to methods provided in SN/T 3539.

4.95 Carbosulfan

4.95.1 Major purpose of use: pesticide.

4.95.2 ADI: 0.01 mg/kg bw.

4.95.3 Residue: carbosulfan.

4.95.4 Maximum residue limit: Shall comply with provisions in the Table 95.

Table 95

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Brown rice	0.5
Wheat	0.1
Corn	0.1
Sorghum	0.1
Millet	0.1
Oil seed and oil	
Cotton seed	0.05
Soybean	0.1
Peanut kernel	0.05
Vegetables	
Leek	0.05
Head cabbage	1
Spinach	0.05
Ordinary cabbage	0.05
Celery	0.05
Celery cabbage	0.05
Tomato	0.1
Eggplant	0.1
Chili	0.1
Sweet pepper	0.1
Hibiscus esculentus	0.1
Cucumber	0.2
Aucchini	1
Vegetable soybean	0.1
Sweet potato	1
Fruits	
Mandarin orange	1
Orange	1
Tangerine	0.1
Lemon	0.1
Pumelo	0.1
Apple	0.2
Sugar crops	
Sugarcane	0.1
Sugar beet	0.3
Condiments	
Condiment made from plant root and stem	0.1
Condiment made from fruits	0.07
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.05

Poultry meats	0.05
Poultry viscera	0.05
Eggs	0.05

4.95.5 Testing method: Cereals shall be tested by methods provided in GB 23200.33; Oil seed and oil shall be tested referring to methods provided in GB 23200.13, GB 23200.33; Vegetables and fruits shall be tested by methods provided in GB 23200.13; Sugar crops shall be tested referring to methods provided in GB/T 23200.13, GB 23200.33; Condiments shall be tested referring to methods provided in GB 23200.33; Meat from mammals, poultry meats shall be tested by methods provided in GB/T 19650; Viscera of mammal animals, poultry viscera, eggs shall be tested referring to methods provided in GB/T 19650.

4.96 **Diafenthuron**

4.96.1 Major purpose of use: pesticide/Acaricide.

4.96.2 ADI: 0.003 mg/kg bw.

4.96.3 Residue: diafenthuron

4.96.4 Maximum residue limit: Shall comply with provisions in the Table 96.

Table 96

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.2*
Vegetables Head cabbage Ordinary cabbage	2* 1*
Fruits Mandarin orange Orange Tangerine Apple	0.2* 0.2* 0.2* 0.2*
Beverages Tea	5*

* The MRL is the temporary limit.

4.97 **Tebuthiuron**

4.97.1 Major purpose of use: herbicide.

4.97.2 ADI: 0.14mg/kg bw.

4.97.3 Residue: Tebuthiuron.

4.97.4 Maximum residue limit: Shall comply with provisions in the Table 97.

Table 97

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugarcane	0.2*

* The MRL is the temporary limit.

4.98 **Daminozide**

4.98.1 Major purpose of use: plant growth regulator.

4.98.2 ADI: 0.5mg/kg bw.

4.98.3 Residue: sum of daminozide and unsymmetrical dimethylhydrazine, expressed as daminozide.

4.98.4 Maximum residue limit: Shall comply with provisions in the Table 98.

Table 98

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Peanut kernel	0.05

4.98.5 Testing method: Oil seed and oil shall be tested by methods provided in GB 23200.32.

4.99 **Coumoxystrobin**

4.99.1 Major purpose of use: fungicide.

4.99.2 ADI: 0.045 mg/kg bw.

4.99.3 Residue: Coumoxystrobin.

4.99.4 Maximum residue limit: Shall comply with provisions in the Table 99.

Table 99

Food Category/Name	Maximum residue limit, mg/kg

Cereals		
	Rice	0.5*
	Brown rice	0.2*
Vegetables		
	Cucumber	0.5*
Fruits		
	Apple	0.2*

* The MRL is the temporary limit.

4.100 Acetamiprid

4.100.1 Major purpose of use: pesticide.

4.100.2 ADI: 0.07 mg/kg bw.

4.100.3 Residue: Acetamiprid.

4.100.4 Maximum residue limit: Shall comply with provisions in the Table 100.

Table 100

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
	0.5
Brown rice	0.5
Wheat	
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Bulb vegetables (with the exception of scallion)	0.02
Scallion	5
Head cabbage	0.5
Head Inflorescence Brassica Vegetables (with the exception of broccoli, sprouting broccoli)	0.4
Broccoli	0.5
Sprouting broccoli	0.1
Cabbage mustard	5
Flower Chinese cabbage	3
Leaf vegetables (with the exception of spinach, ordinary cabbage, stem lettuce leaf, celery, celery cabbage)	1.5
Spinach	5
Ordinary cabbage	1
Stem lettuce leaf	5
Celery	3
Celery cabbage	1
Solanaceous vegetables (with the exception of tomato, eggplant)	0.2
Tomato	1
Eggplant	1
Cucumber	1
Aucchini	0.2
Edible podded vegetables (with the exception of edible podded pea)	0.4
Edible podded pea	0.3
Inedible podded vegetables	0.3
Stem lettuce	1
Radish	0.5
Lotus seed (fresh)	0.05
Lotus root	0.05
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	2
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Pome fruit (with the exception of apple)	2
Apple	0.8
Stone fruit	2
Berries and other small fruits[with the exception of Goji berry (fresh)]	2
Goji berry (fresh)	1
Tropical and sub-tropical fruits	2
Melons (with the exception of watermelon)	2
Watermelon	0.2
Dried fruits	

Dried prune	0.6
Goji berry (dry)	2
Nuts	0.06
Beverages	
Tea	10
Condiments	
Dried chili	2
Meat from mammals (with the exception of marine mammal)	0.5
Viscera of mammal animals (with the exception of marine mammal)	1
Fat of mammal animals (with the exception of milk fat)	0.3
Poultry meats	0.01
Poultry viscera	0.05
Eggs	0.01
Raw milk	0.02

4.100.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables and fruits shall be tested by methods provided in GB/T 20769, GB/T 23584; Dried fruits shall be tested by methods provided in GB/T 20769; Nuts and condiments shall be tested referring to methods provided in GB/T 23584; Tea shall be tested referring to methods provided in GB/T 20769; Meat from mammals (with the exception of marine mammal), poultry meats shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal), fat of mammal animals (with the exception of milk fat), poultry viscera, eggs, raw milk shall be tested referring to methods provided in GB/T 20772.

4.101 Pyrisoxazole

4.101.1 Major purpose of use: fungicide.

4.101.2 ADI: 0.1 mg/kg bw.

4.101.3 Residue: Pyrisoxazole

4.101.4 Maximum residue limit: Shall comply with provisions in the Table 101.

Table 101

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	1*

* The MRL is the temporary limit.

4.102 Boscalid

4.102.1 Major purpose of use: fungicide.

4.102.2 ADI: 0.04 mg/kg bw.

4.102.3 Residue: boscalid.

4.102.4 Maximum residue limit: Shall comply with provisions in the Table 102.

Table 102

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Wheat	0.5
Barley	0.5
Oats	0.5
Rye	0.5
Corn	0.1
Sorghum	0.1
Millet	0.1
Coarse cereals	3
Oil seed and oil	
Oil seeds (with the exception of rapeseed)	1
Rapeseed	2
Vegetables	
Bulb vegetables	5
Brassica vegetables	5
Solanaceous vegetables (with the exception of tomato)	3
Tomato	2
Gourd vegetables (with the exception of cucumber)	3
Cucumber	5
Leguminous vegetables	3
Stem and root vegetables	2

Potato	1
Fruits	
Citrus fruit	2
Apple	2
Stone fruit	3
Berries and other small fruits (with the exception of grape, kiwi fruit, strawberry)	10
Grape	5
Kiwi fruit	5
Strawberry	3
Sweet melons	3
Dried fruits	
Preserved citrus	6
Raisin	10
Nuts	
Nuts (with the exception of pistachio nuts)	0.05*
Pistachio nuts	1*
Beverages	
Coffee bean	0.05
Hop	60
Condiments	
Dried chili	10
Meat from mammals (with the exception of marine mammal), by the residue in the fat	0.7
Viscera of mammal animals (with the exception of marine mammal)	0.2
Poultry meats	0.02
Poultry viscera	0.02
Poultry fat	0.02
Eggs	0.02
Raw milk	0.1

4.102.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20769, GB/T 20770; Vegetables shall be tested by methods provided in GB 23200.68, GB/T 20769; Fruits and dried fruits shall be tested by methods provided in GB/T 20769; Nuts and beverages shall be tested referring to methods provided in GB 23200.50; Condiments shall be tested referring to methods provided in GB/T 20769; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, poultry viscera, poultry fat, eggs shall be tested referring to methods provided in GB/T 22979; Raw milk shall be tested by methods provided in GB/T 22979.

4.103 Picoxystrobin

4.103.1 Major purpose of use: fungicide.

4.103.2 ADI: 0.09 mg/kg bw.

4.103.3 Residue: Picoxystrobin.

4.103.4 Maximum residue limit: Shall comply with provisions in the Table 103.

Table 103

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.07
Vegetables	
Tomato	1
Chili	0.5
Fruits	
Date (fresh)	5
Grape	1
Watermelon	0.05

4.103.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9; Vegetables shall be tested referring to methods provided in GB 23200.54; Fruits shall be tested by methods provided in GB 23200.8, GB/T 20769.

4.104 Propachlor

4.104.1 Major purpose of use: herbicide.

4.104.2 ADI: 0.54 mg/kg bw.

4.104.3 Residue: Propachlor.

4.104.4 Maximum residue limit: Shall comply with provisions in the Table 104.

Table 104

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05

4.104.5 Testing method: Cereals shall be tested by methods provided in GB 23200.34.

4.105 Dufulin

4.105.1 Major purpose of use: fungicide.

4.105.2 ADI: 0.54 mg/kg bw.

4.105.3 Residue: Dufulin.

4.105.4 Maximum residue limit: Shall comply with provisions in the Table 105.

Table 105

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	5*
Brown rice	1*
Vegetables	
Tomato	3*

* The MRL is the temporary limit.

4.106 Chlorpyrifos

4.106.1 Major purpose of use: pesticide.

4.106.2 ADI: 0.01 mg/kg bw.

4.106.3 Residue: Chlorpyrifos.

4.106.4 Maximum residue limit: Shall comply with provisions in the Table 106.

Table 106

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Wheat	0.5
Corn	0.05
Wheat flour	0.1
Oil seed and oil	
Cotton seed	0.3
Soybean	0.1
Peanut kernel	0.2
Soybean oil	0.03
Cotton seed oil	0.05
Corn oil	0.2
Vegetables	
Leek	0.1
Head cabbage	1
Broccoli	1
Spinach	0.1
Ordinary cabbage	0.1
Stem and leaf lettuce	0.1
Celery	0.05
Celery cabbage	0.1
Tomato	0.5
Cucumber	0.1
Kidney bean	1
Edible podded pea	0.01
Asparagus	0.05
Artichoke	0.05
Radish	1
Carrot	1
Celeriac	1
Taro	1
Fruits	
Mandarin orange	1
Orange	1

Tangerine	2
Lemon	2
Pumelo	2
Bergamot	1
Kumquat	1
Apple	1
Pear	1
Hawthorn	1
Loquat	1
Quinces	1
Peach	3
Prune	0.5
Cranberry	1
Grape	0.5
Strawberry	0.3
Litchi	1
Longan	1
Banana	2
Dried fruits	
Dried prune	0.5
Raisin	0.1
Nuts	
Apricot kernel	0.05
Walnut	0.05
Carya cathayensis	0.05
Beverages	
Tea	2
Coffee bean	0.05
Sugar crops	
Sugar beet	1
Sugarcane	0.05
Condiments	
Condiment made from fruits	1
Condiment made from seeds	5
Condiment made from plant root and stem	1
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	
Beef	1
Lamb	1
Pork	0.02
Viscera of mammal animals (with the exception of marine mammal)	
Pork viscera	0.01
Lamb viscera	0.01
Beef kidney	0.01
Beef liver	0.01
Poultry meats	0.01
Poultry viscera	0.01
Poultry fat	0.01
Eggs	0.01
Raw milk	0.02

4.106.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.145, SN/T 2158; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761, SN/T 2158; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761, SN/T 2158; Dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761; Nuts shall be tested referring to methods provided in GB 23200.113, SN/T 2158; Sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T 761; Beverages and condiments shall be tested by methods provided in GB 23200.113; Meat from mammals (with the exception of marine mammal), poultry meat shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal), poultry viscera, poultry fat, eggs, raw milk shall be tested referring to methods provided in GB/T 20772.

4.107 Parathion

4.107.1 Major purpose of use: pesticide.

4.107.2 ADI: 0.004 mg/kg bw.

4.107.3 Residue: Parathion.

4.107.4 Maximum residue limit: Shall comply with provisions in the Table 107.

Table 107

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Wheats	0.1
Upland crops	0.1
Coarse cereals	0.1
Oil seed and oil	
Soybean	0.1
Cotton seed oil	0.1
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetables	0.01
Root, tuber and tuberous rooted	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruits	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.107.5 Testing method: Cereals, vegetables and fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.145; Oil seed and oil shall be tested by methods provided in GB 23200.113.

4.108 Dodine

4.108.1 Major purpose of use: fungicide.

4.108.2 ADI: 0.1 mg/kg bw.

4.108.3 Residue: Dodine.

4.108.4 Maximum residue limit: Shall comply with provisions in the Table 108.

Table 108

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Pome fruit	5*
Peach	5*
Nectarine	5*
Cherry	3*

* The MRL is the temporary limit.

4.109 Carbendazim

4.109.1 Major purpose of use: fungicide.

4.109.2 ADI: 0.03 mg/kg bw.

4.109.3 Residue: Carbendazim.

4.109.4 Maximum residue limit: Shall comply with provisions in the Table 109.

Table 109

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	2
Wheat	0.5
Barley	0.5
Rye	0.05
Corn	0.5
Coarse cereals	0.5
Oil seed and oil	

Rapeseed	0.1
Cotton seed	0.1
Soybean	0.2
Peanut kernel	0.1
Vegetables	
Leek	2
Brussels sprouts	0.5
Cabbage lettuce	5
Tomato	3
Eggplant	3
Chili	2
Cucumber	2
Small cucumber used for pickling	0.05
Squash	0.5
Kidney bean	0.5
Vegetable soybean	0.2
Edible podded pea	0.02
Asparagus	0.5
Carrot	0.2
Lotus seed (fresh)	0.2
Lotus root	0.2
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Lemon	0.5
Pumelo	0.5
Apple	5
Pear	3
Hawthorn	3
Loquat	3
Quinces	3
Peach	2
Nectarine	2
Prune	0.5
Apricot	2
Cherry	0.5
Date (fresh)	0.5
Berries and other small fruits (with the exception of blackberry, gooseberry, grape, strawberry, kiwi fruit)	1
Blackberry	0.5
Gooseberry	0.5
Grape	3
Strawberry	0.5
Kiwi fruit	0.5
Olive	0.5
Fig	0.5
Litchi	0.5
Mango	0.5
Banana	2
Pineapple	0.5
Watermelon	2
Dried fruits	
Dried prune	0.5
Nuts	
Sugar crops	
Sugar beet	0.1
Beverages	
Tea	5
Coffee bean	0.1
Condiments	
Dried chili	20
Condiment made from fruits	0.1
Condiment made from plant root and stem	0.1
Medicinal plant	
Notoginseng (Sanchi) root tuber (dry)	1

Notoginseng (Sanchi) fibrous root (dry)	1
Meat from mammals (with the exception of marine mammal)	
Beef	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.05
Poultry meats	0.05
Poultry fat	0.05
Eggs	0.05
Raw milk	0.05

4.109.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil, sugar crops shall be tested referring to methods provided in NY/T 1680; Vegetables, fruits and dried fruits shall be tested by methods provided in GB/T 20769, NY/T 1453; Nuts and condiments shall be tested referring to methods provided in GB/T 20770; Beverages shall be tested referring to methods provided in GB/T 20769, NY/T 1453; Medicinal plant shall be tested referring to methods provided in GB/T 20769; Meat from mammals (with the exception of marine mammal), poultry meats shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal), poultry fat, eggs, raw milk shall be tested referring to methods provided in GB/T 20772.

4.110 Polyoxins

4.110.1 Major purpose of use: fungicide.

4.110.2 ADI: 10 mg/kg bw.

4.110.3 Residue: Polyoxins B.

4.110.4 Maximum residue limit: Shall comply with provisions in the Table 110.

Table 110

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.5*
Vegetables	
Cucumber	0.5*
Potato	0.5*
Fruits	
Apple	0.5*
Pear	0.1*
Grape	10*

* The MRL is the temporary limit.

4.111 Spinosad

4.111.1 Major purpose of use: pesticide.

4.111.2 ADI: 0.02 mg/kg bw.

4.111.3 Residue: The sum of Spinosad A and Spinosad D.

4.111.4 Maximum residue limit: Shall comply with provisions in the Table 111.

Table 111

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1*
Brown rice	0.5*
Wheats	1*
Upland crops	1*
Oil seed and oil	
Cotton seed	0.1*
Soybean	0.01*
Vegetables	
Onion	0.1*
Scallion	4*
Brassica vegetables	2*
Leaf vegetables (with the exception of celery, celery cabbage)	10*
Celery	2*
Celery cabbage	0.5*
Tomato	1*
Eggplant	1*
Chili	1*
Sweet pepper	1*
Hibiscus esculentus	1*
Gourd vegetables	0.2*

Leguminous vegetables	0.3*
Potato	0.01*
Cactus	0.01*
Fruits	
Citrus fruit	0.3*
Apple	0.1*
Stone fruit	0.2*
Cranberry	0.02*
Blackberry	1*
Blueberry	0.4*
Gooseberry (red, black)	1*
dewberry (including boysenberry and loganberry)	1*
Grape	0.5*
Passion fruit	0.7*
Kiwi fruit	0.05*
Melons	0.2*
Dried fruits	
Raisin	1*
Nuts	0.07
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	
Meat from mammals (with the exception of beef)	2*
Beef	3*
Viscera of mammal animals (with the exception of marine mammal)	
Viscera of mammal animals (with the exception of beef kidney, beef liver)	0.5*
Beef kidney	1*
Beef liver	2*
Poultry meats, expressed as residue in the fat	0.2*
Eggs	0.01*
Raw milk	1*

* The MRL is the temporary limit.

4.111.5 Testing method: Cereals, oil seed and oil, nuts shall be tested referring to methods provided in NY/T 1379; Vegetables, fruits and dried fruits shall be tested by methods provided in GB/T 20769.

4.112 Paclobutrazol

4.112.1 Major purpose of use: plant growth regulator.

4.112.2 ADI: 0.1 mg/kg bw.

4.112.3 Residue: Paclobutrazol.

4.112.4 Maximum residue limit: Shall comply with provisions in the Table 112.

Table 112

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Wheat	0.5
Oil seed and oil	
Rapeseed	0.2
Soybean	0.05
Peanut kernel	0.5
Canola oil	0.5
Vegetables	
Vegetable soybean	0.05
Fruits	
Apple	0.5
Litchi	0.5
Mango	0.05

4.112.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, SN/T 1477; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, GB/T 20770.

4.113 Oxadiazon

4.113.1 Major purpose of use: herbicide.

4.113.2 ADI: 0.0036 mg/kg bw.

4.113.3 Residue: Oxadiazon.

4.113.4 Maximum residue limit: Shall comply with provisions in the Table 113.

Table 113

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05
	0.05
Oil seed and oil	0.1
	0.05
	0.1
Vegetables	0.1
	0.05
	0.05

4.113.5 Testing method: cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.180; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 1379.

4.114 Hymexazol

4.114.1 Major purpose of use: fungicide.

4.114.2 ADI: 0.2 mg/kg bw.

4.114.3 Residue: Hymexazol.

4.114.4 Maximum residue limit: Shall comply with provisions in the Table 114.

Table 114

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1*
Vegetables	1*
	0.5*
Fruits	0.5*
Sugar crops	0.1*
Medicinal plant	0.1*
	1*
	0.1*

* The MRL is the temporary limit.

4.115 Oxaziclomefone

4.115.1 Major purpose of use: herbicide.

4.115.2 ADI: 0.0091mg/kg bw.

4.115.3 Residue: Oxaziclomefone.

4.115.4 Maximum residue limit: Shall comply with provisions in the Table 115.

Table 115

Food Category/Name	Maximum residue limit, mg/kg
Brown rice	0.05

4.115.5 Testing method: Cereals shall be tested by methods provided in GB 23200.34.

4.116 Oxadixyl

4.116.1 Major purpose of use: fungicide.

4.116.2 ADI: 0.01 mg/kg bw.

4.116. Residue: Oxadixyl.

4.116.4 Maximum residue limit: Shall comply with provisions in the Table 116.

Table 116

Food Category/Name	Maximum residue limit, mg/kg
Cucumber	5

4.116. Testing method: Vegetables shall be tested by methods provided in GB 23200.8, NY/T 1379.

4.117 Famoxadone

4.117.1 Major purpose of use: fungicide.

4.117.2 ADI: 0.006 mg/kg bw.

4.117.3 Residue: Famoxadone

4.117.4 Maximum residue limit: Shall comply with provisions in the Table 117.

Table 117

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1
	0.2
Vegetables	2
	2
	3
	1
	0.2
	0.5
Fruits	1
	1
	1
	1
	1
	0.2
	0.2
	5
	0.5
	0.2
Dried fruits	5
Meat from mammals (with the exception of marine mammal)	0.5*
Viscera of mammal animals (with the exception of marine mammal)	0.5*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.03*

* The MRL is the temporary limit.

4.117.5 Testing method: Cereals shall be tested referring to methods provided in GB/T 20769; Vegetables and fruits shall be tested by methods provided in GB/T 20769; Dried fruits shall be tested referring to methods provided in GB/T 20769.

4.118 Metamifop

4.118.1 Major purpose of use: herbicide.

4.118.2 ADI: 0.017mg/kg bw.

4.118.3 Residue: Metamifop.

4.118.4 Maximum residue limit: Shall comply with provisions in the Table 118.

Table 118

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05*
	0.05*

* The MRL is the temporary limit.

4.119 Diphenylamine

4.119.1 Major purpose of use: fungicide.

4.119.2 ADI: 0.08 mg/kg bw.

4.119.3 Residue: Diphenylamine.

4.119.4 Maximum residue limit: Shall comply with provisions in the Table 119.

Table 119

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Apple	5
Pear	5
Meat from mammals (with the exception of marine mammal)	
Beef	0.01
Viscera of mammal animals (with the exception of marine mammal)	
Beef liver	0.05
Beef kidney	0.01
Raw milk	0.01

4.119.5 Testing method: Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Animal-derived food shall be tested referring to methods provided in GB/T 19650.

4.120 Pendimethalin

4.120.1 Major purpose of use: herbicide.

4.120.2 ADI: 0.1 mg/kg bw.

4.120.3 Residue: pendimethalin.

4.120.4 Maximum residue limit: Shall comply with provisions in the Table 120.

Table 120

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Brown rice	0.1
Corn	0.1
Oil seed and oil	
Cotton seed	0.1
Peanut kernel	0.1
Vegetables	
Garlic	0.1
Leek	0.2
Head cabbage	0.2
Ordinary cabbage	0.2
Stem and leaf lettuce	0.1
Spinach	0.2
Celery	0.2
Celery cabbage	0.2
Potato	0.3

4.120.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.24, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 1379.

4.121 Clopyralid

4.121.1 Major purpose of use: herbicide.

4.121.2 ADI: 0.15 mg/kg bw.

4.121.3 Residue: Clopyralid.

4.121.4 Maximum residue limit: Shall comply with provisions in the Table 121.

Table 121

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	2
Corn	1
Oil seed and oil	
Rapeseed	2
Sugar crops	
Sugar beet	2

4.121.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.109; Sugar crops shall be tested referring to methods provided in GB 23200.109, NY/T 1434.

4.122 Quinclorac

4.122.1 Major purpose of use: herbicide.

4.122.2 ADI: 0.4 mg/kg bw.

4.122.3 Residue: Quinclorac.

4.122.4 Maximum residue limit: Shall comply with provisions in the Table 122.

Table 122

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1
Sorghum	0.1

4.122.5 Testing method: Cereals shall be tested by methods provided in GB 23200.43.

4.123 Diazinon

4.123.1 Major purpose of use: pesticide.

4.123.2 ADI: 0.005 mg/kg bw.

4.123.3 Residue: diazinon.

4.123.4 Maximum residue limit: Shall comply with provisions in the Table 123.

Table 123

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Wheat	0.1
Corn	0.02
Oil seed and oil	
Cotton seed	0.2
Peanut kernel	0.5
Vegetables	
Onion	0.05
Scallion	1
Head cabbage	0.5
Kohlrabi	0.2
Kale	0.05
Broccoli	1
Sprouting broccoli	0.5
Spinach	0.5
Ordinary cabbage	0.2
Stem and leaf lettuce	0.5
Cabbage lettuce	0.5
Celery cabbage	0.05
Tomato	0.5
Sweet pepper	0.05
Cucumber	0.1
Squash	0.05
Kidney bean	0.2
Edible podded pea	0.2
Radish	0.1
Carrot	0.5
Potato	0.01
Cactus	0.02
Fruits	
Pome fruit	0.3
Peach	0.2
Cherry	1
Prune	1
Honey-dew melon	0.2
Current (black,red,white)	0.2
Blackberry	0.1
Gooseberry (red,black)	0.2
Cranberry	0.2
Boysenberry	0.1
Kiwi fruit	0.2
Strawberry	0.1
Pineapple	0.1
Dried fruits	
Dried prune	2
Nuts	

Apricot kernel	0.05
Walnut	0.01
Sugar crops	
Sugarcane	0.1
Sugar beet	0.1
Beverages	
Hop	0.5
Condiments	
Dried chili	0.5
Condiment made from fruits	0.1
Condiment made from seeds	5
Condiment made from plant root and stem	0.5
Meat from mammals (with the exception of marine mammal)	
Pork	2*
Beef	2*
Lamb	2*
Viscera of mammal animals (with the exception of marine mammal)	
Pork liver	0.03*
Beef liver	0.03*
Lamb liver	0.03*
Pork kidney	0.03*
Beef kidney	0.03*
Lamb kidney	0.03*
Poultry meats	
Chicken	0.02*
Poultry viscera	
Chicken viscera	0.02*
Eggs	
Egg	0.02*
Raw milk	0.02*

* The MRL is the temporary limit.

4.123.5 Testing method: cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.107; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, GB/T 5009.107; fruits and dried fruits shall be tested by methods provided in GB 23200.113, GB/T 20769, GB/T 5009.107, NY/T 761; nuts shall be tested referring to methods provided in GB 23200.113, NY/T 761; sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23200.113, NY/T 761; beverages and condiments shall be tested by methods provided in GB 23200.113.

4.124 Dithianon

4.124.1 Major purpose of use: fungicide.

4.124.2 ADI: 0.01 mg/kg bw.

4.124.3 Residue: dithianon.

4.124.4 Maximum residue limit: Shall comply with provisions in the Table 124.

Table 124

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Chili	2*
Chinese yam	1*
Fruits	
Mandarin orange	3*
Orange	3*
Tangerine	3*
Pumelo	3*
Pome fruit (with the exception of apple, pear)	1*
Apple	5*
Pear	2*
Peach	2*
Nectarine	2*
Apricot	2*
Date (fresh)	2*
Prune	2*
Cherry	2*
Greengage	2*
Current	2*

Grape	2*
Wine grape	5*
Watermelon	1*
Dried fruits	
Raisin	3.5*
Nuts	
Apricot kernel	0.05*

* The MRL is the temporary limit.

4.125 Flutriafol

4.125.1 Major purpose of use: fungicide.

4.125.2 ADI: 0.01 mg/kg bw.

4.125.3 Residue: Flutriafol.

4.125.4 Maximum residue limit: Shall comply with provisions in the Table 125.

Table 125

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1
Brown rice	0.5
Wheat	0.5
Oil seed and oil	
Soybean	0.4
Peanut kernel	0.15
Vegetables	
Sweet pepper	1
Fruits	
Pome fruit	0.3
Grape	0.8
Strawberry	1
Banana	0.3
Dried fruits	
Raisin	2
Beverages	
Coffee bean	0.15
Condiments	
Dried chili	10

4.125.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil, beverages, condiments shall be tested referring to methods provided in GB/T 20769; Vegetables, fruits and dried fruits shall be tested by methods provided in GB/T 20769.

4.126 Rimsulfuron

4.126.1 Major purpose of use: herbicide.

4.126.2 ADI: 0.1 mg/kg bw.

4.126.3 Residue: Rimsulfuron.

4.126.4 Maximum residue limit: Shall comply with provisions in the Table 126.

Table 126

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.1
Vegetables	
Potato	0.1

4.126.5 Testing method: cereals shall be tested by methods provided in SN/T 2325; vegetables shall be tested referring to methods provided in SN/T 2325.

4.127 Flurtamone

4.127.1 Major purpose of use: herbicide.

4.127.2 ADI: 0.03 mg/kg bw.

4.127.3 Residue: flurtamone.

4.127.4 Maximum residue limit: Shall comply with provisions in the Table 127.

Table 127

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.05

4.127.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.128 Dinotefuran

4.128.1 Major purpose of use: pesticide.

4.128.2 ADI: 0.2 mg/kg bw.

4.128.3 Residue: For plant-derived foods, it is dinotefuran; For animal-derived foods, it is the sum of dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea, expressed as dinotefuran.

4.128.4 Maximum residue limit: Shall comply with provisions in the Table 128.

Table 128

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	10 5
Oil seed and oil Cotton seed	1
Vegetables Onion Scallion Brassica vegetables Leaf vegetables (with the exception of celery) Celery Solanaceous vegetables Cucumber Watercress	0.1 4 2 6 0.6 0.5 2 7
Fruits Peach Nectarine Cranberry Grape Watermelon	0.8 0.8 0.15 0.9 1
Dried fruits Raisin	3
Beverages Tea	20
Condiments Dried chili	5
Meat from mammals (with the exception of marine mammal)	0.1*
Viscera of mammal animals (with the exception of marine mammal)	0.1*
Poultry meats	0.02*
Poultry viscera	0.02*
Eggs	0.02*
Raw milk	0.1*

* The MRL is the temporary limit.

4.128.5 Testing method: Cereals shall be tested by methods provided in GB 23200.37, GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB 23200.37, GB/T 20770; Vegetables shall be tested referring to methods provided in GB 23200.37, GB/T 20769; Fruits and dried fruits shall be tested referring to methods provided in GB 23200.37, GB/T 20769; Tea shall be tested referring to methods provided in GB/T 20770; Condiments shall be tested referring to methods provided in GB 23200.37.

4.129 Furan tebufenozone

4.129.1 Major purpose of use: pesticide.

4.129.2 ADI: 0.29 mg/kg bw.

4.129.3 Residue: furan tebufenozone.

4.129.4 Maximum residue limit: Shall comply with provisions in the Table 129.

Table 129

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Head cabbage	0.05

4.129.5 Testing method: Vegetables shall be tested by methods provided in NY/T 2820.

4.130 Phosalone

4.130.1 Major purpose of use: pesticide.

4.130.2 ADI: 0.02 mg/kg bw.

4.130.3 Residue: phosalone.

4.130.4 Maximum residue limit: Shall comply with provisions in the Table 130.

Table 130

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed oil	0.1
Vegetables Spinach	1
Ordinary cabbage	1
Stem and leaf lettuce	1
Celery cabbage	1
Fruits Pome fruit	2
Stone fruit	2
Nuts Apricot kernel	0.1
Hazelnut	0.05
Walnut	0.05
Condiments Condiment made from fruits	2
Condiment made from seeds	2
Condiment made from plant root and stem	3

4.130.5 Testing method: Oil seed and oil, condiments shall be tested by methods provided in GB 23200.113; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761; Nuts shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 20770 .

4.131 Triflusulfuron-methyl

4.131.1 Major purpose of use: herbicide.

4.131.2 ADI: 0.04 mg/kg bw.

4.131.3 Residue: Triflusulfuron-methyl.

4.131.4 Maximum residue limit: Shall comply with provisions in the Table 131.

Table 131

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugar beet	0.02*

* The MRL is the temporary limit.

4.132 Tau-fluvalinate

4.132.1 Major purpose of use: pesticide.

4.132.2 ADI: 0.005 mg/kg bw.

4.132.3 Residue: tau-fluvalinate.

4.132.4 Maximum residue limit: Shall comply with provisions in the Table 132.

Table 132

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed oil	0.2
Vegetables Leek	0.5
Head cabbage	0.5
Broccoli	0.5
Spinach	0.5
Ordinary cabbage	0.5
Celery	0.5
Celery cabbage	0.5

4.132.5 Testing method: Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.113, NY/T 761.

4.133 Flubendiamide

4.133.1 Major purpose of use: pesticide.

4.133.2 ADI: 0.02 mg/kg bw.

4.133.3 Residue: flubendiamide.

4.133.4 Maximum residue limit: Shall comply with provisions in the Table 133.

Table 133

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5*
Brown rice	0.2*
Corn	0.02*
Coarse cereals	1*
Oil seed and oil	
Cotton seed	1.5*
Vegetables	
Head cabbage	0.2*
Stem and leaf lettuce	7*
Cabbage lettuce	5*
Celery	5*
Celery cabbage	10*
Tomato	2*
Chili	0.7*
Leguminous vegetables	2*
Cactus	0.02*
Fruits	
Pome fruit	0.8*
Stone fruit	2*
Grape	2*
Nuts	0.1*
Sugar crops	
Sugarcane	0.2*
Condiments	
Dried chili	7*
Meat from mammals (with the exception of marine mammal), expressed as the residue in the fat	2
Viscera of mammal animals (with the exception of marine mammal)	1
Raw milk	0.1

* The MRL is the temporary limit.

4.133.5 Testing method: Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), raw milk shall be tested by methods provided in GB 23200.76.

4.134 Teflubenzuron

4.134.1 Major purpose of use: pesticide.

4.134.2 ADI: 0.01 mg/kg bw.

4.134.3 Residue: teflubenzuron.

4.134.4 Maximum residue limit: Shall comply with provisions in the Table 134.

Table 134

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Leek	0.5
Head cabbage	0.5
Brussels sprouts	0.5
Spinach	0.5
Ordinary cabbage	0.5
Celery	0.5
Celery cabbage	0.5
Potato	0.05
Fruits	
Mandarin orange	0.5

Orange	0.5
Tangerine	0.5
Pome fruit	1
Prune	0.1
Dried fruits	
Dried prune	0.1

4.134.5 Testing method: Vegetables, fruits and dried fruits shall be tested by methods provided in NY/T 1453.

4.135 Flucetosulfuron

4.135.1 Major purpose of use: herbicide.

4.135.2 ADI: 0.041 mg/kg bw.

4.135.3 Residue: flucetosulfuron.

4.135.4 Maximum residue limit: Shall comply with provisions in the Table 135.

Table 135

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05*

* The MRL is the temporary limit.

4.136 Haloxyfop-methyl and haloxyfop-P-methyl

4.136.1 Major purpose of use: herbicide.

4.136.2 ADI: 0.0007 mg/kg bw.

4.136.3 Residue: the sum of Haloxyfop-methyl, Haloxyfop and its conjugate, expressed as Haloxyfop-methyl

4.136.4 Maximum residue limit: Shall comply with provisions in the Table 136.

Table 136

Food Category/Name	Maximum residue limit, mg/kg
Cereals Coarse cereals (with the exception of pea, chickpeas) Pea Chickpeas	3* 0.2* 0.05*
Oil seed and oil Rapeseed Cotton seed Soybean Peanut kernel Sunflower seed Vegetable oil	3* 0.2* 0.1* 0.1* 0.05* 1*
Vegetables Onion Head cabbage Leguminous vegetables (with the exception of edible podded pea, pea (fresh), kidney bean and vegetable soybean) Edible podded pea Pea (fresh) Potato	0.2* 0.2* 0.5* 0.7* 1* 0.1*
Fruits Citrus fruit Pome fruit Stone fruit Grape Banana Watermelon	0.02* 0.02* 0.02* 0.02* 0.02* 0.1*
Sugar crops Sugar beet	0.4*
Beverages Coffee bean	0.02*

* The MRL is the temporary limit.

4.137 Fluopicolide

4.137.1 Major purpose of use: fungicide.

4.137.2 ADI: 0.08 mg/kg bw.

4.137.3 Residue: Fluopicolide.

4.137.4 Maximum residue limit: Shall comply with provisions in the Table 137.

Table 137

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Onion	1*
Head cabbage	7*
Brussels sprouts	0.2*
Head Inflorescence Brassica Vegetables	2*
Leaf vegetables (with the exception of celery, celery cabbage)	30*
Celery	20*
Celery cabbage	0.5*
Solanaceous vegetables (with the exception of tomato, chili)	0.5*
Tomato	2*
Chili	0.1*
Gourd vegetables (with the exception of cucumber)	1*
Cucumber	0.5*
Potato	0.05*
Fruits	
Grape	2*
Watermelon	0.1*
Dried fruits	
Raisin	10*
Condiments	
Dried chili	7*
Meat from mammals (with the exception of marine mammal), expressed as the residue in the fat	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.02*

* The MRL is the temporary limit.

4.138 Fluopyram

4.138.1 Major purpose of use: fungicide.

4.138.2 ADI: 0.01 mg/kg bw.

4.138.3 Residue: Fluopyram.

4.138.4 Maximum residue limit: Shall comply with provisions in the Table 138.

Table 138

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Coarse cereals	0.07*
Oil seed and oil	
Rapeseed	1*
Cotton seed	0.01*
Soybean	0.05*
Peanut kernel	0.03*
Vegetables	
Garlic	0.07*
Onion	0.07*
Spring onion	0.15*
Head cabbage	0.15*
Brussels sprouts	0.3*
Broccoli	0.09*
Sprouting broccoli	0.3*
Tomato	1*
Chili	2 *
Cucumber	0.5*
Edible podded legume vegetables (with the exception of edible podded pea)	1*
Edible podded pea	0.2*
Inedible podded legume vegetables	0.2*

Asparagus	0.01*
Carrot	0.4*
Potato	0.03*
Fruits	
Pome fruit	0.5*
Peach	1*
Nectarine	1*
Apricot	1*
Prune	0.5*
Cherry	0.7*
Blackberry	3*
Rubus idaeus	3*
Grape	2*
Strawberry	0.4*
Banana	0.3*
Dried fruits	
Raisin	5*
Nuts	0.04*
Sugar crops	
Sugar beet	0.04*

* The MRL is the temporary limit.

4.139 Fipronil

4.139.1 Major purpose of use: pesticide.

4.139.2 ADI: 0.0002 mg/kg bw.

4.139.3 Residue: Sum of fipronil, fipronil, fipronil sulfone and fipronil sulfoxide, expressed as fipronil.

4.139.4 Maximum residue limit: Shall comply with provisions in the Table 139.

Table 139

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.02
Wheat	0.002
Barley	0.002
Oats	0.002
Rye	0.002
Triticale	0.002
Corn	0.1
Fresh maize	0.1
Oil seed and oil	
Peanut kernel	0.02
Sunflower seed	0.002
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits (with the exception of banana)	0.02
Banana	0.005
Melons	0.02
Sugar crops	
Sugarcane	0.02
Sugar beet	0.02

Edible fungi		
Mushrooms		0.02
Viscera of mammal animals (with the exception of marine mammal)		
Beef liver		0.1*
Beef kidney		0.02*
Poultry		0.01*
Poultry viscera		0.02*
Eggs		0.02
Raw milk		
Milk		0.02*

* The MRL is the temporary limit.

4.139.5 Testing method: Cereals shall be tested by methods provided in GB 23200.34; Oil seed and oil shall be tested referring to methods provided in SN/T 1982; Vegetables shall be tested by methods provided in SN/T 1982; Fruits shall be tested referring to methods provided in GB 23200.34, NY/T 1379; Sugar crops, edible fungi shall be tested referring to methods provided in NY/T 1379; Eggs shall be tested by methods provided in GB 23200.115.

4.140 Flufenoxuron

4.140.1 Major purpose of use: pesticide.

4.140.2 ADI: 0.04 mg/kg bw.

4.140.3 Residue: flufenoxuron.

4.140.4 Maximum residue limit: Shall comply with provisions in the Table 140.

Table 140

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Lemon	0.5
Pumelo	0.5
Apple	1
Pear	1
Beverages	
Tea	20

4.140.5 Testing method: Fruits shall be tested by methods provided in GB/T 20769; Tea shall be tested by methods provided in GB/T 23204.

4.141 Fluazinam

4.141.1 Major purpose of use: fungicide.

4.141.2 ADI: 0.01 mg/kg bw.

4.141.3 Residue: fluazinam.

4.141.4 Maximum residue limit: Shall comply with provisions in the Table 141.

Table 141

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Celery cabbage	0.2
Chili	3
Cucumber	0.3
Potato	0.5
Fruits	
Apple	2

4.141.5 Testing method: Vegetables and fruits shall be tested referring to methods provided in GB 23200.34.

4.142 Sulfoxaflor

4.142.1 Major purpose of use: pesticide.

4.142.2 ADI: 0.05 mg/kg bw.

4.142.3 Residue: Sulfoxaflor.

4.142.4 Maximum residue limit: Shall comply with provisions in the Table 142.

Table 142

Food Category/Name	Maximum residue limit, mg/kg
Cereals	5*
Rice	

Brown rice	2*
Wheat	0.2*
Barley	0.6*
Triticale	0.2*
Coarse cereals	0.3*
Oil seed and oil	
Rapeseed	0.15*
Cotton seed	0.4*
Soybean	0.3*
Vegetables	
Garlic	0.01*
Onion	0.01*
Scallion	0.7*
Head cabbage	0.4*
Broccoli	0.04*
Sprouting broccoli	3*
Leaf vegetables (with the exception of celery)	6*
Celery	1.5*
Solanaceous vegetables	1.5*
Gourd vegetables	0.5*
Stem and root vegetables (with the exception of carrot)	0.03*
Carrot	0.05*
Fruits	
Mandarin orange	2*
Orange	2*
Tangerine	2*
Lemon	0.4*
Pumelo	0.15*
Pome fruit (with the exception of apple)	0.3*
Apple	0.5*
Peach	0.4*
Nectarine	0.4*
Apricot	0.4*
Prune	0.5*
Cherry	1.5*
Grape	2*
Strawberry	0.5*
Melons	0.5*
Dried fruits	
Raisin	6*
Condiments	
Dried chili	15*
Meat from mammals (with the exception of marine mammal)	0.3*
Viscera of mammal animals (with the exception of marine mammal)	0.6*
Fat of mammal animals (with the exception of milk fat)	0.1*
Poultry meats	0.1*
Poultry viscera	0.3*
Poultry fat	0.03*
Eggs	0.1*
Raw milk	0.2*

* The MRL is the temporary limit.

4.143 Flonicamid

4.143.1 Major purpose of use: pesticide.

4.143.2 ADI: 0.07 mg/kg bw.

4.143.3 Residue: flonicamid.

4.143.4 Maximum residue limit: Shall comply with provisions in the Table 143.

Table 143

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Brown rice	0.1
Corn	0.7
Vegetables	
Cucumber	1*
Potato	0.2*
Fruits	
Apple	1

* The MRL is the temporary limit.

4.143.5 Testing method: Cereals and fruits shall be tested by methods provided in GB 23200.75.

4.144 Chlorfluazuron

- 4.144.1 Major purpose of use: pesticide.
4.144.2 ADI: 0.005 mg/kg bw.
4.144.3 Residue: chlorfluazuron.
4.144.4 Maximum residue limit: Shall comply with provisions in the Table 144.

Table 144

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.1
Vegetables Leek	1
Head cabbage	2
Broccoli	2
Sprouting broccoli	7
Cabbage mustard	7
Flower Chinese cabbage	5
Spinach	10
Ordinary cabbage	7
Stem lettuce leaf	20
Spherical fennel	0.1
Celery cabbage	2
Stem lettuce	1
Radish	0.1
Carrot	0.1
Turnip	0.1
Celeriac	0.1
Taro	0.1
Fruits Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Sugar crops Sugar beet	0.1

4.144.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.8; Vegetables and sugar crops shall be tested by methods provided in GB 23200.8, GB/T 20769, SN/T 2095; Fruits shall be tested by methods provided in GB 23200.8, SN/T 2095.

4.145 Flusilazole

- 4.145.1 Major purpose of use: fungicide.
4.145.2 ADI: 0.007 mg/kg bw.
4.145.3 Residue: flusilazole.
4.145.4 Maximum residue limit: Shall comply with provisions in the Table 145.

Table 145

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.2
Wheats	0.2
Upland crops	0.2
Oil seed and oil Rapeseed	0.1
Soybean	0.05
Sunflower seed	0.1
Soybean oil	0.1
Vegetables Tomato	0.2
Cucumber	1
Sword bean	0.2
Cactus	0.01
Fruits Mandarin orange	2
Orange	2
Tangerine	2
Pome fruit (with the exception of apple, pear) Apple	0.3
Pear	0.2
Peach	0.2
Nectarine	0.2
Apricot	0.2
Grape	0.5

Banana	1
Dried fruits Raisin	0.3
Sugar crops Sugar beet	0.05
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	1
Viscera of mammal animals (with the exception of marine mammal)	2
Poultry meats	0.2
Poultry viscera	0.2
Eggs	0.1
Raw milk	0.05

4.145.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB 23200.9, GB/T 20770; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.53, GB/T 20769; Sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23200.53, GB/T 20769; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, poultry viscera, eggs shall be tested referring to methods provided in GB/T 20772; Raw milk shall be tested referring to methods provided in GB/T 20771.

4.146 Epoxiconazole

4.146.1 Major purpose of use: fungicide.

4.146.2 ADI: 0.02 mg/kg bw.

4.146.3 Residue: epoxiconazole.

4.146.4 Maximum residue limit: Shall comply with provisions in the Table 146.

Table 146

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.5
Wheat	0.05
Corn	0.1
Oil seed and oil Soybean	0.3
Peanut kernel	0.05
Vegetables Vegetable soybean	2
Fruits Apple	0.5
Grape	0.5
Banana	3

4.146.5 Testing method: cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769.

4.147 Fomesafen

4.147.1 Major purpose of use: herbicide.

4.147.2 ADI: 0.0025 mg/kg bw.

4.147.3 Residue: fomesafen

4.147.4 Maximum residue limit: Shall comply with provisions in the Table 147.

Table 147

Food Category/Name	Maximum residue limit, mg/kg
Cereals Mung bean	0.05
Oil seed and oil Soybean	0.1
Peanut kernel	0.2

4.147.5 Testing method: Cereals,Oil seed and oil shall be tested by methods provided in GB/T 5009.130.

4.148 Flumetralin

4.148.1 Major purpose of use: plant growth regulator.

4.148.2 ADI: 0.5 mg/kg bw.

4.148.3 Residue: flumetralin.

4.148.4 Maximum residue limit: Shall comply with provisions in the Table 148.

Table 148

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Oil seed and oil	
Cotton seed	1

4.148.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.8.

4.149 Triflumizole

- 4.149.1 Major purpose of use: fungicide.
- 4.149.2 ADI: 0.04 mg/kg bw.
- 4.149.3 Residue: the sum of Triflumizole and its metabolite (4-chloro- α,α,α -trifluoromethyl -N-(1-amino-2-propoxycarbonyl methylethylidene)-O-methyl aniline), expressed as triflumizole.
- 4.149.4 Maximum residue limit: Shall comply with provisions in the Table 149.

Table 149

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	0.2*
Fruits Pear	0.5*
Cherry	4*
Grape	3*
Strawberry	2*
Papaya	2*
Watermelon	0.2*
Beverages Hop	30*

* The MRL is the temporary limit.

4.150 Trifluralin

- 4.150.1 Major purpose of use: herbicide.
- 4.150.2 ADI: 0.025 mg/kg bw.
- 4.150.3 Residue: trifluralin.
- 4.150.4 Maximum residue limit: Shall comply with provisions in the Table 150.

Table 150

Food Category/Name	Maximum residue limit, mg/kg
Cereals Corn	0.05
Oil seed and oil Cotton seed	0.05
Soybean	0.05
Peanut kernel	0.05
Soybean oil	0.05
Peanut oil	0.05
Vegetables Chili	0.05

4.150.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9; Oil seed and oil shall be tested by methods provided in GB/T 5009.172; Vegetables shall be tested by methods provided in GB 23200.8.

4.151 Hexaflumuron

- 4.151.1 Major purpose of use: pesticide.
- 4.151.2 ADI: 0.02 mg/kg bw.
- 4.151.3 Residue: hexaflumuron.
- 4.151.4 Maximum residue limit: Shall comply with provisions in the Table 151.

Table 151

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.1
Vegetables Head cabbage	0.5

4.151.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.8, NY/T 1720; Vegetables shall be tested by methods provided in GB/T 20769, NY/T 1720, SN/T2152.

4.152 Cyfluthrin and beta-cyfluthrin

- 4.152.1 Major purpose of use: pesticide.
- 4.152.2 ADI: 0.04 mg/kg bw.
- 4.152.3 Residue: cyfluthrin (sum of isomers)

4.152.4 Maximum residue limit: Shall comply with provisions in the Table 152.

Table 152

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.5
Oil seed and oil Rapeseed	0.07
Cotton seed	0.05
Soybean	0.03
Crude cotton seed oil	1
Vegetables Leek	0.5
Head cabbage	0.5
Broccoli	0.1
Sprouting broccoli	2
Cabbage mustard	3
Spinach	0.5
Ordinary cabbage	0.5
Celery	0.5
Celery cabbage	0.5
Tomato	0.2
Eggplant	0.2
Chili	0.2
Aucchini	0.5
Potato	0.01
Fruits Citrus fruit	0.3
Apple	0.5
Pear	0.1
Date (fresh)	0.3
Dried fruits Preserved citrus	2
Beverages Tea	1
Edible fungi Mushroom (fresh)	0.3
Condiments Dried chili	1
Condiment made from fruits	0.03
Condiment made from plant root and stem	0.05
Meat from mammals (with the exception of marine mammal), expressed as the residue in the fat	0.2*
Viscera of mammal animals (with the exception of marine mammal)	0.02*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.152.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits, dried fruits, edible fungi shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 5009.146, NY/T 761; Tea shall be tested by methods provided in GB 23200.113, GB/T 23204; Condiments shall be tested by methods provided in GB 23200.113 .

4.153 Flumorph

4.153.1 Major purpose of use: fungicide.

4.153.2 ADI: 0.16 mg/kg bw.

4.153.3 Residue: flumorph.

4.153.4 Maximum residue limit: Shall comply with provisions in the Table 153.

Table 153

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	10*
Cucumber	2*
Potato	0.5*
Fruits Grape	5*
Litchi	0.1*

* The MRL is the temporary limit.

4.154 Flucythrinate

- 4.154.1 Major purpose of use: pesticide.
 4.154.2 ADI: 0.02 mg/kg bw.
 4.154.3 Residue: Flucythrinate.
 4.154.4 Maximum residue limit: Shall comply with provisions in the Table 154.

Table 154

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.2
Fresh maize	0.05
Mung bean	0.05
Adsuki bean	
Oil seed and oil	0.05
Soybean	0.2
Cotton seed oil	
Vegetables	
Head cabbage	0.5
Broccoli	0.5
Tomato	0.2
Eggplant	0.2
Chili	0.2
Radish	0.05
Carrot	0.05
Chinese yam	0.05
Potato	0.05
Fruits	
Apple	0.5
Pear	0.5
Sugar crops	0.05
Beverages	
Tea	20
Edible fungi	
Mushroom (fresh)	0.2

4.154.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits, edible fungi shall be tested by methods provided in GB 23200.113, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.9, GB 23200.113; Tea shall be tested by methods provided in GB/T 23204.

4.155 Flufenacet

- 4.155.1 Major purpose of use: herbicide.
 4.155.2 ADI: 0.005 mg/kg bw.
 4.155.3 Residue: The sum of flufenacet and its metabolite N-fluorophenyl -N-isopropyl, expressed as flufenacet.
 4.155.4 Maximum residue limit: Shall comply with provisions in the Table 155.

Table 155

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.5*

*The MRL is the temporary limit.

4.156 Flumiclorac

- 4.156.1 Major purpose of use: herbicide.
 4.156.2 ADI: 1 mg/kg bw.
 4.156.3 Residue: flumiclorac.
 4.156.4 Maximum residue limit: Shall comply with provisions in the Table 156.

Table 156

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.05

4.156.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.62.

4.157 Flutolanil

- 4.157.1 Major purpose of use: fungicide.
 4.157.2 ADI: 0.09 mg/kg bw.
 4.157.3 Residue: flutolanil.

4.157.4 Maximum residue limit: Shall comply with provisions in the Table 157.

Table 157

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	1
	2
Oil seed and oil Peanut kernel	0.5
Vegetables Leaf mustard	0.07

4.157.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.158 Novaluron

4.158.1 Major purpose of use: pesticide.

4.158.2 ADI: 0.01 mg/kg bw.

4.158.3 Residue: Novaluron.

4.158.4 Maximum residue limit: Shall comply with provisions in the Table 158.

Table 158

Food Category/Name	Maximum residue limit, mg/kg
Cereals Coarse cereals	0.1
Oil seed and oil Cotton seed	0.5
Vegetables Brassica vegetables Leaf mustard	0.7 25
Solanaceous vegetables (with the exception of tomato) Tomato	0.7 0.02
Kidney bean	0.7
Vegetable soybean Potato	0.01 0.01
Fruits Pome fruit	3
Stone fruit	7
Blueberry	7
Strawberry	0.5
Dried fruits Dried prune	3
Sugar crops Sugarcane	0.5
Sugar beet	15
Meat from mammals (with the exception of marine mammal), expressed as the residue in the fat	10
Viscera of mammal animals (with the exception of marine mammal)	0.7
Poultry meats, expressed as residue in the fat	0.5
Poultry viscera	0.1
Eggs	0.1
Raw milk	0.4

4.158.5 Testing method: Cereals, oil seed and oil, vegetables, fruits, dried fruits, sugar crops shall be tested referring to methods provided in GB 23200.34; meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, poultry viscera, eggs, raw milk shall be tested by methods provided in SN/T 2540.

4.159 Sedaxane

4.159.1 Major purpose of use: fungicide.

4.159.2 ADI: 0.1 mg/kg bw.

4.159.3 Residue: Sedaxane

4.159.4 Maximum residue limit: Shall comply with provisions in the Table 159.

Table 159

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.01*
Wheat	0.01*
Barley	0.01*
Oats	0.01*

Rye	0.01*
Triticale	0.01*
Upland crops	0.01*
Oil seed and oil	
Soybean	0.01*
Rapeseed	0.01*
Vegetables	
Potato	0.02*
Cactus	0.01 *

* The MRL is the temporary limit.

4.160 Flucarbazone-sodium

- 4.160.1 Major purpose of use: herbicide.
- 4.160.2 ADI: 0.36 mg/kg bw.
- 4.160.3 Residue: Flucarbazone-sodium.
- 4.160.4 Maximum residue limit: Shall comply with provisions in the Table 160.

Table 160

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.01 *

* The MRL is the temporary limit.

4.161 Fluxapyroxad

- 4.161.1 Major purpose of use: fungicide.
- 4.161.2 ADI: 0.02 mg/kg bw.
- 4.161.3 Residue: Fluxapyroxad.
- 4.161.4 Maximum residue limit: Shall comply with provisions in the Table 161.

Table 161

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice Wheat Barley Oats Rye Triticale Corn Coarse cereals (with the exception of pea, lentils, chickpeas) Pea Lentils Chickpeas	5* 1* 0.3* 2* 2* 0.3* 0.3* 0.01* 0.3* 0.4* 0.4* 0.4*
Oil seed and oil Oil seeds (with the exception of cotton seed, soybean, peanut kernel) Cotton seed Soybean Peanut kernel	0.8* 0.01* 0.15* 0.01*
Vegetables Solanaceous vegetables (with the exception of chili, tomato) Cucumber Vegetable soybean Cactus	0.6* 0.3* 0.5* 0.15*
Fruits Pome fruit Stone fruit Banana	0.9* 2* 0.5*
Dried fruits Dried prune	5*
Sugar crops Sugar beet	0.15*
Condiments Dried chili	6*

* The MRL is the temporary limit.

4.162 Thiram

- 4.162.1 Major purpose of use: fungicide.
- 4.162.2 ADI: 0.01 mg/kg bw.

4.162.3 Residue: Dithiocar-bamate (Dithiocarbamate), expressed as carbon disulfide..

4.162.4 Maximum residue limit: Shall comply with provisions in the Table 162.

Table 162

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	2
Brown rice	1
Wheat	1
Barley	1
Oats	1
Rye	1
Triticale	1
Corn	0.1
Mung bean	0.2
Oil seed and oil	
Cotton seed	0.1
Soybean	0.3
Sunflower seed	0.2
Vegetables	
Garlic	0.5
Onion	0.5
Scallion	0.5
Spring onion	0.5
Tomato	5
Sweet pepper	2
Cucumber	5
Squash	3
Pumpkin	0.2
Winter squash	0.1
Asparagus	2
Carrot	5
Potato	0.5
Cactus	0.1
Fruits	
Tangerine	3
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Cherry	0.2
Cranberry	5
Grape	5
Strawberry	5
Mango	2
Banana	1
Papaya	5
Nuts	
Apricot kernel	0.1
Carya cathayensis	0.1
Edible fungi	
Mushroom (fresh)	5
Condiments	
Pepper	0.1
Round cardamom	0.1
Cumin	10
Cumin seed	0.1
Coriander seed	0.1
Medicinal plant	
Ginseng	0.3

4.162.5 Testing method: Cereals shall be tested by methods provided in SN 0139; Oil seed and oil shall be tested referring to methods provided in SN 0139; Vegetables shall be tested referring to methods provided in SN 0157, SN/T 0525, SN/T 1541; Fruits shall be tested by methods provided in SN 0157; Nuts, condiments, medicinal plant shall be tested referring to methods provided in SN/T 1541; Edible fungi shall be tested referring to methods provided in SN 0157.

4.163 Ziram

4.163.1 Major purpose of use: fungicide.

4.163.2 ADI: 0.003 mg/kg bw.

4.163.3 Residue: Dithiocar-bamate (Dithiocarbamate), expressed as carbon disulfide.

4.163.4 Maximum residue limit: Shall comply with provisions in the Table 163.

Table 163

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.1
Vegetables Tomato	5
Chili	10
Cucumber	5
Fruits Tangerine	3
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Cherry	0.2
Cranberry	5
Grape	5
Strawberry	5
Mango	2
Banana	1
Papaya	5
Watermelon	1
Condiments Pepper	0.1
Round cardamom	0.1
Cumin	10
Cumin seed	0.1
Coriander seed	0.1
Medicinal plant Ginseng	0.3

4.163.5 Testing method: Oil seed and oil, condiments, medicinal plant shall be tested referring to methods provided in SN/T 1541; Vegetables and fruits shall be tested referring to methods provided in SN 0157,SN/T 1541.

4.164 Procymidone

- 4.164.1 Major purpose of use: fungicide.
- 4.164.2 ADI: 0.1 mg/kg bw.
- 4.164.3 Residue: procymidone.
- 4.164.4 Maximum residue limit: Shall comply with provisions in the Table 164.

Table 164

Food Category/Name	Maximum residue limit, mg/kg
Cereals Fresh maize	5
Oil seed and oil Rapeseed	2
Vegetable oil	0.5
Vegetables Leek	0.2
Tomato	2
Eggplant	5
Chili	5
Cucumber	2
Fruits Grape	5
Strawberry	10
Edible fungi Mushroom (fresh)	5

4.164.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits, edible fungi shall be tested by methods provided in GB 23200.8, GB 23200.9, NY/T761.

4.165 Sodium nitrophenolate

- 4.165.1 Major purpose of use: plant growth regulator.
- 4.165.2 ADI: 0.003 mg/kg bw.
- 4.165.3 Residue: sum of 5-Nitroguaiacol Sodium Salt, Sodium 2-nitrophenoxide and p-nitrophenol sodium salt.
- 4.165.4 Maximum residue limit: Shall comply with provisions in the Table 165.

Table 165

Food Category/Name	Maximum residue limit/ (mg/kg)
Cereals Wheat	0.2*
Oil seed and oil Soybean	0.1*
Vegetables Tomato	0.1*
Potato	0.1*
Fruits Mandarin orange	0.1*
Orange	0.1*
Tangerine	0.1*

* The MRL is the temporary limit.

4.166 Fludioxonil

4.166.1 Major purpose of use: fungicide.

4.166.2 ADI: 0.4 mg/kg bw.

4.166.3 Residue: Fludioxonil.

4.166.4 Maximum residue limit: Shall comply with provisions in the Table 166.

Table 166

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.05
Brown rice	0.05
Wheat	0.05
Barley	0.05
Oats	0.05
Rye	0.05
Triticale	0.05
Upland crops	0.05
Coarse cereals	0.5
Oil seed and oil Rapeseed	0.02
Cotton seed	0.05
Soybean	0.05
Peanut kernel	0.05
Sunflower seed	0.05
Vegetables Onion	0.5
Head cabbage	2
Sprouting broccoli	0.7
Spinach	30
Stem and leaf lettuce	40
Cabbage lettuce	10
Leaf mustard	10
Radish leaf	20
Tomato	3
Eggplant	0.3
Chili	1
Cucumber	0.5
Squash	0.5
Kidney bean	0.6
Edible podded pea	0.3
Inedible podded legume vegetables (with the exception of vegetable soybean)	0.03
Vegetable soybean	0.05
Radish	0.3
Potato	0.05
Sweet potato	10
Chinese yam	10
Watercress	10
Cactus	0.01
Fruits Citrus fruit	10
Pome fruit	5
Stone fruit	5
Blackberry	5
Blueberry	2
Gooseberry	5
Dewberry	5
Grape	2
Kiwi fruit	15

Strawberry	3
Mango	2
Pomegranate	2
Avocado	0.4
Watermelon	0.05
Nuts	
Pistachio nuts	0.2
Condiments	
Sweet basil herb	9
Dried chili	4

4.166.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Nuts shall be tested referring to methods provided in GB 23200.113, GB/T 20769; Condiments shall be tested by methods provided in GB 23200.113.

4.167 Silthiofam

4.167.1 Major purpose of use: fungicide.

4.167.2 ADI: 0.064 mg/kg bw.

4.167.3 Residue: silthiofam.

4.167.4 Maximum residue limit: Shall comply with provisions in the Table 167.

Table 167

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.01*

* The MRL is the temporary limit.

4.168 Thiobencarb

4.168.1 Major purpose of use: herbicide.

4.168.2 ADI: 0.007 mg/kg bw.

4.168.3 Residue: Thiobencarb.

4.168.4 Maximum residue limit: Shall comply with provisions in the Table 168.

Table 168

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.2

4.168.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113.

4.169 Molinate

4.169.1 Major purpose of use: herbicide.

4.169.2 ADI: 0.001mg/kg bw.

4.169.3 Residue: Molinate.

4.169.4 Maximum residue limit: Shall comply with provisions in the Table 169.

Table 169

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	0.1 0.1

4.169.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.113, GB/T 5009.134.

4.170 Diclofop-methyl

4.170.1 Major purpose of use: herbicide.

4.170.2 ADI: 0.0023 mg/kg bw.

4.170.3 Residue: Diclofop-methyl.

4.170.4 Maximum residue limit: Shall comply with provisions in the Table 170.

Table 170

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.1
Sugar crops Sugar beet	0.1

4.170.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113; sugar crops shall be tested referring to methods provided in GB23200.8, GB23200.113.

4.171 Cyclosulfamuron

- 4.171.1 Major purpose of use: herbicide.
 4.171.2 ADI: 0.015 mg/kg bw.
 4.171.3 Residue: Cyclosulfamuron.
 4.171.4 Maximum residue limit: Shall comply with provisions in the Table 171.

Table 171

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.1*

* The MRL is the temporary limit.

4.171.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.172 Cyproconazole

- 4.172.1 Major purpose of use: fungicide.
 4.172.2 ADI: 0.02 mg/kg bw.
 4.172.3 Residue: Cyproconazole.
 4.172.4 Maximum residue limit: Shall comply with provisions in the Table 172.

Table 172

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.08
Wheat	0.2
Corn	0.01
Sorghum	0.08
Millet	0.08
Coarse cereals	0.02
Oil seed and oil Rapeseed	0.4
Soybean	0.07
Soybean oil	0.1
Vegetables Edible podded pea	0.01
Sugar crops Sugar beet	0.05
Beverages Coffee bean	0.07

4.172.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seeds and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20770; Beverages shall be tested by methods provided in GB 23200.113.

4.173 Hexazinone

- 4.173.1 Major purpose of use: herbicide.
 4.173.2 ADI: 0.05 mg/kg bw.
 4.173.3 Residue: hexazinone.
 4.173.4 Maximum residue limit: Shall comply with provisions in the Table 173.

Table 173

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugarcane	0.5

4.173.5 Testing method: Sugar crops shall be tested by methods provided in GB/T 20769.

4.174 Fenhexamid

- 4.174.1 Major purpose of use: fungicide.
 4.174.2 ADI: 0.2 mg/kg bw.
 4.174.3 Residue: fenhexamid.
 4.174.4 Maximum residue limit: Shall comply with provisions in the Table 174.

Table 174

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Stem and leaf lettuce	30*

Cabbage lettuce	30*
Cucumber	1*
Small cucumber used for pickling	1*
Tomato	2*
Eggplant	2*
Chili	2*
Squash	1*
Fruits	
Prune	1*
Apricot	10*
Cherry	7*
Peach	10*
Nectarine	10*
Cranberry	5*
Blackberry	15*
Blueberry	5*
Current (black,red,white)	5*
Raspberry	5*
Mulberry	5*
Shadbush	5*
Dewberry (including boysenberry and loganberry)	15*
Gooseberry (red, black)	15*
Grape	15*
Kiwi fruit	15*
Strawberry	10*
Dried fruits	
Dried prune	1*
Raisin	25*
Nuts	
Apricot kernel	0.02*

* The MRL is the temporary limit.

4.175 Pyriftalid

- 4.175.1 Major purpose of use: herbicide.
- 4.175.2 ADI: 0.0056 mg/kg bw.
- 4.175.3 Residue: pyriftalid.
- 4.175.4 Maximum residue limit: Shall comply with provisions in the Table 175.

Table 175

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.1

4.175.5 Testing method: Cereals shall be tested referring to methods provided in GB 23200.9, GB/T 20770.

4.176 Sulcotrione

- 4.176.1 Major purpose of use: herbicide.
- 4.176.2 ADI: 0.0004 mg/kg bw.
- 4.176.3 Residue: Sulcotrione.
- 4.176.4 Maximum residue limit: Shall comply with provisions in the Table 176.

Table 176

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05*
* The MRL is the temporary limit.	

4.177 Blasticidin-S

- 4.177.1 Major purpose of use: fungicide.
- 4.177.2 ADI: 0.01 mg/kg bw.
- 4.177.3 Residue: Blasticidin-S.
- 4.177.4 Maximum residue limit: Shall comply with provisions in the Table 177.

Table 177

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.1*
* The MRL is the temporary limit.	

4.178 Hexaconazole

- 4.178.1 Major purpose of use: fungicide.
 4.178.2 ADI: 0.005 mg/kg bw.
 4.178.3 Residue: Hexaconazole.
 4.178.4 Maximum residue limit: Shall comply with provisions in the Table 178.

Table 178

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1
Brown rice	0.1
Vegetables	0.5
Wheat	1
Fruits	0.5
Tomato	0.5
Cucumber	0.1
Apple	0.05
Pear	0.5
Grape	0.1
Watermelon	

4.178.5 Testing method: Cereals shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20770; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.179 Emamectin benzoate

- 4.179.1 Major purpose of use: pesticide.
 4.179.2 ADI: 0.0005 mg/kg bw.
 4.179.3 Residue: Emamectin Bla.
 4.179.4 Maximum residue limit: Shall comply with provisions in the Table 179.

Table 179

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.02
Brown rice	
Oil seed and oil	0.005
Rapeseed	0.02
Cotton seed	0.05
Soybean	
Vegetables	0.1
Scallion	0.1
Head cabbage	0.05
Broccoli	
Sprouting broccoli	0.2
Cabbage mustard	0.05
Flower Chinese cabbage	0.05
Spinach	0.2
Ordinary cabbage	0.1
Stem lettuce leaf	0.1
Leaf mustard	0.2
Radish leaf	0.05
Celery cabbage	0.05
Solanaceous vegetables	0.02
Gourd vegetables (with the exception of cucumber)	0.007
Cucumber	0.02
Leguminous vegetables (with the exception of vegetable soybean)	0.015
Vegetable soybean	0.1
Stem lettuce	0.05
Radish	0.02
Carrot	0.02
Taro	0.02
Cane shoots	0.1
Fruits	
Mandarin orange	0.01
Orange	0.01
Tangerine	0.01
Apple	0.02
Pear	0.02
Hawthorn	0.02
Loquat	0.05
Quinces	0.02
Peach	0.03
Nectarine	0.03
Grape	0.03

Beverages		
Tea		0.5
Edible fungi		
Mushroom (fresh)		0.05
Condiments		
Dried chili		0.2
Meat from mammals (with the exception of marine mammal)		0.004*
Viscera of mammal animals (with the exception of marine mammal)		0.08*
Fat of mammal animals (with the exception of milk fat)		0.02*
Raw milk		0.002*

* The MRL is the temporary limit.

4.179.5 Testing method: Cereals, oil seed and oil, tea, condiments shall be tested referring to methods provided in GB/T 20769; Vegetables, fruits, edible fungi shall be tested by methods provided in GB/T 20769.

4.180 Methamidophos

4.180.1 Major purpose of use: pesticide.

4.180.2 ADI: 0.004 mg/kg bw.

4.180.3 Residue: Methamidophos.

4.180.4 Maximum residue limit: Shall comply with provisions in the Table 180.

Table 180

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.5
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil	
Cotton seed	0.1
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted (with the exception of radish)	0.05
Radish	0.1
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Sugar crops	
Sugar beet	0.02
Beverages	
Tea	0.05
Meat from mammals (with the exception of marine mammal)	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.02

4.180.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.103, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.103; Vegetables and fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.103, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20769; Tea shall be tested by methods provided in GB 23200.113; Animal-derived food shall be tested referring to methods provided in GB/T 20772.

4.181 Phorate

4.181.1 Major purpose of use: pesticide.

4.181.2 ADI: 0.0007 mg/kg bw.

4.181.3 Residue: the sum of phorate and its oxygen analogue (sulfoxide, sulphone), expressed as phorate.

4.181.4 Maximum residue limit: Shall comply with provisions in the Table 181.

Table 181

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05
Wheat	0.02
Barley	0.02
Oats	0.02
Rye	0.02
Triticale	0.02
Upland crops (with the exception of corn)	0.02
Corn	0.05
Coarse cereals	0.05
Oil seed and oil	
Cotton seed	0.05
Soybean	0.05
Peanut kernel	0.1
Crude corn oil	0.1
Peanut oil	0.05
Corn oil	0.02
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetables	0.01
Root, tuber and tuberous rooted	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruits	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01
Sugar crops	
Sugarcane	0.01
Sugar beet	0.05
Beverages	
Tea	0.01
Coffee bean	0.05
Condiments	
Condiment made from fruits	0.1
Condiment made from seeds	0.5
Condiment made from plant root and stem	0.1
Meat from mammals (with the exception of marine mammal)	0.02
Viscera of mammal animals (with the exception of marine mammal)	0.02
Poultry meats	0.05
Eggs	0.05
Raw milk	0.01

4.181.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables and fruits shall be tested by methods provided in GB 23200.113; sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20769; beverages (with the exception of tea), condiments shall be tested by methods provided in GB 23200.113; tea shall be tested by methods provided in GB 23200.113, GB/T 23204; meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, eggs shall be tested referring to methods provided in GB/T 23210; raw milk shall be tested by methods provided in GB/T 23210.

4.182 Tolyfluanid

4.182.1 Major purpose of use: fungicide.

4.182.2 ADI: 0.08 mg/kg bw.

4.182.3 Residue: Tolyfluanid.

4.182.4 Maximum residue limit: Shall comply with provisions in the Table 182.

Table 182

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Vegetables		
Spring onion	2	
Cabbage lettuce	15	
Tomato	3	
Sweet pepper	2	
Cucumber	1	
Fruits		
Pome fruit	5	
Blackberry	5	
Current (black, red, white)	0.5	
Gooseberry (red, black)	5	
Grape	3	
Strawberry	5	
Beverages		
Hop	50	
Condiments		
Dried chili	20	

4.182.5 Testing method: vegetables and fruits shall be tested by methods provided in GB 23200.8; beverages and condiments shall be tested referring to methods provided in GB 23200.8.

4.183 Alachlor

4.183.1 Major purpose of use: herbicide.

4.183.2 ADI: 0.01 mg/kg bw.

4.183.3 Residue: alachlor.

4.183.4 Maximum residue limit: Shall comply with provisions in the Table 183.

Table 183

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.05
Corn	0.2
Oil seed and oil	
Cotton seed	0.02
Soybean	0.2
Peanut kernel	0.05
Vegetables	
Scallion	0.05
Ginger	0.05

4.183.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.113, GB/T 20769.

4.184 Sulfentrazone

4.184.1 Major purpose of use: herbicide.

4.184.2 ADI: 0.14mg/kg bw.

4.184.3 Residue: Sulfentrazone.

4.184.4 Maximum residue limit: Shall comply with provisions in the Table 184.

Table 184

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops	
Sugarcane	0.05*

* The MRL is the temporary limit.

4.185 Metsulfuron-methyl

4.185.1 Major purpose of use: herbicide.

4.185.2 ADI: 0.25 mg/kg bw.

4.185.3 Residue: Metsulfuron-methyl.

4.185.4 Maximum residue limit: Shall comply with provisions in the Table 185.

Table 185

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.05
Wheat	0.05

4.185.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.186 Iodosulfuron-methyl-sodium

- 4.186.1 Major purpose of use: herbicide.
 4.186.2 ADI: 0.03 mg/kg bw.
 4.186.3 Residue: Iodosulfuron-methyl-sodium.
 4.186.4 Maximum residue limit: Shall comply with provisions in the Table 186.

Table 186

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.02*

* The MRL is the temporary limit.

4.187 Chlorpyrifos-methyl

- 4.187.1 Major purpose of use: pesticide.
 4.187.2 ADI: 0.01 mg/kg bw.
 4.187.3 Residue: Chlorpyrifos-methyl.
 4.187.4 Maximum residue limit: Shall comply with provisions in the Table 187.

Table 187

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Wheats Upland crops Coarse cereals Processed grain	5* 5* 5* 5* 5*
Oil seed and oil Cotton seed Soybean	0.02* 5*
Vegetables Head cabbage Tubers vegetables	0.1* 5*
Meat from mammals (with the exception of marine mammal), expressed as the residue in the fat	0.1
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats, expressed as residue in the fat	0.01
Poultry viscera	0.01
Poultry fat	0.01
Eggs	0.01
Raw milk	0.01

* The MRL is the temporary limit.

4.187.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T761; meat from mammals (with the exception of marine mammal), poultry meats shall be tested by methods provided in GB/T 20772; meat from mammals (with the exception of marine mammal), poultry viscera, eggs shall be tested referring to methods provided in GB/T 20772; raw milk shall be tested by methods provided in GB/T 23210.

4.188 Parathion-methyl

- 4.188.1 Major purpose of use: pesticide.
 4.188.2 ADI: 0.003 mg/kg bw.
 4.188.3 Residue: Parathion-methyl.
 4.188.4 Maximum residue limit: Shall comply with provisions in the Table 188.

Table 188

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Wheats Upland crops Coarse cereals	0.2 0.02 0.02 0.02
Oil seed and oil Cotton seed oil	0.02
Vegetables Bulb vegetables Brassica vegetables Leaf vegetables Solanaceous vegetables Gourd vegetables	0.02 0.02 0.02 0.02 0.02

Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.02
Pome fruit	0.01
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Sugar crops	
Sugar beet	0.02
Sugarcane	0.02
Beverages	
Tea	0.02

4.188.5 Testing method: cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.20; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables and fruits shall be tested by methods provided in GB 23200.113, NY/T 761; sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T 761; tea shall be tested by methods provided in GB 23200.113, GB/T 23204.

4.189 Mesosulfuron-methyl

4.189.1 Major purpose of use: herbicide.

4.189.2 ADI: 1.55 mg/kg bw.

4.189.3 Residue: mesosulfuron-methyl.

4.189.4 Maximum residue limit: Shall comply with provisions in the Table 189.

Table 189

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.02*

* The MRL is the temporary limit.

4.190 Tolclofos-methyl

4.190.1 Major purpose of use: fungicide.

4.190.2 ADI: 0.07 mg/kg bw.

4.190.3 Residue: tolclofos-methyl.

4.190.4 Maximum residue limit: Shall comply with provisions in the Table 190.

Table 190

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05
Oil seed and oil Cotton seed	0.05
Vegetables Cabbage lettuce	2
Stem and leaf lettuce	2
Radish	0.1
Potato	0.2

4.190.5 Testing method: cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, SN/T 2324; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.191 Phosfolan-methyl

4.191.1 Major purpose of use: pesticide.

4.191.2 Residue: Phosfolan-methyl.

4.191.3 Maximum residue limit: Shall comply with provisions in the Table 191.

Table 191

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.03*
Wheats	0.03*
Upland crops	0.03*
Coarse cereals	0.03*

Oil seed and oil	Cotton seed	0.03*
	Soybean	0.03*
Vegetables		
Bulb vegetables		0.03*
Brassica vegetables		0.03*
Leaf vegetables		0.03*
Solanaceous vegetables		0.03*
Gourd vegetables		0.03*
Leguminous vegetables		0.03*
Stem vegetables		0.03*
Root, tuber and tuberous rooted		0.03*
Aquatic vegetables		0.03*
Sprout vegetables		0.03*
Other vegetables		0.03*
Fruits		
Citrus fruit		0.03*
Pome fruit		0.03*
Stone fruit		0.03*
Berries and other small fruits		0.03*
Tropical and sub-tropical fruits		0.03*
Melons		0.03*
Sugar crops		
Sugar beet		0.03*
Sugarcane		0.03*
Beverages		
Tea		0.03*

* The MRL is the temporary limit.

4.191.4 Testing method: cereals, oil seed and oil,sugar crops, tea shall be tested referring to methods provided in NY/T761; vegetables and fruits shall be tested by methods provided in NY/T761.

4.192 Thiophanate-methyl

4.192.1 Major purpose of use: fungicide.

4.192.2 ADI: 0.09 mg/kg bw.

4.192.3 Residue: the sum of thiophanate-methyl and carbendazim, expressed as carbendazim.

4.192.4 Maximum residue limit: Shall comply with provisions in the Table 192.

Table 192

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1
Wheat	0.5
Oil seed and oil	
Peanut kernel	0.1
Rapeseed	0.1
Vegetables	
Tomato	3
Eggplant	3
Chili	2
Sweet pepper	2
Hibiscus esculentus	2
Cucumber	2
Asparagus	0.5
Sweet potato	0.1
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Apple	5
Pear	3
Grape	3
Watermelon	2

4.192.5 Testing method: Cereals shall be tested by methods provided in NY/T 1680; Oil seed and oil shall be tested referring to methods provided in NY/T 1680; Vegetables and fruits shall be tested by methods provided in NY/T 1680.

4.193 Pirimiphos-methyl

4.193.1 Major purpose of use: pesticide.

4.193.2 ADI: 0.03 mg/kg bw.

4.193.3 Residue: pirimiphos-methyl.

4.193.4 Maximum residue limit: Shall comply with provisions in the Table 193.

Table 193

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	5
Brown rice	2
Rice	1
Wheat	5
Wheat flour	2
Whole wheat flour	5
Condiments	
Condiment made from fruits	0.5
Condiment made from seeds	3
Meat from mammals (with the exception of marine mammal)	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.01

4.193.5 Testing method: cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.145; condiments shall be tested by methods provided in GB 23200.113; meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry, poultry viscera, eggs shall be tested by methods provided in GB/T 20772; raw milk shall be tested by methods provided in GB/T 23210.

4.194 Isofenphos-methyl

4.194.1 Major purpose of use: pesticide.

4.194.2 ADI: 0.003 mg/kg bw.

4.194.3 Residue: isofenphos-methyl.

4.194.4 Maximum residue limit: Shall comply with provisions in the Table 194.

Table 194

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.02*
Corn	0.02*
Wheats	0.02*
Upland crops	0.02*
Coarse cereals	0.02*
Oil seed and oil	
Soybean	0.02*
Peanut kernel	0.05*
Vegetables	
Bulb vegetables	0.01*
Brassica vegetables	0.01*
Leaf vegetables	0.01*
Solanaceous vegetables	0.01*
Gourd vegetables	0.01*
Leguminous vegetables	0.01*
Stem vegetables	0.01*
Root, tuber and tuberous rooted (with the exception of sweet potato)	0.01*
Sweet potato	0.05*
Aquatic vegetables	0.01*
Sprout vegetables	0.01*
Other vegetables	0.01*
Fruits	
Citrus fruit	0.01*
Pome fruit	0.01*
Stone fruit	0.01*
Berries and other small fruits	0.01*
Tropical and sub-tropical fruits	0.01*
Melons	0.01*
Sugar crops	
Sugar beet	0.05*
Sugarcane	0.02*

* The MRL is the temporary limit.

4.194.5 Testing method: Cereals, oil seed and oil, vegetables and fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.144; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 5009.144.

4.195 Methiocarb

4.195.1 Major purpose of use: Molluscicides.

- 4.195.2 ADI: 0.02 mg/kg bw.
 4.195.3 Residue: the sum of methiocarb, methiocarb sulfoxide and methiocarb sulfone, expressed as methiocarb.
 4.195.4 Maximum residue limit: Shall comply with provisions in the Table 195.

Table 195

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05*
	0.05*
	0.05*
	0.1*
Oil seed and oil	0.05*
	0.05*
Vegetables	0.5*
	0.5*
	0.1*
	0.05*
	0.1*
	0.05*
	2*
	0.1*
	0.05*
	0.05*
Fruits	1*
	0.2*
Nuts	0.05*
Sugar crops	0.05*
Condiments	0.07*
	0.1*

* The MRL is the temporary limit.

4.196 Imazapic

- 4.196.1 Major purpose of use: herbicide.
 4.196.2 ADI: 0.7 mg/kg bw.
 4.196.3 Residue: imazapic.
 4.196.4 Maximum residue limit: Shall comply with provisions in the Table 196.

Table 196

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05
	0.05
	0.01
Oil seed and oil	0.05
	0.1
Sugar crops	0.05

4.196.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; oil seed and oil, sugar crops shall be tested referring to methods provided in GB/T 20770.

4.197 Carbaryl

- 4.197.1 Major purpose of use: pesticide.
 4.197.2 ADI: 0.008 mg/kg bw.
 4.197.3 Residue: carbaryl.
 4.197.4 Maximum residue limit: Shall comply with provisions in the Table 197.

Table 197

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.02
	0.02
	1
Oil seed and oil	

Soybean	1
Cotton seed	1
Vegetables	
Bulb vegetables	1
Brassica vegetables (with the exception of head cabbage)	1
Head cabbage	2
Leaf vegetables (with the exception of ordinary cabbage)	1
Ordinary cabbage	5
Solanaceous vegetables (with the exception of chili)	1
Chili	0.5
Gourd vegetables	1
Leguminous vegetables	1
Stem vegetables	1
Root, tuber and tuberous rooted (with the exception of carrot, sweet potato)	1
Carrot	0.5
Sweet potato	0.02
Aquatic vegetables	1
Sprout vegetables	1
Other vegetables (with the exception of cactus)	1
Cactus	0.1
Beverages	
Tea	5
Meat from mammals (with the exception of marine mammal)	0.05
Viscera of mammal animals (with the exception of marine mammal)	
Pork liver	1
Beef liver	1
Lamb liver	1
Pork kidney	3
Beef kidney	3
Lamb kidney	3
Raw milk	0.05

4.197.5 Testing method: cereals, oil seed and oil shall be tested by methods provided in GB 23200.112, GB/T 5009.21; vegetables shall be tested by methods provided in GB 23200.112, GB/T 5009.145, GB/T 20769, NY/T 761; tea shall be tested by methods provided in GB 23200.13, GB 23200.112; meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal) shall be tested referring to methods provided in GB/T 20772; raw milk shall be tested referring to methods provided in GB/T 23210.

4.198 Mepiquat chloride

- 4.198.1 Major purpose of use: plant growth regulator.
- 4.198.2 ADI: 0.195 mg/kg bw.
- 4.198.3 Residue: Mepiquat chloride cation, expressed as Mepiquat chloride..
- 4.198.4 Maximum residue limit: Shall comply with provisions in the Table 198.

Table 198

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.5*
Oil seed and oil	
Cotton seed	1*
Soybean	0.05*
Vegetables	
Potato	3*
Sweet potato	5*

* The MRL is the temporary limit.

4.199 Fenpropothrin

- 4.199.1 Major purpose of use: pesticide.
- 4.199.2 ADI: 0.03 mg/kg bw.
- 4.199.3 Residue: Fenpropothrin.
- 4.199.4 Maximum residue limit: Shall comply with provisions in the Table 199.

Table 199

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.1
Oil seed and oil	
Cotton seed	1
Soybean	0.1

	Crude cotton seed oil	3
Vegetables		
Leek	1	
Head cabbage	0.5	
Broccoli	1	
Sprouting broccoli	5	
Cabbage mustard	3	
Flower Chinese cabbage	3	
Spinach	1	
Ordinary cabbage	1	
Garland chrysanthemum	7	
Stem and leaf lettuce	0.5	
Stem lettuce leaf	7	
Celery	1	
Celery cabbage	1	
Tomato	1	
Eggplant	0.2	
Chili	1	
Sweet pepper	1	
Small cucumber used for pickling	0.2	
Stem lettuce	1	
Radish	0.5	
Fruits		
Mandarin orange	5	
Orange	5	
Tangerine	5	
Lemon	5	
Pumelo	5	
Bergamot	5	
Kumquat	5	
Apple	5	
Pear	5	
Hawthorn	5	
Loquat	5	
Quinces	5	
Stone fruit (with the exception of prune)	5	
Prune	1	
Berries and other small fruits (with the exception of strawberry)	5	
Strawberry	2	
Tropical and sub-tropical fruits	5	
Melons	5	
Dried fruits		
Dried prune	3	
Nuts		0.15
Beverages		
Tea	5	
Coffee bean	0.03	
Condiments		
Dried chili	10	

4.199.5 Testing method: cereals, oil seed and oil shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770, SN/T 2233; vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761, SN/T 2233; fruits, dried fruits shall be tested by methods provided in GB 23200.113, NY/T 761; nuts shall be tested referring to methods provided in GB 23200.9, GB 23200.113; beverages (with the exception of tea) shall be tested by methods provided in GB 23200.113; tea shall be tested by methods provided in GB 23200.113, GB/T 23376; condiments shall be tested by methods provided in GB 23200.113.

4.200 Metalaxyl and metalaxyl-M

- 4.200.1 Major purpose of use: fungicide.
- 4.200.2 ADI: 0.08 mg/kg bw.
- 4.200.3 Residue: metalaxyl.
- 4.200.4 Maximum residue limit: Shall comply with provisions in the Table 200.

Table 200

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.1
Wheats	0.05
Upland crops	0.05
Oil seed and oil	
Cotton seed	0.05
Soybean	0.05
Peanut kernel	0.1

	Sunflower seed	0.05
Vegetables		
	Onion	2
	Head cabbage	0.5
	Brussels sprouts	0.2
	Broccoli	2
	Sprouting broccoli	0.5
	Spinach	2
	Cabbage lettuce	2
	Tomato	0.5
	Chili	0.5
	Cucumber	0.5
	Squash	0.2
	Winter squash	0.2
	Edible podded pea	0.05
	Vegetable soybean	0.05
	Asparagus	0.05
	Carrot	0.05
	Potato	0.05
Fruits		
	Citrus fruit	5
	Pome fruit	1
	Gooseberry (red,black)	0.2
	Grape	1
	Litchi	0.5
	Avocado	0.2
	Watermelon	0.2
	Sweet melons	0.2
Sugar crops		
	Sugar beet	0.05
Beverages		
	Cocoa bean	0.2
	Hop	10
Condiments		
	Condiment made from seeds	5

4.200.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seed and oil, beverages, condiments shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Sugar crops shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 20770.

4.201 Bifenox

- 4.201.1 Major purpose of use: herbicide.
- 4.201.2 ADI: 0.3 mg/kg bw.
- 4.201.3 Residue: bifenox.
- 4.201.4 Maximum residue limit: Shall comply with provisions in the Table 201.

Table 201

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Soybean	0.05
Vegetables Vegetable soybean	0.1

4.201.5 Testing method: Oil seed and oil, Vegetables shall be tested by methods provided in GB 23200.113.

4.202 Methoxyfenozide

- 4.202.1 Major purpose of use: pesticide.
- 4.202.2 ADI: 0.1 mg/kg bw.
- 4.202.3 Residue: methoxyfenozide.
- 4.202.4 Maximum residue limit: Shall comply with provisions in the Table 202.

Table 202

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice Corn Pea Cowpea	0.2 0.1 0.02 5 5
Oil seed and oil Cotton seed	7

Soybean	0.5
Peanut kernel	0.03
Peanut oil	0.1
Vegetables	
Head cabbage	2
Sprouting broccoli	3
Radish leaf	7
Celery	15
Solanaceous vegetables (with the exception of tomato, chili)	0.3
Tomato	2
Chili	2
Leguminous vegetables (with the exception of edible podded pea)	0.3
Edible podded pea	2
Radish	0.4
Carrot	0.5
Sweet potato	0.02
Cactus	0.02
Fruits	
Citrus fruit	2
Pome fruit (with the exception of apple)	2
Apple	3
Stone fruit	2
Blueberry	4
Cranberry	0.7
Grape	1
Strawberry	2
Avocado	0.7
Papaya	1
Dried fruits	
Dried prune	2
Raisin	2
Nuts	0.1
Sugar crops	
Sugar beet	0.3

4.202.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; oil seed and oil, nuts, sugar crops shall be tested referring to methods provided in GB/T 20769; vegetables, fruits, dried fruits shall be tested by methods provided in GB/T 20769.

4.203 Imazamox

4.203.1 Major purpose of use: herbicide.

4.203.2 ADI: 3 mg/kg bw.

4.203.3 Residue: imazamox.

4.203.4 Maximum residue limit: Shall comply with provisions in the Table 203.

Table 203

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.01*
Wheat	0.05*
Coarse cereals (with the exception of lentils)	0.05*
Lentils	0.2*
Wheat germ	0.1*
Oil seed and oil	
Rapeseed	0.05*
Soybean	0.1*
Peanut kernel	0.01 *
Sunflower seed	0.3*
Vegetables	
Edible podded legume vegetables	0.05*

* The MRL is the temporary limit.

4.204 Fenbuconazole

4.204.1 Major purpose of use: fungicide.

4.204.2 ADI: 0.03 mg/kg bw.

4.204.3 Residue: fenbuconazole.

4.204.4 Maximum residue limit: Shall comply with provisions in the Table 204.

Table 204

Food Category/Name	Maximum residue limit, mg/kg
Cereals	

Brown rice	0.1
Wheat	0.1
Barley	0.2
Rye	0.1
Oil seed and oil	
Rapeseed	0.05
Peanut kernel	0.1
Sunflower seed	0.05
Vegetables	
Chili	0.6
Cucumber	0.2
Squash	0.05
Fruits	
Citrus fruit (with the exception of lemon)	0.5
Lemon	1
Pome fruit	0.1
Peach	0.5
Apricot	0.5
Prune	0.3
Cherry	1
Blueberry	0.5
Cranberry	1
Grape	1
Banana	0.05
Sweet melons	0.2
Dried fruits	
Preserved citrus	4
Nuts	0.01
Condiments	
Dried chili	2

4.204.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seed and oil, condiments shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Nuts shall be tested referring to methods provided in GB 23200.9, GB 23200.113; Dried fruits shall be tested by methods provided in GB 23200.113, GB/T 20769.

4.205 Myclobutanil

- 4.205.1 Major purpose of use: fungicide.
- 4.205.2 ADI: 0.03 mg/kg bw.
- 4.205.3 Residue: myclobutanil.
- 4.205.4 Maximum residue limit: Shall comply with provisions in the Table 205.

Table 205

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheats	0.1
Corn	0.02
Millet	0.02
Sorghum	0.02
Vegetables	
Bulb vegetables	0.06
Leaf vegetables	0.05
Solanaceous vegetables (with the exception of tomato, chili)	0.2
Tomato	1
Chili	3
Cucumber	1
Edible podded legume vegetables (with the exception of cowpea)	0.8
Cowpea	2
Stem and root vegetables	0.06
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Apple	0.5
Pear	0.5
Hawthorn	0.5
Loquat	0.5
Quinces	0.5
Stone fruit (with the exception of peach, nectarine, apricot, prune)	2
Peach	3
Nectarine	3
Apricot	3

Prune	0.2
Cherry	3
Current	0.9
Gooseberry	0.5
Grape	1
Strawberry	1
Litchi	0.5
Banana	2
Dried fruits	
Dried prune	0.5
Raisin	6
Beverages	
Hop	2
Condiments	
Dried chili	20

4.205.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 1455; Beverages shall be tested by methods provided in GB 23200.113; Condiments shall be tested by methods provided in GB 23200.113.

4.206 Fenoxaprop-P-ethyl

4.206.1 Major purpose of use: herbicide.

4.206.2 ADI: 0.0025 mg/kg bw.

4.206.3 Residue: fenoxaprop-P-ethyl.

4.206.4 Maximum residue limit: Shall comply with provisions in the Table 206.

Table 206

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.1
Wheats (with the exception of wheat, barley)	0.1
Wheat	0.05
Barley	0.2
Oil seed and oil	
Rapeseed	0.5
Cotton seed	0.02
Peanut kernel	0.1
Vegetables	
Broccoli	0.1
Sprouting broccoli	0.1

4.206.5 Testing method: Cereals, oil seed and oil shall be tested referring to methods provided in NY/T 1379; Vegetables shall be tested by methods provided in NY/T 1379.

4.207 Dimethenamid-P

4.207.1 Major purpose of use: herbicide.

4.207.2 ADI: 0.07 mg/kg bw.

4.207.3 Residue: sum of dimethenamid-P and its enantiomer.

4.207.4 Maximum residue limit: Shall comply with provisions in the Table 207.

Table 207

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.01
Sorghum	0.01
Coarse cereals	0.01
Oil seed and oil	
Peanut kernel	0.01
Soybean	0.01
Vegetables	
Garlic	0.01
Onion	0.01
Scallion	0.01
Potato	0.01
Sweet potato	0.01
Root sugar beet	0.01
Cactus	0.01
Sugar crops	
Sugar beet	0.01

4.207.5 Testing method: Cereals, oil seed and oil, sugar crops shall be tested referring to methods provided in GB 23200.9, GB/T 20770; vegetables shall be tested by methods provided in GB 23200.8, GB/T 20769, NY/T 1379.

4.208 Jiangangmycin

- 4.208.1 Major purpose of use: fungicide.
 4.208.2 ADI: 0.1 mg/kg bw.
 4.208.3 Residue: Jiangangmycin.
 4.208.4 Maximum residue limit: Shall comply with provisions in the Table 208.

Table 208

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice Wheat	0.5
	0.5
	0.5
Fruits Apple	1
Beverages Chrysanthemum (fresh) Chrysanthemum (dry)	1
	2
Medicinal plant Atractylodis macrocephalae Dendrobium (fresh) Dendrobium (dried)	0.5
	0.1
	1

4.208.5 Testing method: Cereals, fruits, beverages shall be tested by methods provided in GB 23200.74; Medicinal plant shall be tested referring to methods provided in GB 23200.74 .

4.209 Monocrotophos

- 4.209.1 Major purpose of use: pesticide.
 4.209.2 ADI: 0.0006 mg/kg bw.
 4.209.3 Residue: monocrotophos.
 4.209.4 Maximum residue limit: Shall comply with provisions in the Table 209.

Table 209

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Wheats Upland crops Coarse cereals	0.02
	0.02
	0.02
	0.02
Oil seed and oil Soybean Cotton seed oil	0.03
	0.05
Vegetables Bulb vegetables Brassica vegetables Leaf vegetables Solanaceous vegetables Gourd vegetables Leguminous vegetables Stem vegetables Root, tuber and tuberous rooted Aquatic vegetables Sprout vegetables Other vegetables	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
	0.03
Fruits Citrus fruit Pome fruit Stone fruit Berries and other small fruits Tropical and sub-tropical fruits Melons	0.03
	0.03
	0.03
	0.03
	0.03
Sugar crops Sugar beet Sugarcane	0.02
	0.02

4.209.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.20; vegetables, fruits shall be tested by methods provided in GB 23200.113, NY/T 761; sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T761.

4.210 Trinexapac-ethyl

- 4.210.1 Major purpose of use: plant growth regulator.

- 4.210.2 ADI: 0.3 mg/kg bw.
 4.210.3 Residue: trinexapac-ethyl.
 4.210.4 Maximum residue limit: Shall comply with provisions in the Table 210.

Table 210

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.05*
Barley	3*
Oats	3*
Triticale	3*
Oil seed and oil	
Rapeseed	1.5
Sugar crops	
Sugarcane	0.5

* The MRL is the temporary limit.

4.211 Pirimicarb

- 4.211.1 Major purpose of use: pesticide.
 4.211.2 ADI: 0.02 mg/kg bw.
 4.213 Residue: pirimicarb.
 4.214 Maximum residue limit: Shall comply with provisions in the Table 211.

Table 211

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Wheat	0.05
Barley	0.05
Oats	0.05
Rye	0.05
Upland crops	0.05
Coarse cereals	0.2
Oil seed and oil	
Rapeseed	0.2
Soybean	0.05
Sunflower seed	0.1
Vegetables	
Garlic	0.1
Onion	0.1
Brassica vegetables (with the exception of kale, head cabbage, broccoli)	
Kale	0.5
Head cabbage	0.3
Broccoli	1
Ordinary cabbage	1
Stem and leaf lettuce	5
Cabbage lettuce	5
Celery cabbage	5
Solanaceous vegetables	
Gourd vegetables	1
Leguminous vegetables	
Asparagus	0.5
Artichoke	1
Root, tuber and tuberous rooted	0.7
Root, tuber and tuberous rooted	0.01
Fruits	
Citrus fruit	5
Pome fruit	1
Peach	0.5
Nectarine	0.5
Prune	0.5
Apricot	0.5
Cherry	0.5
Date (fresh)	0.5
Berries and other small fruits	1
Melons (with the exception of sweet melons)	
Sweet melons	1
Condiments	
Dried chili	0.2
Condiment made from seeds	5

4.211.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770, SN/T0134; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, SN/T 0134; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113,

NY/T 1379, SN/T 0134; Condiments shall be tested by methods provided in GB 23200.113.

4.212 Carbofuran

- 4.212.1 Major purpose of use: pesticide.
- 4.212.2 ADI: 0.001 mg/kg bw.
- 4.212.3 Residue: the sum of Carbofuran and Trihydroxy carbofuran, expressed as carbofuran.
- 4.212.4 Maximum residue limit: Shall comply with provisions in the Table 212.

Table 212

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.1
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil	
Rapeseed	0.05
Cotton seed	0.1
Soybean	0.2
Peanut kernel	0.2
Sunflower seed	0.1
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted (with the exception of potato)	0.02
Potato	0.1
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Sugar crops	
Sugarcane	0.1
Sugar beet	0.1
Beverages	
Tea	0.05
Condiments	
Condiment made from plant root and stem	0.1
Meat from mammals (with the exception of marine mammal)	
Pork	0.05*
Beef	0.05*
Lamb	0.05*
Horse meat	0.05*
Viscera of mammal animals (with the exception of marine mammal)	
Pork viscera	0.05*
Beef viscera	0.05*
Lamb viscera	0.05*
Horse viscera	0.05*
Fat of mammal animals	
Pork fat	0.05*
Beef fat	0.05*
Lamb fat	0.05*
Horse fat	0.05*

* The MRL is the temporary limit..

4.212.5 Testing method: Cereals, oil seed and oil, condiments shall be tested by methods provided in GB 23200.112; Vegetables, fruits shall be tested by methods provided in GB 23200.112, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.112, NY/T 761; Tea shall be tested by methods provided in GB 23200.112.

4.213 Captan

- 4.213.1 Major purpose of use: fungicide.

- 4.213.2 ADI: 0.1 mg/kg bw.
 4.213.3 Residue: captan.
 4.213.4 Maximum residue limit: Shall comply with provisions in the Table 213.

Table 213

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05
Fresh maize	0.05
Vegetables	
Tomato	5
Chili	5
Cucumber	5
Potato	0.05
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Apple	15
Pear	15
Hawthorn	15
Loquat	15
Quinces	15
Peach	20
Nectarine	3
Prune	10
Cherry	25
Blueberry	20
Gooseberry (red, black)	20
Grape	5
Strawberry	15
Sweet melons	10
Dried fruits	
Dried prune	10
Raisin	2
Nuts	
Apricot kernel	0.3
Condiments	
Condiment made from plant root and stem	0.05

4.213.5 Testing method: Cereals, condiments shall be tested referring to methods provided in GB 23200.8; vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8,SN 0654; nuts shall be tested referring to methods provided in GB 23200.8, SN 0654.

4.214 Matrine

- 4.214.1 Major purpose of use: pesticide.
 4.214.2 ADI: 0.1 mg/kg bw.
 4.214.3 Residue: matrine.
 4.214.4 Maximum residue limit: Shall comply with provisions in the Table 214.

Table 214

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Head cabbage	5*
Cucumber	5*
Fruits	
Mandarin orange	1*
Orange	1*
Tangerine	1*
Pear	5*

* The MRL is the temporary limit.

4.215 Quizalofop-P-tefuryl

- 4.215.1 Major purpose of use: herbicide.
 4.215.2 ADI: 0.013 mg/kg bw.
 4.215.3 Residue: sum of quizalofop-P-tefuryl and quizalofop-ethyl acid, expressed as quizalofop-ethyl acid
 4.215.4 Maximum residue limit: Shall comply with provisions in the Table 215.

Table 215

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Soybean	0.1*
Vegetables Vegetable soybean	0.1*

* The MRL is the temporary limit.

4.216 Quizalofop andquizalofop-P-ethyl

- 4.216.1 Major purpose of use: herbicide.
- 4.216.2 ADI: 0.0009 mg/kg bw.
- 4.216.3 Residue: quizalofop.
- 4.216.4 Maximum residue limit: Shall comply with provisions in the Table 216.

Table 216

Food Category/Name	Maximum residue limit, mg/kg
Cereals Adzuki bean	0.1
Oil seed and oil Rapeseed Sesame Cotton seed Soybean Peanut kernel	0.1 0.1 0.05 0.1 0.1
Vegetables Celery cabbage Vegetable soybean Potato	0.5 0.2 0.05
Fruits Watermelon	0.2
Sugar crops Sugar beet	0.1

4.216.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; oil seed and oil, sugar crops shall be tested referring to methods provided in GB/T 20770, SN/T 2228; vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.217 Oxine-copper

- 4.217.1 Major purpose of use: fungicide
- 4.217.2 ADI: 0.02 mg/kg bw
- 4.217.3 Residue: oxine-copper
- 4.217.4 Maximum residue limit: Shall comply with provisions in the Table 217.

Table 217

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato Cucumber	2* 2*
Fruits Apple Grape Red bayberry Litchi	2* 3* 5* 5*
Nuts Carya cathayensis	0.5*
Medicinal plant Dendrobium (fresh) Dendrobium (dried)	3* 3*

* The MRL is the temporary limit.

4.218 Quinalphos

- 4.218.1 Major purpose of use: pesticide.
- 4.218.2 ADI: 0.0005 mg/kg bw.
- 4.218.3 Residue: quinalphos.
- 4.218.4 Maximum residue limit: Shall comply with provisions in the Table 218.

Table 218

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	2* 1*

Rice	0.2*
Oil seed and oil	
Cotton seed	0.05*
Fruits	
Mandarin orange	0.5*
Orange	0.5*
Tangerine	0.5*

* The MRL is the temporary limit.

4.218.5 Testing method: cereals shall be tested by methods provided in GB23200.9, GB23200.113, GB/T 5009.20; oil seed and oil shall be tested by methods provided in GB 23200.113; fruits shall be tested by methods provided in GB23200.113, NY/T 761.

4.219 Fenazaquin

4.219.1 Major purpose of use: Acaricide.

4.219.2 ADI: 0.05 mg/kg bw.

4.219.3 Residue: fenazaquin.

4.219.4 Maximum residue limit: Shall comply with provisions in the Table 219.

Table 219

Food Category/Name	Maximum residue limit, mg/kg
Beverages Tea	15

4.219.5 Testing method: Tea shall be tested by methods provided in GB 23200.13, GB/T 23204.

4.220 Quinoxyfen

4.220.1 Major purpose of use: fungicide.

4.220.2 ADI: 0.2 mg/kg bw.

4.220.3 Residue: quinoxyfen.

4.220.4 Maximum residue limit: Shall comply with provisions in the Table 220.

Table 220

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.01
Barley	0.01
Vegetables Cabbage lettuce	8
Stem and leaf lettuce	20
Chili	1
Fruits Cherry	0.4
Current (black)	1
Grape	2
Strawberry	1
Sweet melons	0.1
Sugar crops Sugar beet	0.03
Condiments Dried chili	10
Beverages Hop	1
Meat from mammals (with the exception of marine mammal), expressed as the residue in the fat	0.2
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats, expressed as residue in the fat	0.02
Poultry fat	0.02
Eggs	0.01
Raw milk	0.01

4.220.5 Testing method: cereals, vegetables, fruits, condiments and beverages shall be tested by methods provided in GB23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.113; Animal-derived food shall be tested referring to methods provided in GB 23200.56.

4.221 Dimethoate

4.221.1 Major purpose of use: pesticide.

4.221.2 ADI: 0.002 mg/kg bw.

4.221.3 Residue: dimethoate.

4.221.4 Maximum residue limit: Shall comply with provisions in the Table 221.

Table 221

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05*
Wheat	0.05*
Fresh maize	0.5*
Oil seed and oil	
Soybean	0.05*
Vegetable oil	0.05*
Vegetables	
Garlic	0.2*
Onion	0.2*
Leek	0.2*
Scallion	0.2*
Lily	0.2*
Head cabbage	1*
Brussels sprouts	0.2*
Curly cabbage	0.05*
Broccoli	1*
Cabbage mustard	2*
Flower Chinese cabbage	3*
Spinach	1*
Ordinary cabbage	1*
Stem and leaf lettuce	1*
Celery cabbage	1*
Tomato	0.5*
Eggplant	0.5*
Chili	0.5*
Squash	2*
Bitter gourd	3*
Pea	0.5*
Kidney bean	0.5*
Broad bean	0.5*
Hyacinth bean	0.5*
Cowpea	0.5*
Edible podded pea	0.5*
Celery	0.5*
Asparagus	0.5*
Artichoke	0.5*
Radish	0.5*
Carrot	0.5*
Turnip	2*
Potato	0.5*
Sweet potato	0.05*
Chinese yam	0.5*
Fruits	
Mandarin orange	2*
Orange	2*
Tangerine	2*
Lemon	2*
Pumelo	2*
Apple	1*
Pear	1*
Peach	2*
Nectarine	2*
Prune	2*
Apricot	2*
Cherry	2*
Date (fresh)	2*
Olive	0.5*
Mango	1*
Sugar crops	
Sugar beet	0.5*
Edible fungi	
Mushroom (fresh)	0.5*
Condiments	
Dried chili	3*
Condiment made from fruits	0.5*
Condiment made from seeds	5*
Condiment made from plant root and stem	0.1*
Meat from mammals (with the exception of marine mammal)	
Pork	0.05*
Beef	0.05*
Lamb	0.05*
Horse meat	0.05*

Viscera of mammal animals (with the exception of marine mammal)	
Beef viscera	0.05*
Lamb viscera	0.05*
Fat of mammal animals (with the exception of milk fat)	0.05*
Poultry meats	0.05*
Poultry viscera	0.05*
Poultry fat	0.05*
Eggs	0.05*
Raw milk	
Milk	0.05*
Goat's milk	0.05*

* The MRL is the temporary limit.

4.221.5 Testing method: cereals, oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.20; vegetables, fruits, edible fungi shall be tested by methods provided in GB 23200.113, GB/T 5009.145, GB/T 20769, NY/T 761; sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T 761; condiments shall be tested by methods provided in GB 23200.113; meat from mammals (with the exception of marine mammal) shall be tested by methods provided in GB/T 20772; viscera of mammal animals (with the exception of marine mammal), fat from mammals (with the exception of milk fat), poultry meats, poultry fat, poultry viscera, eggs, raw milk shall be tested referring to methods provided in GB/T 20772.

4.222 Bifenazate

4.222.1 Major purpose of use: Acaricide.

4.222.2 ADI: 0.01 mg/kg bw.

4.222.3 Residue: For plant-derived foods, it is Bifenazate; For animal-derived foods, it is the sum of bifenazate and bifenazate-diazene {diazene carboxylic acid, 2-[4-methoxy-(1,1-biphenyl -3-yl) -1-methyl ethyl]}, expressed in bifenazate.

4.222.4 Maximum residue limit: Shall comply with provisions in the Table 222.

Table 222

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Coarse cereals	0.3
Oil seed and oil	
Cotton seed	0.3
Vegetables	
Tomato	0.5
Chili	3
Sweet pepper	2
Gourd vegetables	0.5
Leguminous vegetables	7
Fruits	
Mandarin orange	0.7
Orange	0.7
Tangerine	0.7
Pome fruit (with the exception of apple)	0.7
Apple	0.2
Stone fruit	2
Blackberry	7
dewberry (including boysenberry and loganberry)	7
Gooseberry (red,black)	7
Grape	0.7
Strawberry	2
Papaya	1
Melons	0.5
Dried fruits	
Raisin	2
Nuts	
Beverages	
Hop	20
Condiments	
Mint	40
Meat from mammals (with the exception of marine mammal),expressed as the residue in the fat	0.05*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats, expressed as residue in the fat	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.01*
Milk fat	0.05*

* The MRL is the temporary limit.

4.222.5 Testing method: cereals, oil seed and oil, nuts, beverages, condiments shall be tested referring to methods provided in GB 23200.34; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8.

4.223 Bifenthrin

- 4.223.1 Major purpose of use: pesticide /Acaricide.
 4.223.2 ADI: 0.01 mg/kg bw.
 4.223.3 Residue: Bifenthrin (sum of isomers).
 4.223.4 Maximum residue limit: Shall comply with provisions in the Table 223.

Table 223

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.5
Barley	0.05
Corn	0.05
Coarse cereals	0.3
Oil seed and oil	
Cotton seed	0.5
Soybean	0.3
Rapeseed	0.05
Edible canola oil	0.1
Vegetables	
Brassica vegetables (with the exception of head cabbage)	0.4
Head cabbage	0.2
Leaf mustard	4
Radish leaf	4
Tomato	0.5
Eggplant	0.3
Chili	0.5
Cucumber	0.5
Root, tuber and tuberous rooted	0.05
Fruits	
Mandarin orange	0.05
Orange	0.05
Tangerine	0.05
Lemon	0.05
Pumelo	0.05
Apple	0.5
Pear	0.5
Blackberry	1
dewberry (including boysenberry and loganberry)	1
Gooseberry (red, black)	1
Strawberry	1
Banana	0.1
Nuts	0.05
Sugar crops	
Sugarcane	0.05
Beverages	
Tea	5
Hop	20
Condiments	
Dried chili	5
Condiment made from fruits	0.03
Condiment made from plant root and stem	0.05
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	3
Viscera of mammal animals (with the exception of marine mammal)	0.2
Raw milk	0.2
Milk fat	3

4.223.5 Testing method: cereals shall be tested by methods provided in GB 23300.113, SN/T 2151; Oil seed and oil shall be tested by methods provided in GB23300.113; vegetables, fruits shall be tested by methods provided in GB 23300.113, GB/T 5009.146, NY/T 761, SN/T 1969; nuts shall be tested referring to methods provided in GB 23300.113, NY/T 761; sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23300.113, NY/T 761; beverages shall be tested by methods provided in GB 23300.113, SN/T 1969; condiments shall be tested by methods provided in GB 23300.113; meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal) shall be tested by methods provided in SN/T 1969; raw milk, milk fat shall be tested referring to methods provided in SN/T 1969.

4.224 Bitertanol

- 4.224.1 Major purpose of use: fungicide.
 4.224.2 ADI: 0.01 mg/kg bw.
 4.224.3 Residue: bitertanol.

4.224.4 Maximum residue limit: Shall comply with provisions in the Table 224.

Table 224

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.05
Barley	0.05
Oats	0.05
Rye	0.05
Triticale	0.05
Oil seed and oil	
Peanut kernel	0.1
Vegetables	
Tomato	3
Cucumber	0.5
Fruits	
Pome fruit	2
Peach	1
Nectarine	1
Apricot	1
Prune	2
Cherry	1
Banana	0.5
Dried fruits	
Dried prune	2
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.05
Poultry meats	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.05

4.224.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB 23200.9, GB/T 207710; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB/T 20769; Meat from mammals (with the exception of marine mammal), poultry meats shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal), poultry viscera shall be tested referring to methods provided in GB/T 20772; Eggs shall be tested referring to methods provided in GB/T 23211; Raw milk shall be tested by methods provided in GB/T 23211.

4.225 2-phenylphenol

4.225.1 Major purpose of use: fungicide.

4.225.2 ADI: 0.4 mg/kg bw.

4.225.3 Residue: sum of 2-phenylphenol and sodium 2-phenylphenate, expressed as 2-phenylphenol.

4.225.4 Maximum residue limit: Shall comply with provisions in the Table 225.

Table 225

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Citrus fruit	10
Pear	20
Dried fruits	
Preserved citrus	60
Beverages	
Tangerine juice	0.5

4.225.5 Testing method: Fruits, dried fruits, beverages shall be tested by methods provided in GB 23200.8.

4.226 Phosphamidon

4.226.1 Major purpose of use: pesticide.

4.226.2 ADI: 0.0005 mg/kg bw.

4.226.3 Residue: phosphamidon.

4.226.4 Maximum residue limit: Shall comply with provisions in the Table 226.

Table 226

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.02
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05

Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05

4.226.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, SN 0701; vegetables, fruits shall be tested by methods provided in GB 23200.113, NY/T 761.

4.227 Aluminiumphosphide

4.227.1 Major purpose of use: pesticide.

4.227.2 ADI: 0.011mg/kg bw.

4.227.3 Residue: aluminiumphosphide.

4.227.4 Maximum residue limit: Shall comply with provisions in the Table 227.

Table 227

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Processed grain	0.05
Oil seed and oil	
Soybean	0.05
Vegetables	
Tubers vegetables	0.05

4.227.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB/T 5009.36, GB/T 25222; vegetables shall be tested referring to methods provided in GB/T 5009.36.

4.228 Megnesium phosphide

4.228.1 Major purpose of use: pesticide.

4.228.2 ADI: 0.011 mg/kg bw.

4.228.3 Residue: megnesium phosphide.

4.228.4 Maximum residue limit: Shall comply with provisions in the Table 228.

Table 228

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05

4.228.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.36, GB/T 25222.

4.229 Hydrogenphosphide

4.229.1 Major purpose of use: pesticide.

4.229.2 ADI: 0.011mg/kg bw.

4.229.3 Residue: hydrogenphosphide.

4.229.4 Maximum residue limit: Shall comply with provisions in the Table 229.

Table 229

Food Category/Name	Maximum residue limit, mg/kg
Dried vegetables	0.01
Dried fruits	0.01
Nuts	0.01
Beverages	
Cocoa bean	0.01

Condiments	0.01
------------	------

4.229.5 Testing method: Dried vegetables, dried fruits, nuts, beverages and condiments shall be tested referring to methods provided in GB/T 5009.36.

4.230 Endosulfan

- 4.230.1 Major purpose of use: pesticide.
- 4.230.2 ADI: 0.006 mg/kg bw.
- 4.230.3 Residue: the sum of α -Endosulfan, β -Endosulfan and Endosulfan-sulfate.
- 4.230.4 Maximum residue limit: Shall comply with provisions in the Table 230.

Table 230

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.05
Soybean	0.05
Crude soybean oil	0.05
Vegetables	
Cucumber	0.05*
Sweet potato	0.05*
Taro	0.05*
Potato	0.05*
Fruits	
Apple	0.05*
Pear	0.05*
Litchi	0.05*
Melons	0.05*
Nuts	
Hazelnut	0.02
Macadamia nut	0.02
Sugar crops	
Sugarcane	0.05
Beverages	
Tea	10
Coffee bean	0.2
Cocoa bean	0.2
Condiments	
Condiment made from fruits	5
Condiment made from seeds	1
Condiment made from plant root and stem	0.5
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.2
Viscera of mammal animals (with the exception of marine mammal)	
Pork liver	0.1
Beef liver	0.1
Lamb liver	0.1
Pork kidney	0.03
Beef kidney	0.03
Lamb kidney	0.03
Poultry meats	0.03
Poultry viscera	0.03
Eggs	0.03
Raw milk	0.01

* The MRL is the temporary limit.

4.230.5 Testing method: Oil seed and oil, nuts, sugar crops, beverages, condiments shall be tested referring to methods provided in GB/T 5009.19; animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.231 Phosfolan

- 4.231.1 Major purpose of use: pesticide.
- 4.231.2 ADI: 0.005 mg/kg bw.
- 4.231.3 Residue: phosfolan.
- 4.231.4 Maximum residue limit: Shall comply with provisions in the Table 231.

Table 231

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.03
Oil seed and oil	
Soybean	0.03
Vegetables	

Bulb vegetables	0.03
Brassica vegetables	0.03
Leaf vegetables	0.03
Solanaceous vegetables	0.03
Gourd vegetables	0.03
Leguminous vegetables	0.03
Stem vegetables	0.03
Root, tuber and tuberous rooted	0.03
Aquatic vegetables	0.03
Sprout vegetables	0.03
Other vegetables	0.03
Fruits	
Citrus fruit	0.03
Pome fruit	0.03
Stone fruit	0.03
Berries and other small fruits	0.03
Tropical and sub-tropical fruits	0.03
Melons	0.03
Beverages	
Tea	0.03

4.231.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.113, NY/T 761; Tea shall be tested by methods provided in GB 23200.13, GB 23200.113.

4.232 Thiodicarb

4.232.1 Major purpose of use: pesticide.

4.232.2 ADI: 0.03 mg/kg bw.

4.232.3 Residue: thiodicarb.

4.232.4 Maximum residue limit: Shall comply with provisions in the Table 232.

Table 232

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed oil	0.1
Vegetables Head cabbage	1

4.232.5 Testing method: Oil seed and oil, vegetables shall be tested referring to methods provided in GB/T 20770.

4.233 Streptomycin sesquisulfate

4.233.1 Major purpose of use: fungicide.

4.233.2 ADI: 0.05 mg/kg bw.

4.233.3 Residue: The sum of streptomycin and dihydrostreptomycin, expressed in streptomycin

4.233.4 Maximum residue limit: Shall comply with provisions in the Table 233.

Table 233

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Celery cabbage	1*

* The MRL is the temporary limit.

4.234 Sulfuryl fluoride

4.234.1 Major purpose of use: pesticide.

4.234.2 ADI: 0.01 mg/kg bw.

4.234.3 Residue: sulfuryl fluoride.

4.234.4 Maximum residue limit: Shall comply with provisions in the Table 234.

Table 234

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.05*
Brown rice	0.1*
Rice	0.1*
Wheat	0.1*
Upland crops	0.05*
Rye flour	0.1*
Whole rye flour	0.1*
Wheat flour	0.1*
Whole wheat flour	0.1*

Corn flour	0.1*
Corn grits	0.1*
Wheat germ	0.1*
Vegetables	
Cucumber	0.05*
Dried fruits	0.06*
Nuts	3*
* The MRL is the temporary limit.	

4.235 Cadusafos

- 4.235.1 Major purpose of use: pesticide.
 4.235.2 ADI: 0.0005 mg/kg bw.
 4.235.3 Residue: cadusafos.
 4.235.4 Maximum residue limit: Shall comply with provisions in the Table 235.

Table 235

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.02
Wheats	0.02
Upland crops	0.02
Coarse cereals	0.02
Oil seed and oil	
Soybean	0.02
Peanut kernel	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.005
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Sugar crops	
Sugarcane	0.005

4.235.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 20769; Sugar crops shall be tested referring to methods provided in SN/T2147.

4.236 Spirotetramat

- 4.236.1 Major purpose of use: pesticide.
 4.236.2 ADI: 0.05 mg/kg bw.
 4.236.3 Residue: the sum of Spirotetramat and its enol metabolite, expressed as Spirotetramat.
 4.236.4 Maximum residue limit: Shall comply with provisions in the Table 236.

Table 236

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Coarse cereals	2*
Oil seed and oil	
Cotton seed	0.4*
Soybean	4*
Vegetables	
Onion	0.4*
Head cabbage	2*
Broccoli	1*
Leaf vegetables (with the exception of celery)	7*
Celery	4*
Solanaceous vegetables (with the exception of chili)	1*
Chili	2*

Gourd vegetables (with the exception of cucumber)	0.2*
Cucumber	1*
Leguminous vegetables	1.5*
Artichoke	1*
Potato	0.8*
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.5*
Mandarin orange	1*
Orange	1*
Tangerine	1*
Pome fruit (with the exception of apple)	0.7*
Apple	1*
Stone fruit	3*
Berries and other small fruits (with the exception of cranberry, grape, kiwi fruit)	1.5*
Cranberry	0.2*
Grape	2*
Kiwi fruit	0.02*
Litchi	15*
Mango	0.3*
Papaya	0.4*
Melons	0.2*
Dried fruits	
Dried prune	5*
Raisin	4*
Nuts	0.5*
Beverages	
Hop	15*
Condiments	
Dried chili	15*
Meat from mammals (with the exception of marine mammal)	0.05*
Viscera of mammal animals (with the exception of marine mammal)	1*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.005*

* The MRL is the temporary limit.

4.237 Spirodiclofen

4.237.1 Major purpose of use: Acaricide.

4.237.2 ADI: 0.01 mg/kg bw.

4.237.3 Residue: spirodiclofen.

4.237.4 Maximum residue limit: Shall comply with provisions in the Table 237.

Table 237

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.02
Vegetables	
Tomato	0.5
Sweet pepper	0.2
Cucumber	0.07
Small cucumber used for pickling	0.07
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.4
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Pome fruit (with the exception of apple)	0.8
Apple	0.5
Peach	2
Nectarine	2
Apricot	2
Date (fresh)	2
Prune	2
Cherry	2
Greengage	2
Blueberry	4
Gooseberry	1
Grape	0.2
Strawberry	2
Avocado	0.9

Papaya	0.03
Dried fruits Raisin	0.3
Nuts	0.05
Beverages Coffee bean Hop	0.03 40
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.05
Raw milk	0.004

4.237.5 Testing method: oil seed and oil shall be tested referring to methods provided in GB 23200.9; vegetables, dried fruits shall be tested by methods provided in GB/T 20769; fruits shall be tested by methods provided in GB 23200.8, GB/T 20769; nuts, beverages shall be tested referring to methods provided in GB/T 20769; meat from mammals (with the exception of marine mammal) shall be tested by methods provided in GB/T 20772; viscera of mammal animals (with the exception of marine mammal) shall be tested referring to methods provided in GB/T 20772; raw milk shall be tested by methods provided in GB/T 23211.

4.238 Chlortoluron

- 4.238.1 Major purpose of use: herbicide.
- 4.238.2 ADI: 0.04 mg/kg bw.
- 4.238.3 Residue: chlortoluron.
- 4.238.4 Maximum residue limit: Shall comply with provisions in the Table 238.

Table 238

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheats Corn	0.1 0.1
Oil seed and oil Soybean	0.1

4.238.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB/T 5009.133.

4.239 Aminopyralid

- 4.239.1 Major purpose of use: herbicide.
- 4.239.2 ADI: 0.9 mg/kg bw.
- 4.239.3 Residue: sum of aminopyralid and its conjugates, expressed as aminopyralid.
- 4.239.4 Maximum residue limit: Shall comply with provisions in the Table 239.

Table 239

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat Barley Oats Triticale	0.1* 0.1* 0.1* 0.1*
Meat from mammals (with the exception of marine mammal)	0.1*
Viscera of mammal animals (with the exception of marine mammal) Viscera of mammal animals (with the exception of pork kidney, beef kidney, lamb kidney) Pork kidney Beef kidney Lamb kidney	0.05* 1* 1* 1*
Poultry meats	0.01 *
Poultry viscera	0.01 *
Eggs	0.01 *
Raw milk	0.02*

* The MRL is the temporary limit.

4.240 Chlorpropham

- 4.240.1 Major purpose of use: plant growth regulator.
- 4.240.2 ADI: 0.05 mg/kg bw.
- 4.240.3 Residue: chlorpropham.
- 4.240.4 Maximum residue limit: Shall comply with provisions in the Table 240.

Table 240

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Vegetables	
Potato	30
Meat from mammals (with the exception of marine mammal)	
Beef	0.1
Viscera of mammal animals (with the exception of marine mammal)	
Beef viscera	0.01*
Raw milk	0.01
Milk fat	0.02

* The MRL is the temporary limit.

4.240.5 Testing method: vegetables shall be tested by methods provided in GB 23200.9, GB 23200.113; Meat from mammals (with the exception of marine mammal) shall be tested by methods provided in GB/T 19650; raw milk shall be tested by methods provided in GB/T 23210; milk fat shall be tested referring to methods provided in GB/T 23210.

4.241 Fenarimol

4.241.1 Major purpose of use: fungicide.

4.241.2 ADI: 0.01 mg/kg bw.

4.241.3 Residue: fenarimol.

4.241.4 Maximum residue limit: Shall comply with provisions in the Table 241.

Table 241

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Sweet pepper	0.5
Artichoke	0.1
Fruits	
Apple	0.3
Pear	0.3
Hawthorn	0.3
Loquat	0.3
Quinces	0.3
Peach	0.5
Cherry	1
Grape	0.3
Strawberry	1
Banana	0.2
Sweet melons	0.05
Dried fruits	
Raisin	0.2
Beverages	
Hop	5
Nuts	
Carya cathayensis	0.02
Condiments	
Dried chili	5
Meat from mammals (with the exception of marine mammal)	
Beef	0.02
Viscera of mammal animals (with the exception of marine mammal)	
Beef liver	0.05*
Beef kidney	0.02*

* The MRL is the temporary limit.

4.241.5 Testing method: Vegetables, fruits, dried fruits, beverages shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Nuts shall be tested referring to methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Condiments shall be tested by methods provided in GB 23200.113; Meat from mammals (with the exception of marine mammal) shall be tested by methods provided in GB/T 20772.

4.242 Halosulfuron-methyl

4.242.1 Major purpose of use: herbicide.

4.242.2 ADI: 0.1mg/kg bw.

4.242.3 Residue: halosulfuron-methyl.

4.242.4 Maximum residue limit: Shall comply with provisions in the Table 242.

Table 242

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05
Sorghum	0.02
Vegetables	
Tomato	0.05

4.242.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325; Vegetables shall be tested referring to

methods provided in SN/T 2325.

4.243 Forchlorfenuron

- 4.243.1 Major purpose of use: plant growth regulator.
- 4.243.2 ADI: 0.07mg/kg bw.
- 4.243.3 Residue: forchlorfenuron.
- 4.243.4 Maximum residue limit: Shall comply with provisions in the Table 243.

Table 243

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	0.1
Fruits Tangerine	0.05
Loquat	0.05
Kiwi fruit	0.05
Grape	0.05
Watermelon	0.1
Sweet melons	0.1

4.243.5 Testing method: Vegetables and fruits shall be tested by methods provided in GB 23200.110.

4.244 Aminocyclopyrachlor

- 4.244.1 Major purpose of use: herbicide.
- 4.244.2 ADI: 3 mg/kg bw.
- 4.244.3 Residue: aminocyclopyrachlor.
- 4.244.4 Maximum residue limit: Shall comply with provisions in the Table 244.

Table 244

Food Category/Name	Maximum residue limit, mg/kg
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.3*
Fat of mammal animals (with the exception of milk fat)	0.03*
Raw milk	0.02*

* The MRL is the temporary limit.

4.245 Chlorantraniliprole

- 4.245.1 Major purpose of use: pesticide.
- 4.245.2 ADI: 2mg/kg bw.
- 4.245.3 Residue: chlorantraniliprole.
- 4.245.4 Maximum residue limit: Shall comply with provisions in the Table 245.

Table 245

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.5*
Wheats	0.02*
Upland crops	0.02*
Coarse cereals	0.02*
Processed grain (with the exception of brown rice, rice) Brown rice	0.02*
Rice	0.5*
	0.04*
Oil seed and oil Rapeseed	2*
Cotton seed	0.3*
Soybean	0.05*
Sunflower seed	2*
Vegetables Brassica vegetables	2*
Leaf vegetables (with the exception of radish leaf, celery) Radish leaf	20*
Celery	40*
Solanaceous vegetables Gourd vegetables	7*
Edible podded legume vegetables (with the exception of cowpea, edible podded pea) Cowpea	0.6*
Edible podded pea	0.3*
Vegetable soybean	0.8*
	1*
	0.05*
	2*

Artichoke	2*
Root, tuber and tuberous rooted (with the exception of radish, carrot)	0.02*
Radish	0.5*
Carrot	0.08*
Cactus	0.01*
Fruits	
Citrus fruit	0.5*
Pome fruit (with the exception of apple)	0.4*
Apple	2*
Stone fruit	1*
Berries and other small fruits	1*
Pomegranate	0.4*
Melons	0.3*
Nuts	0.02*
Sugar crops	
Sugarcane	0.05*
Beverages	
Coffee bean	0.05*
Hop	40*
Condiments	
Mint	15*
Dried chili	5*
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.2*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Fat of mammal animals (with the exception of marine mammal)	0.2*
Poultry meats, expressed as residue in the fat	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.2*
Raw milk	0.05*
Milk fat	0.2*

* The MRL is the temporary limit.

4.246 Triclopyricarb

- 4.246.1 Major purpose of use: fungicide.
- 4.246.2 ADI: 0.05mg/kg bw.
- 4.246.3 Residue: triclopyricarb.
- 4.246.4 Maximum residue limit: shall comply with provisions in the Table 246.

Table 246

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	5*
Brown rice	2*
Wheat	0.2*
Oil seed and oil	
Rapeseed	0.5*

* The MRL is the temporary limit.

4.247 Fluroxypyrr and fluroxypyrr-methyl

- 4.247.1 Major purpose of use: herbicide.
- 4.247.2 ADI: 1mg/kg bw.
- 4.247.3 Residue definition fluroxypyrr.
- 4.247.4 Maximum residue limit: Shall comply with provisions in the Table 247.

Table 247

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Wheat	0.2
Corn	0.5

4.247.5 Testing method: Cereals shall be tested by methods provided in GB/T 22243.

4.248 Cyhalothrin and lambda-cyhalothrin

- 4.248.1 Major purpose of use: pesticide.
- 4.248.2 ADI: 0.02mg/kg bw.
- 4.248.3 Residue: cyhalothrin (sum of isomers).

4.248.4 Maximum residue limit: Shall comply with provisions in the Table 248.

Table 248

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1
Wheat	0.05
Barley	0.5
Oats	0.05
Rye	0.05
Triticale	0.05
Corn	0.02
Fresh maize	0.2
Coarse cereals	0.05
Oil seed and oil	
Oil seed (with the exception of soybean, cotton seed)	0.2
Cotton seed	0.05
Soybean	0.02
Cotton seed oil	0.02
Vegetables	
Leek	0.5
Bulb vegetables	0.2
Head cabbage	1
Head Inflorescence Brassica Vegetables (with the exception of sprouting broccoli)	0.5
Sprouting broccoli	2
Cabbage mustard	2
Flower Chinese cabbage	1
Spinach	2
Ordinary cabbage	2
Edible amaranth	5
Garland chrysanthemum	5
Stem and leaf lettuce	2
Stem lettuce leaf	2
Leaf musta	2
Celery	0.5
Celery cabbage	1
Solanaceous vegetables (with the exception of tomato, eggplant, chili)	0.3
Tomato	0.2
Eggplant	0.2
Chili	0.2
Gourd vegetables (with the exception of cucumber)	0.05
Cucumber	1
Leguminous vegetables	0.2
Asparagus	0.02
Stem lettuce	0.2
Root, tuber and tuberous rooted (with the exception of potato)	0.01
Potato	0.02
Fruits	
Mandarin orange	0.2
Orange	0.2
Tangerine	0.2
Lemon	0.2
Pumelo	0.2
Bergamot	0.2
Kumquat	0.2
Apple	0.2
Pear	0.2
Hawthorn	0.2
Loquat	0.2
Quinces	0.2
Peach	0.5
Nectarine	0.5
Apricot	0.5
Prune	0.2
Cherry	0.3
Berries and other small fruits [with the exception of Goji berry (fresh)]	0.2
Goji berry (fresh)	0.5
Olive	1
Litchi	0.1
Mango	0.2
Melons	0.05
Dried fruits	
Dried prune	0.2
Raisin	0.3

Goji berry (dry)	0.1
Nuts	0.01
Sugar crops	
Sugarcane	0.05
Beverages	
Tea	15
Edible fungi	
Mushroom (fresh)	0.5
Condiments	
Dried chili	3
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.05
Viscera of mammal animals (with the exception of marine mammal)	
Pork kidney	0.2
Beef kidney	0.2
Sheep kidney	0.2
Goat kidney	0.2
Pork liver	0.05
Beef liver	0.05
Sheep liver	0.05
Goat liver	0.05
Raw milk	0.2

4.248.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 5009.146, SN/T2151; oil seed and oil, condiments shall be tested by methods provided in GB 23200.113; vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 5009.146, NY/T 761; nuts and sugar crops shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 5009.146, SN/T2151; tea shall be tested by methods provided in GB 23200.113; edible fungi shall be tested by methods provided in GB 23200.113, GB/T 5009.146, NY/T 761; meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal) shall be tested referring to methods provided in GB/T 23210; raw milk shall be tested by methods provided in GB/T 23210.

4.249 Chloropicrin

4.249.1 Major purpose of use: fumigant.

4.249.2 ADI: 0.001mg/kg bw.

4.249.3 Residue: chloropicrin.

4.249.4 Maximum residue limit: Shall comply with provisions in the Table 249.

Table 249

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Wheats	0.1
Upland crops	0.1
Coarse cereals	0.1
Oil seed and oil	
Soybean	0.1
Peanut kernel	0.05
Vegetables	
Eggplant	0.05*
Ginger	0.05*
Other tuber and tuberous rooted vegetables	0.1
Fruits	
Strawberry	0.05*
Sweet melons	0.05*

* The MRL is the temporary limit.

4.249.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.36; Oil seed and oil, vegetables, fruits shall be tested referring to methods provided in GB/T 5009.36.

4.250 Chlorsulfuron

4.250.1 Major purpose of use: herbicide.

4.250.2 ADI: 0.2 mg/kg bw.

4.250.3 Residue: chlorsulfuron.

4.250.4 Maximum residue limit: Shall comply with provisions in the Table 250.

Table 250

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.1

4.250.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.251 Permethrin

- 4.251.1 Major purpose of use: pesticide.
 4.251.2 ADI: 0.05 mg/kg bw.
 4.251.3 Residue: permethrin (sum of isomers).
 4.251.4 Maximum residue limit: Shall comply with provisions in the Table 251.

Table 251

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	2
Wheats	2
Upland crops	2
Coarse cereals	2
Wheat flour	0.5
Wheat germ	2
Whole wheat flour	2
Oil seed and oil	
Rapeseed	0.05
Cotton seed	0.5
Soybean	2
Peanut kernel	0.1
Sunflower seed	1
Crude soybean oil	0.1
Crude sunflower seed oil	1
Cotton seed oil	0.1
Vegetables	
Bulb vegetables (with the exception of spring onion, scallion)	1
Spring onion	0.5
Scallion	0.5
Brassica vegetables (with the exception of the separately listed)	1
Head cabbage	5
Kohlrabi	0.1
Kale	5
Broccoli	0.5
Sprouting broccoli	2
Cabbage mustard	5
Flower Chinese cabbage	0.5
Leaf vegetables (with the exception of spinach, cabbage lettuce, celery, celery cabbage)	1
Spinach	2
Cabbage lettuce	2
Celery	2
Celery cabbage	5
Solanaceous vegetables	1
Gourd vegetables (with the exception of cucumber, small cucumber used for pickling, squash, winter squash)	1
Cucumber	0.5
Small cucumber used for pickling	0.5
Squash	0.5
Winter squash	0.5
Leguminous vegetables (with the exception of edible podded pea)	1
Edible podded pea	0.1
Stem vegetables	1
Root, tuber and tuberous rooted (with the exception of radish, carrot, potato)	1
Radish	0.1
Carrot	0.1
Potato	0.05
Aquatic vegetables	1
Sprout vegetables	1
Other vegetables (with the exception of cactus)	1
Cactus	0.1
Fruits	
Citrus fruit	2
Pome fruit	2
Stone fruit	2
Berries and other small fruits (with the exception of the separately listed)	2
Blackberry	1
Gooseberry (red, black)	1
dewberry (including boysenberry and loganberry)	1

Strawberry	1
Tropical and sub-tropical fruits (with the exception of persimmon, olive)	2
Persimmon	1
Olive	1
Melons	2
Nuts	
Apricot kernel	0.1
Pistachio nuts	0.05
Sugar crops	
Sugar beet	0.05
Beverages	
Tea	20
Coffee bean	0.05
Hop	50
Edible fungi	
Mushroom (fresh)	0.1
Condiments	
Condiments (with the exception of dried chili, horseradish)	0.05
Dried chili	10
Horseradish	0.5
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	1
Viscera of mammal animals (with the exception of marine mammal)	0.1
Poultry meats	0.1
Eggs	0.1

4.251.5 Testing method: cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.146, SN/T2151; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761; nuts and sugar crops shall be tested by methods provided in GB 23200.113, GB/T5009.146, SN/T 2151; beverages (with the exception of tea), condiments, edible fungi shall be tested by methods provided in GB 23200.113; tea shall be tested by methods provided in GB 23200.113, GB/T 23204; meat from mammals (with the exception of marine mammal), poultry meats, eggs shall be tested by methods provided in GB/T 5009.162; viscera of mammal animals (with the exception of marine mammal) shall be tested referring to methods provided in GB/T 5009.162.

4.252 Chlorimuron-ethyl

- 4.252.1 Major purpose of use: herbicide.
- 4.252.2 ADI: 0.09 mg/kg bw.
- 4.252.3 Residue: chlorimuron-ethyl.
- 4.252.4 Maximum residue limit: Shall comply with provisions in the Table 252.

Table 252

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Soybean	0.02

4.252.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20770.

4.253 Cypermethrin and beta-cypermethrin

- 4.253.1 Major purpose of use: pesticide.
- 4.253.2 ADI: 0.02 mg/kg bw.
- 4.253.3 Residue: cypermethrin (sum of isomers).
- 4.253.4 Maximum residue limit: Shall comply with provisions in the Table 253.

Table 253

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Cereals (with the exception of the separately listed)	
Rice	0.3
Wheat	2
Barley	0.2
Rye	2
Oats	2
Corn	0.05
Fresh maize	0.5
Coarse cereals	0.05
Oil seed and oil	
Small-grained oilseed	0.1
Cotton seed	0.2
Large-grained oilseeds (with the exception of soybean)	0.1
Soybean	0.05

	Virgin olive oil Refined olive oil	0.5 0.5
Vegetables		
Onion		0.01
Leek		1
Scallion		2
Spring onion		0.05
Brassica vegetables (with the exception of head cabbage, flower Chinese cabbage)		1
Head cabbage		5
Flower Chinese cabbage		5
Leaf vegetables (with the exception of the separately listed)		0.7
Spinach		2
Ordinary cabbage		2
Edible amaranth		3
Garland chrysanthemum		7
Stem and leaf lettuce		2
Stem lettuce leaf		5
Leaf musta		7
Celery		1
Celery cabbage		2
Tomato		0.5
Cherry tomato		2
Eggplant		0.5
Chili		0.5
Sweet pepper		2
Hibiscus esculentus		0.5
Gourd vegetables (with the exception of cucumber)		0.07
Cucumber		0.2
Leguminous vegetables (with the exception of the separately listed)		0.7
Cowpea		0.5
Kidney bean		0.5
Edible podded pea		0.5
Hyacinth bean		0.5
Broad bean		0.5
Pea		0.5
Asparagus		0.4
Artichoke		0.1
Stem lettuce		0.3
Root, tuber and tuberous rooted		0.01
Cactus		0.05
Fruits		
Citrus fruit (with the exception of mandarin orange, orange, tangerine, lemon, pumelo)		0.3
Mandarin orange		1
Orange		1
Tangerine		2
Lemon		2
Pumelo		2
Pome fruit (with the exception of apple, pear)		0.7
Apple		2
Pear		2
Stone fruit (with the exception of peach)		2
Peach		1
Grape		0.2
Strawberry		0.07
Olive		0.05
Star fruit		0.2
Litchi		0.5
Longan		0.5
Mango		0.7
Papaya		0.5
Durian		1
Melons		0.07
Dried fruits		
Raisin		0.5
Goji berry (dry)		2
Nuts		0.05
Sugar crops		
Sugarcane		0.2
Sugar beet		0.1
Beverages		
Tea		20
Coffee bean		0.05
Edible fungi		

Mushroom (fresh)	0.5
Condiments	
Dried chili	10
Condiment made from fruits	0.1
Condiment made from plant root and stem	0.2
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	2
Viscera of mammal animals (with the exception of marine mammal)	0.05
Poultry meats, expressed as residue in the fat	0.1
Poultry viscera	0.05
Poultry fat	0.1
Eggs	0.01
Raw milk	0.05
Milk fat	0.5

4.253.6 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 5009.110; Oil seed and oil, condiments shall be tested by methods provided in GB 23200.113; Vegetables, fruits, dried fruits, edible fungi shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 5009.146, NY/T 761; Nuts, sugar crops shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 5009.110, GB/T 5009.146; Beverages shall be tested by methods provided in GB 23200.113, GB/T 23204; Meat from mammals (with the exception of marine mammal), poultry meats, eggs shall be tested by methods provided in GB/T 5009.162; Viscera of mammal animals (with the exception of marine mammal), poultry viscera, poultry fat shall be tested referring to methods provided in GB/T 5009.162; Raw milk, milk fat shall be tested referring to methods provided in GB/T 23210.

4.254 Imidaclothiz

4.254.1 Major purpose of use: pesticide.

4.254.2 ADI: 0.025 mg/kg bw.

4.254.3 Residue: imidaclothiz.

4.254.4 Maximum residue limit: Shall comply with provisions in the Table 254.

Table 254

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1*
Brown rice	0.1*
Wheat	0.2*
Vegetables	
Head cabbage	0.5*
Tomato	0.2*
Fruits	
Mandarin orange	0.2*
Orange	0.2*
Tangerine	0.2*
Beverages	
Tea	3*

* The MRL is the temporary limit.

4.255 Dicloran

4.255.1 Major purpose of use: fungicide.

4.255.2 ADI: 0.01 mg/kg bw.

4.255.3 Residue: dicloran.

4.255.4 Maximum residue limit: Shall comply with provisions in the Table 255.

Table 255

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Onion	0.2
Carrot	15
Fruits	
Peach	7
Nectarine	7
Grape	7

4.255.5 Testing method: Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 1379; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769.

4.256 Chloroisobromine cyanuric acid

4.256.1 Major purpose of use: fungicide.

4.256.2 ADI: 0.007 mg/kg bw.

4.256.3 Residue: chloroisobromine cyanuric acid, by isocyanuric acid

4.256.4 Maximum residue limit: Shall comply with provisions in the Table 256.

Table 256

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	0.2* 0.2*
Vegetables Celery cabbage Chili	0.2* 5*

* The MRL is the temporary limit.

4.257 Isazofos

4.257.1 Major purpose of use: pesticide.

4.257.2 ADI: 0.00005 mg/kg bw.

4.257.3 Residue: isazofos.

4.257.4 Maximum residue limit: Shall comply with provisions in the Table 257.

Table 257

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05
Vegetables Bulb vegetables Brassica vegetables Leaf vegetables Solanaceous vegetables Gourd vegetables Leguminous vegetables Stem vegetables Root, tuber and tuberous rooted Aquatic vegetables Sprout vegetables Other vegetables	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
Fruits Citrus fruit Pome fruit Stone fruit Berries and other small fruits Tropical and sub-tropical fruits Melons	0.01 0.01 0.01 0.01 0.01 0.01
Beverages Tea	0.01

4.257.5 Testing method: cereals shall be tested by methods provided in GB 23200.9, GB23200.113; vegetables and fruits shall be tested by methods provided in GB23200.113, GB/T 20769; tea shall be tested by methods provided in GB23200.113, GB/T 23204.

4.258 Malathion

4.258.1 Major purpose of use: pesticide.

4.258.2 ADI: 0.3 mg/kg bw.

4.258.3 Residue: malathion.

4.258.4 Maximum residue limit: Shall comply with provisions in the Table 258.

Table 258

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice Rice Wheats Upland crops (with the exception of fresh maize, sorghum) Fresh maize Sorghum Coarse cereals	8 1 0.1 8 8 0.5 3 8
Oil seed and oil Cotton seed Soybean Peanut kernel Crude cotton seed oil	0.05 8 0.05 13

	Cotton seed oil	13
Vegetables		
Garlic	0.5	
Onion	1	
Scallion	5	
Head cabbage	0.5	
Broccoli	0.5	
Sprouting broccoli	1	
Cabbage mustard	5	
Flower Chinese cabbage	7	
Spinach	2	
Ordinary cabbage	8	
Stem and leaf lettuce	8	
Stem lettuce leaf	8	
Leaf mustard	2	
Rappini leaf	5	
Celery	1	
Celery cabbage	8	
Tomato	0.5	
Cherry tomato	1	
Eggplant	0.5	
Chili	0.5	
Cucumber	0.2	
Squash	0.1	
Cowpea	2	
Kidney bean	2	
Edible podded pea	2	
Hyacinth bean	2	
Broad bean	2	
Pea	2	
Asparagus	1	
Stem lettuce	1	
Turnip	0.2	
Radish	0.5	
Carrot	0.5	
Chinese yam	0.5	
Potato	0.5	
Sweet potato	8	
Taro	8	
Cactus	0.02	
Fruits		
Mandarin orange	2	
Orange	2	
Tangerine	4	
Lemon	4	
Pumelo	4	
Apple	2	
Pear	2	
Peach	6	
Nectarine	6	
Apricot	6	
Date (fresh)	6	
Prune	6	
Cherry	6	
Blueberry	10	
Cranberry	1	
Mulberry	1	
Grape	8	
Strawberry	1	
Fig	0.2	
Litchi	0.5	
Dried fruits		
Dried fig	1	
Sugar crops		
Sugar beet	0.5	
Edible fungi		
Mushroom (fresh)	0.5	
Beverages		
Tomato juice	0.01	
Condiments		
Dried chili	1	
Condiment made from fruits	1	
Condiment made from seeds	2	
Condiment made from plant root and stem	0.5	

4.258.5 Testing method: cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 5009.145; Oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.145; vegetables, fruits, dried fruits, edible fungi, beverages shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 761; sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T 761; condiments shall be tested by methods provided in GB 23200.113.

4.259 Dicamba

- 4.259.1 Major purpose of use: herbicide.
- 4.259.2 ADI: 0.3 mg/kg bw.
- 4.259.3 Residue: For plant-derived foods, it is dicamba; For animal-derived foods, it is the sum of dicamba and 3, 6-dichlorosalicylic acid, expressed as dicamba..
- 4.259.4 Maximum residue limit: Shall comply with provisions in the Table 259.

Table 259

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.5
Barley	7
Corn	0.5
Sorghum	4
Oil seed and oil	
Cotton seed	0.04
Soybean	10
Vegetables	
Asparagus	5
Cactus	0.02
Sugar crops	
Sugarcane	1
Meat from mammals (with the exception of marine mammal)	0.03*
Viscera of mammal animals (with the exception of marine mammal)	0.7*
Fat of mammal animals (with the exception of milk fat)	0.07*
Poultry meats	0.02*
Poultry fat	0.04*
Poultry viscera	0.07*
Eggs	0.01*
Raw milk	0.2*

* The MRL is the temporary limit.

4.259.5 Testing method: Cereals shall be tested by methods provided in SN/T 1606, SN/T 2228; Oil seed and oil shall be tested by methods provided in SN/T 1606; Vegetables and Sugar crops shall be tested referring to methods provided in SN/T 1606.

4.260 Prochloraz and prochloraz-manganese chloride complex

- 4.260.1 Major purpose of use: fungicide.
- 4.260.2 ADI: 0.01 mg/kg bw.
- 4.260.3 Residue: the sum of Prochloraz and metabolites containing 2,4,6-trichlorophenol, expressed as prochloraz.
- 4.260.4 Maximum residue limit: Shall comply with provisions in the Table 260.

Table 260

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Wheats (with the exception of wheat)	2
Wheat	0.5
Upland crops	2
Oil seed and oil	
Rapeseed	0.5
Flaxseed	0.05
Sunflower seed	0.5
Crude sunflower seed oil	1
Vegetables	
Garlic	0.1
Garlic sprouts	2
Flower Chinese cabbage	2
Chili	2
Cucumber	1
Cane shoots	0.5
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	10
Mandarin orange	5
Orange	5

Tangerine	5
Apple	2
Pear	0.2
Date (fresh)	3
Grape	2
Tropical and sub-tropical fruits -Inedible peel (with the exception of the separately listed)	7
Litchi	2
Longan	5
Mango	2
Banana	5
Watermelon	0.1
Edible fungi	
Mushroom (fresh)	2
Condiments	
Pepper (black, white)	10
Medicinal plant	
Dendrobium (fresh)	15*
Dendrobium (dried)	20*
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.5*
Viscera of mammal animals (with the exception of marine mammal)	10*
Poultry meats	0.05*
Poultry viscera	0.2*
Eggs	0.1*
Raw milk	0.05*

* The MRL is the temporary limit.

4.260.5 Testing method: cereals, oil seed and oil, condiments shall be tested referring to methods provided in NY/T 1456; vegetables and fruits shall be tested by methods provided in NY/T 1456; edible fungi shall be tested by methods provided in NY/T 1456.

4.261 Fenamidone

4.261.1 Major purpose of use: fungicide.

4.261.2 ADI: 0.03 mg/kg bw.

4.261.3 Residue: fenamidone.

4.261.4 Maximum residue limit: Shall comply with provisions in the Table 261.

Table 261

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.02
Sunflower seed	0.02
Vegetables	
Garlic	0.15
Onion	0.15
Scallion	3
Spring onion	0.3
Head cabbage	0.9
Broccoli	4
Stem and leaf lettuce	0.9
Cabbage lettuce	20
Chicory	0.01
Celery	40
Solanaceous vegetables (with the exception of chili)	1.5
Chili	4
Edible podded legume vegetables	0.8
Carrot	0.2
Potato	0.02
Fruits	
Grape	0.6
Strawberry	0.04
Condiments	
Dried chili	30
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats, expressed as residue in the fat	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01

Milk fat	0.02
* The MRL is the temporary limit.	

4.261.5 Testing method: Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables and fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Condiments shall be tested by methods provided in GB 23200.113; Raw milk, milk fat shall be tested by methods provided in GB/T 23210 .

4.262 Imazaquin

4.262.1 Major purpose of use: herbicide.

4.262.2 ADI: 0.25 mg/kg bw.

4.262.3 Residue: imazaquin.

4.262.4 Maximum residue limit: Shall comply with provisions in the Table 262.

Table 262

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Soybean	0.05

4.262.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23818.

4.263 Imazapyr

4.263.1 Major purpose of use: herbicide.

4.263.2 ADI: 3mg/kg bw.

4.263.3 Residue: imazapyr.

4.263.4 Maximum residue limit: Shall comply with provisions in the Table 263.

Table 263

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.05
Corn	0.05
Lentils	0.3
Oil seed and oil Rapeseed	0.05
Sunflower seed	0.08
Meat from mammals (with the exception of marine mammal)	0.05*
Viscera of mammal animals (with the exception of marine mammal)	0.2*
Fat of mammal animals (with the exception of milk fat)	0.05*
Poultry meats	0.01*
Poultry viscera	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.263.5 Testing method: Cereals shall be tested referring to methods provided in GB/T 23818; Oil seed and oil shall be tested by methods provided in GB/T 23818.

4.264 Imazethapyr

4.264.1 Major purpose of use: herbicide.

4.264.2 ADI: 0.6 mg/kg bw.

4.264.3 Residue: imazethapyr.

4.264.4 Maximum residue limit: Shall comply with provisions in the Table 264.

Table 264

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Soybean	0.1

4.264.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23818.

4.265 Triasulfuron

4.265.1 Major purpose of use: herbicide.

4.265.2 ADI: 0.01 mg/kg bw.

4.265.3 Residue: triasulfuron.

4.265.4 Maximum residue limit: Shall comply with provisions in the Table 265.

Table 265

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Cereals		
	Wheat	0.05

4.265.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.266 Cinosulfuron

- 4.266.1 Major purpose of use: herbicide.
- 4.266.2 ADI: 0.077 mg/kg bw.
- 4.266.3 Residue: cinosulfuron.
- 4.266.4 Maximum residue limit: Shall comply with provisions in the Table 266.

Table 266

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.1

4.266.5 Testing method: Cereals shall be tested by methods provided in SN/T 2325.

4.267 Etofenprox

- 4.267.1 Major purpose of use: pesticide.
- 4.267.2 ADI: 0.03 mg/kg bw.
- 4.267.3 Residue: etofenprox.
- 4.267.4 Maximum residue limit: Shall comply with provisions in the Table 267.

Table 267

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.01
	0.05
	0.05
Oil seed and oil Rapeseed	0.01
Fruits Apple Pear Peach Nectarine Grape	0.6
	0.6
	0.6
	0.6
	4
Dried fruits Raisin	8
Vegetables Leek Head cabbage Spinach Ordinary cabbage Radish leaf Celery Celery cabbage Radish	1
	0.5
	1
	1
	5
	1
	1
	1
	1
Beverages Tea	50
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.5*
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.02*

* The MRL is the temporary limit.

4.267.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, SN/T2151; oil seed and oil shall be tested referring to methods provided in GB 23200.9; vegetables shall be tested referring to methods provided in GB 23200.8, SN/T 2151; fruits, dried fruits shall be tested by methods provided in GB 23200.8; tea shall be tested by methods provided in GB 23200.13.

4.268 Kresoxim-methyl

- 4.268.1 Major purpose of use: fungicide.
- 4.268.2 ADI: 0.4 mg/kg bw.
- 4.268.3 Residue: For plant-derived foods, it is Kresoxim-methyl; For animal-derived foods, it is E-methyl -2-methoxyimino -2-[2-(o-tolyloxy) phenyl] acetate, expressed as Kresoxim-methyl.

4.268.4 Maximum residue limit: Shall comply with provisions in the Table 268.

Table 268

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1
Brown rice	0.1
Wheat	0.05
Barley	0.1
Rye	0.05
Oil seed and oil	
Virgin olive oil	0.7
Vegetables	
Scallion	0.2
Cucumber	0.5
Fruits	
Tangerine	0.5
Pumelo	0.5
Apple	0.2
Pear	0.2
Hawthorn	0.2
Loquat	0.2
Quinces	0.2
Date (fresh)	1
Grape	1
Strawberry	2
Olive	0.2
Watermelon	0.02
Sweet melons	1
Dried fruits	
Raisin	2
Medicinal plant	
Ginseng (fresh)	0.1
Ginseng (dry)	0.1
Meat from mammals (with the exception of marine mammal)	0.05*
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Fat of mammal animals (with the exception of milk fat)	0.05*
Poultry meats	0.05*
Raw milk	0.01*

* The MRL is the temporary limit.

4.268.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB 23200.9; Vegetables shall be tested by methods provided in GB 23200.8, GB/T 20769; Fruits shall be tested by methods provided in GB 23200.8, GB/T 20769; Dried fruits shall be tested by methods provided in GB/T 20769; Medicinal plant shall be tested referring to methods provided in GB/T 20769.

4.269 Orthosulfamuron

4.269.1 Major purpose of use: herbicide.

4.269.2 ADI: 0.05 mg/kg bw.

4.269.3 Residue: orthosulfamuron.

4.269.4 Maximum residue limit: Shall comply with provisions in the Table 269.

Table 269

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05*
Brown rice	0.05*

* The MRL is the temporary limit.

4.270 Pyriminobac-methyl

4.270.1 Major purpose of use: herbicide.

4.270.2 ADI: 0.02 mg/kg bw.

4.270.3 Residue: pyriminobac-methyl.

4.270.4 Maximum residue limit: Shall comply with provisions in the Table 270.

Table 270

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2*
Brown rice	0.1*

* The MRL is the temporary limit.

4.271 Pyribenzoxim

- 4.271.1 Major purpose of use: herbicide.
 4.271.2 ADI: 2.5mg/kg bw.
 4.271.3 Residue: pyribenzoxim.
 4.271.4 Maximum residue limit: Shall comply with provisions in the Table 271.

Table 271

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice Brown rice	0.05* 0.05*

* The MRL is the temporary limit.

4.272 Cyprodinil

- 4.272.1 Major purpose of use: fungicide.
 4.272.2 ADI: 0.03 mg/kg bw.
 4.272.3 Residue: cyprodinil.
 4.272.4 Maximum residue limit: Shall comply with provisions in the Table 272.

Table 272

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Brown rice	0.2
Wheat	0.5
Barley	3
Coarse cereals	0.2
Vegetables	
Onion	0.3
Head cabbage	0.7
Sprouting broccoli	2
Cabbage lettuce	10
Stem and leaf lettuce	10
Leaf mustard	15
Solanaceous vegetables (with the exception of tomato, eggplant, sweet pepper)	2
Tomato	0.5
Eggplant	0.2
Sweet pepper	0.5
Cucumber	0.2
Squash	0.2
Leguminous vegetables (with the exception of edible podded legume vegetables)	0.5
Edible podded legume vegetables	0.7
Radish	0.3
Carrot	0.7
Fruits	
Apple	2
Pear	1
Hawthorn	2
Loquat	2
Quinces	2
Stone fruit	2
Berries and other small fruits [with the exception of gooseberry (red, black), grape, strawberry]	10
Gooseberry (red, black)	0.5
Grape	20
Strawberry	2
Mango	2
Avocado	1
Dried fruits	
Dried prune	5
Raisin	5
Nuts	
Apricot kernel	0.02
Condiments	
Sweet basil herb	40
Dried chili	9
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.01*

Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats, expressed as residue in the fat	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.0004*

* The MRL is the temporary limit.

4.272.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 1379; Fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Nuts shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 20769; Condiments shall be tested by methods provided in GB 23200.113.

4.273 Azoxystrobin

4.273.1 Major purpose of use: fungicide.

4.273.2 ADI: 0.2 mg/kg bw.

4.273.3 Residue: azoxystrobin.

4.273.4 Maximum residue limit: Shall comply with provisions in the Table 273.

Table 273

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1
Brown rice	0.5
Wheat	0.5
Barley	1.5
Oats	1.5
Rye	0.2
Triticale	0.2
Corn	0.02
Oil seed and oil	
Cotton seed	0.05
Soybean	0.5
Peanut kernel	0.5
Sunflower seed	0.5
Corn oil	0.1
Vegetables	
Bulb vegetables	1
Brassica vegetables (with the exception of broccoli)	5
Broccoli	1
Water spinach	10
Stem and leaf lettuce	3
Chicory	0.3
Celery	5
Solanaceous vegetables (with the exception of chili)	3
Chili	2
Gourd vegetables (with the exception of cucumber, loofah)	1
Cucumber	0.5
Loofah	2
Leguminous vegetables	3
Asparagus	0.01
Artichoke	5
Stem and root vegetables	1
Potato	0.1
Taro	0.2
Lotus seed (fresh)	0.05
Lotus root	0.05
Fruits	
Mandarin orange	1
Orange	1
Tangerine	1
Loquat	2
Peach	2
Nectarine	2
Apricot	2
Date (fresh)	2
Prune	2
Cherry	2
Greengage	2
Berries and other small fruits (with the exception of cranberry, strawberry)	5
Cranberry	0.5
Strawberry	10
Star fruit	0.1

Litchi	0.5
Mango	1
Banana	2
Papaya	0.3
Watermelon	1
Nuts	
Nuts (with the exception of pistachio nuts)	0.01
Pistachio nuts	1
Beverages	
Coffee bean	0.03
Hop	30
Condiments	
Dried chili	30
Medicinal plant	
Ginseng	1
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.07*
Poultry meats	0.01
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.01*
Milk fat	0.03*

* The MRL is the temporary limit.

4.273.5 Testing method: cereals shall be tested by methods provided in GB/T 20770; oil seed and oil, medicinal plant shall be tested referring to methods provided in GB 23200.46, GB/T 20770, NY/T 1453; vegetables and fruits shall be tested by methods provided in GB 23200.54, NY/T 1453, SN/T 1976; nuts and condiments shall be tested referring to methods provided in GB 23200.11; beverages shall be tested referring to methods provided in GB 23200.14; meat from mammals (with the exception of marine mammal), poultry shall be tested by methods provided in GB 23200.46.

4.274 Pyrimethanil

4.274.1 Major purpose of use: fungicide.

4.274.2 ADI: 0.2 mg/kg bw.

4.274.3 Residue: For plant-derived foods, it is pyrimethanil; For animal-derived foods, it is the sum of pyrimethanil and 2-anilino -4, 6-dimethylpyrimidine -5-hydroxy, expressed as pyrimethanil (Raw milk) the sum of pyrimethanil and 2-(4-hydroxyaniline) -4, 6-dimethylpyrimidine, expressed as pyrimethanil (Meat from mammals, viscera).

4.274.4 Maximum residue limit: Shall comply with provisions in the Table 274.

Table 274

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Pea	0.5
Vegetables	
Onion	0.2
Scallion	3
Cabbage lettuce	3
Tomato	1
Cucumber	2
Kidney bean	3
Carrot	1
Potato	0.05
Fruits	
Citrus fruit	7
Pome fruit (with the exception of pear)	7
Pear	1
Peach	4
Nectarine	4
Apricot	3
Prune	2
Cherry	4
Berries and other small fruits (with the exception of grape, strawberry)	3
Grape	4
Strawberry	7
Banana	0.1
Dried fruits	
Dried prune	2
Raisin	5
Nuts	
Apricot kernel	0.2
Medicinal plant	
Ginseng	1.5

Meat from mammals (with the exception of marine mammal)	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.1*
Raw milk	0.01*

* The MRL is the temporary limit.

4.274.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Nuts shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Medicinal plant shall be tested referring to methods provided in GB 23200.113, GB/T 20769.

4.275 Dazomet

- 4.275.1 Major purpose of use: nematode.
- 4.275.2 ADI: 0.01 mg/kg bw (dazomet), 0.004 mg/kg bw (methyl isothiocyanate).
- 4.275.3 Residue: The sum of dazomet and its metabolite methyl isothiocyanate is expressed in methyl isothiocyanate.
- 4.275.4 Maximum residue limit: Shall comply with provisions in the Table 275.

Table 275

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	0.02*
Ginger	2*

* The MRL is the temporary limit.

4.276 Bentazone

- 4.276.1 Major purpose of use: herbicide.
- 4.276.2 ADI: 0.09 mg/kg bw.
- 4.276.3 Residue: For plant-derived foods, it is bentazone, the sum of bentazone, 6 -hydroxy bentazone and 8 -hydroxy bentazone, expressed as bentazone; For animal-derived foods, it is bentazone.
- 4.276.4 Maximum residue limit: Shall comply with provisions in the Table 276.

Table 276

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1*
Wheats	0.1*
Corn	0.2*
Sorghum	0.1*
Millet	0.01*
Coarse cereals	0.05*
Oil seed and oil	
Flaxseed	0.1*
Soybean	0.05*
Peanut kernel	0.05*
Vegetables	
Onion	0.1*
Scallion	0.08*
Edible podded vegetables (with the exception of kidney bean)	0.01*
Kidney bean	0.2
Lima vegetables (inedible podded)[with the exception of lima bean, pea (fresh)]	0.01*
Lima bean	0.05*
Pea (fresh)	0.2*
Potato	0.1*
Cactus	0.01*
Condiments	
Mint	0.1*
Poultry, expressed as residue in the fat	0.03*
Poultry viscera	0.07*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.277 Methomyl

- 4.277.1 Major purpose of use: pesticide.
- 4.277.2 ADI: 0.02 mg/kg bw.
- 4.277.3 Residue: methomyl.
- 4.277.4 Maximum residue limit: Shall comply with provisions in the Table 277.

Table 277

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheats (with the exception of barley, oats)	0.2
Barley	2
Oats	0.02
Upland crops	0.05
Coarse cereals	0.2
Oil seed and oil	
Rapeseed	0.05
Cotton seed	0.5
Soybean	0.2
Crude soybean oil	0.2
Soybean oil	0.2
Cotton seed oil	0.04
Corn oil	0.02
Vegetables	
Bulb vegetables	0.2
Brassica vegetables	0.2
Leaf vegetables	0.2
Solanaceous vegetables	0.2
Gourd vegetables	0.2
Leguminous vegetables	0.2
Stem vegetables	0.2
Root, tuber and tuberous rooted	0.2
Aquatic vegetables	0.2
Sprout vegetables	0.2
Other vegetables	0.2
Fruits	
Pome fruit	0.2
Citrus fruit	0.2
Stone fruit	0.2
Berries and other small fruits	0.2
Tropical and sub-tropical fruits	0.2
Melons	0.2
Sugar crops	
Sugar beet	0.2
Sugarcane	0.2
Beverages	
Tea	0.2
Condiments	
Mint	0.5
Condiment made from fruits	0.07
Meat from mammals (with the exception of marine mammal)	0.02*
Viscera of mammal animals (with the exception of marine mammal)	0.02*
Poultry meats	0.02*
Poultry viscera	0.02*
Eggs	0.02*
Raw milk	0.02*

* The MRL is the temporary limit..

4.277.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.112, SN/T0134; Vegetables and fruits shall be tested by methods provided in GB 23200.112, NY/T761; Sugar crops shall be tested referring to methods provided in GB 23200.112, NY/T 761; Tea shall be tested by methods provided in GB 23200.112; Condiments shall be tested by methods provided in GB 23200.112.

4.278 Folpet

4.278.1 Major purpose of use: fungicide.

4.278.2 ADI: 0.1 mg/kg bw.

4.278.3 Residue: folpet.

4.278.4 Maximum residue limit: Shall comply with provisions in the Table 278.

Table 278

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Onion	1
Cabbage lettuce	50
Tomato	3
Cucumber	1
Potato	0.1
Fruits	
Apple	10
Grape	10
Strawberry	5

Sweet melons	3
Dried fruits Raisin	40

4.278.5 Testing method: Vegetables, fruits, dried fruits shall be tested by methods provided in GB/T 20769, SN/T 2320.

4.279 Ethoprophos

4.279.1 Major purpose of use: nematocide.

4.279.2 ADI: 0.0004 mg/kg bw.

4.279.3 Residue: ethoprophos.

4.279.4 Maximum residue limit: Shall comply with provisions in the Table 279.

Table 279

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.02
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil	
Soybean	0.05
Peanut kernel	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Sugar crops	
Sugarcane	0.02
Beverages	
Tea	0.05
Meat from mammals (with the exception of marine mammal)	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.01
Raw milk	0.01

4.279.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113, SN/T 3768; Vegetables and fruits shall be tested by methods provided in GB 23200.112, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T 761; Tea shall be tested by methods provided in GB 23200.13, GB/T 23204; Meat from mammals (with the exception of marine mammal) shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal) shall be tested referring to methods provided in GB/T 20772; Raw milk shall be tested by methods provided in GB/T 23211.

4.280 Mepronil

4.280.1 Major purpose of use: fungicide.

4.280.2 ADI: 0.05 mg/kg bw.

4.280.3 Residue: mepronil.

4.280.4 Maximum residue limit: Shall comply with provisions in the Table 280.

Table 280

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.2*
Brown rice	0.2*

4.280.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9.

4.281 Cyromazine

- 4.281.1 Major purpose of use: pesticide.
 4.281.2 ADI: 0.06 mg/kg bw.
 4.281.3 Residue: cyromazine.
 4.281.4 Maximum residue limit: Shall comply with provisions in the Table 281.

Table 281

Food Category/Name	Maximum residue limit, mg/kg
Cereals Coarse cereals	3
Vegetables Onion	0.1
Scallion	3
Sprouting broccoli	1
Stem and leaf lettuce	4
Cabbage lettuce	4
Leaf mustard	10
Celery	4
Cucumber	1
Squash	2
Cowpea	0.5
Kidney bean	0.5
Edible podded pea	0.5
Hyacinth bean	0.5
Broad bean	0.5
Pea	0.5
Artichoke	3
Fruits Mango	0.5
Melons (with the exception of watermelon)	0.5
Edible fungi Mushroom (fresh) (with the exception of oyster mushroom)	7
Oyster mushroom	1
Condiments Dried chili	10
Meat from mammals (with the exception of marine mammal)	0.3*
Viscera of mammal animals (with the exception of marine mammal)	0.3*
Poultry meats	0.1*
Poultry viscera	0.2*
Eggs	0.3*
Raw milk	0.01

* The MRL is the temporary limit.

4.281.5 Testing method: Cereals, fruits and condiments shall be tested referring to methods provided in NY/T 1725; vegetables shall be tested by methods provided in NY/T 1725; edible fungi shall be tested by methods provided in GB/T 20769; raw milk shall be tested by methods provided in GB/T 23211.

4.282 Chlorbenzuron

- 4.282.1 Major purpose of use: pesticide.
 4.282.2 ADI: 1.25 mg/kg bw.
 4.282.3 Residue: chlorbenzuron.
 4.282.4 Maximum residue limit: Shall comply with provisions in the Table 282.

Table 282

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	3
Millet	3
Vegetables Head cabbage	3
Broccoli	3
Sprouting broccoli	15
Cabbage mustard	30
Flower Chinese cabbage	30
Spinach	30
Ordinary cabbage	30
Radish	5
Fruits Apple	2

4.282.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.135; Vegetables shall be tested by methods provided in GB/T 5009.135, GB/T 20769; Fruits shall be tested by methods provided in GB/T 20769.

4.283 1-naphthylacetic acid and sodium 1-naphthalacitic acid

- 4.283.1 Major purpose of use: plant growth regulator.
- 4.283.2 ADI: 0.15 mg/kg bw.
- 4.283.3 Residue: 1-naphthylacetic acid.
- 4.283.4 Maximum residue limit: Shall comply with provisions in the Table 283.

Table 283

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1
	0.05
	0.05
	0.05
Oil seed and oil	0.05
	0.05
	0.05
Vegetables	0.05
	0.05
	0.1
	0.1
	0.05
	0.05
	0.05
Fruits	0.05
	0.05
	0.05
	0.1
	0.1
	0.05
	0.05

- 4.283.5 Testing method: Cereals shall be tested by methods provided in SN/T 2228; Oil seed and oil shall be tested referring to methods provided in SN/T 2228; Vegetables and fruits shall be tested referring to methods provided in SN/T 2228.

4.284 Demeton

- 4.284.1 Major purpose of use: Pesticide /Acaricide.
- 4.284.2 ADI: 0.00004 mg/kg bw.
- 4.284.3 Residue: demeton.
- 4.284.4 Maximum residue limit: Shall comply with provisions in the Table 284.

Table 284

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	0.02
	0.02
Vegetables	0.02
	0.02
	0.02
	0.02
	0.02
	0.02
	0.02
	0.02
	0.02
	0.02
	0.02
Fruits	0.02
	0.02
	0.02
	0.02
	0.02
Beverages	0.05

- 4.284.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 20769; Tea shall be tested by methods provided in GB 23200.13, GB/T 23204.

4.285 Ningnanmycin

- 4.285.1 Major purpose of use: fungicide.
 4.285.2 ADI: 0.24mg/kg bw.
 4.285.3 Residue: ningnanmycin.
 4.285.4 Maximum residue limit: Shall comply with provisions in the Table 285.

Table 285

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	0.2*
	0.2*
Vegetables Tomato Cucumber	1*
	1*
Fruits Apple Banana	1*
	0.5*

* The MRL is the temporary limit.

4.286 Dimepiperate

- 4.286.1 Major purpose of use: herbicide.
 4.286.2 ADI: 0.001 mg/kg bw.
 4.286.3 Residue: dimepiperate.
 4.286.4 Maximum residue limit: Shall comply with provisions in the Table 286.

Table 286

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05*

* The MRL is the temporary limit.

- 4.286.5 Testing method: Cereals shall be tested referring to methods provided in NY/T 1379.

4.287 Prometryn

- 4.287.1 Major purpose of use: herbicide.
 4.287.2 ADI: 0.04 mg/kg bw.
 4.287.3 Residue: prometryn.
 4.287.4 Maximum residue limit: Shall comply with provisions in the Table 287.

Table 287

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice Corn Fresh maize Millet	0.05
	0.05
	0.02
	0.02
	0.05
Oil seed and oil Cotton seed Soybean Peanut kernel	0.05
	0.05
	0.1
Vegetables Garlic Pumpkin Vegetable soybean	0.05
	0.1
	0.05

- 4.287.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770, SN/T 1968; Oil seed and oil shall be tested by methods provided in GB 23200.113, SN/T 1968; Vegetables shall be tested by methods provided in GB 23200.113, GB/T 20769, SN/T 1968.

4.288 Triforine

- 4.288.1 Major purpose of use: fungicide.
 4.288.2 ADI: 0.03 mg/kg bw.
 4.288.3 Residue: sum of triforine and Chloral, expressed as triforine.
 4.288.4 Maximum residue limit: Shall comply with provisions in the Table 288.

Table 288

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1*
Wheats	0.1*
Upland crops	0.1*
Vegetables	
Brussels sprouts	0.2*
Tomato	0.5*
Eggplant	1*
Gourd vegetables	0.5*
Kidney bean	1*
Fruits	
Apple	2*
Peach	5*
Cherry	2*
Prune	2*
Blueberry	1*
Current (black, red, white)	1*
Raspberry	1*
Strawberry	1*
Melons	0.5*
Dried fruits	
Dried prune	2*
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Fat of mammal animals (with the exception of milk fat)	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.289 Metazosulfuron

- 4.289.1 Major purpose of use: herbicide.
- 4.289.2 ADI: 0.027 mg/kg bw.
- 4.289.3 Residue: metazosulfuron.
- 4.289.4 Maximum residue limit: Shall comply with provisions in the Table 289.

Table 289

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05*
Brown rice	0.05*

* The MRL is the temporary limit.

4.290 Fluthiacet-methyl

- 4.290.1 Major purpose of use: herbicide.
- 4.290.2 ADI: 0.001 mg/kg bw.
- 4.290.3 Residue: fluthiacet-methyl.
- 4.290.4 Maximum residue limit: Shall comply with provisions in the Table 290.

Table 290

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05*
Fresh maize	0.05*

* The MRL is the temporary limit.

4.291 Metribuzin

- 4.291.1 Major purpose of use: herbicide.
- 4.291.2 ADI: 0.013 mg/kg bw.
- 4.291.3 Residue: metribuzin.
- 4.291.4 Maximum residue limit: Shall comply with provisions in the Table 291.

Table 291

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05
Oil seed and oil	
Soybean	0.05
Vegetables	
Potato	0.2

4.291.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.292 Cyanazine

4.292.1 Major purpose of use: herbicide.

4.292.2 ADI: 0.002 mg/kg bw.

4.292.3 Residue: cyanazine.

4.292.4 Maximum residue limit: Shall comply with provisions in the Table 292.

Table 292

Food Category/Name	Maximum residue limit, mg/kg
Cereals Corn	0.05
Sugar crops Sugarcane	0.05

4.292.5 Testing method: Cereals, Sugar crops shall be tested referring to methods provided in SN/T 1605.

4.293 Cyhalofop-butyl

4.293.1 Major purpose of use: herbicide.

4.293.2 ADI: 0.01 mg/kg bw.

4.293.3 Residue: the sum of Cyhalofop-butyl and Cyhalofop oxalic.

4.293.4 Maximum residue limit: Shall comply with provisions in the Table 293.

Table 293

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.1*

* The MRL is the temporary limit.

4.294 Metaflumizone

4.294.1 Major purpose of use: pesticide.

4.294.2 ADI: 0.1mg/kg bw.

4.294.3 Residue: sum of metaflumizone, E-isomer and Z-isomer.

4.294.4 Maximum residue limit: Shall comply with provisions in the Table 294.

Table 294

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.5*
Cereals Brown rice	0.1*
Vegetables Head cabbage	2
Vegetables Brussels sprouts	0.8
Vegetables Cabbage	6
Vegetables Cabbage lettuce	7
Vegetables Tomato	0.6
Vegetables Eggplant	0.6
Vegetables Chili	0.6
Vegetables Potato	0.02
Condiments Dried chili	6*
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.02*
Viscera of mammal animals (with the exception of marine mammal)	0.02*
Raw milk	0.01

* The MRL is the temporary limit.

4.294.5 Testing method: Vegetables, raw milk shall be tested referring to methods provided in SN/T 3852.

4.295 Cyazofamid

4.295.1 Major purpose of use: fungicide.

4.295.2 ADI: 0.2 mg/kg bw.

4.295.3 Residue: the sum of Cyazofamid and 4-chloro-5-(4-tolyl) -1H-imidazole -2-carbonitrile (its metabolite).

4.295.4 Maximum residue limit: Shall comply with provisions in the Table 295.

Table 295

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	2*
Cucumber	0.5*
Potato	0.02*
Fruits	
Grape	1*
Litchi	0.02*
Watermelon	0.5*

* The MRL is the temporary limit.

4.296 Fenvvalerate and esfenvalerate

4.296.1 Major purpose of use: pesticide.

4.296.2 ADI: 0.02 mg/kg bw.

4.296.3 Residue: esfenvalerate (sum of isomers).

4.296.4 Maximum residue limit: Shall comply with provisions in the Table 296.

Table 296

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	2
Corn	0.02
Fresh maize	0.2
Wheat flour	0.2
Whole wheat flour	2
Oil seed and oil	
Cotton seed	0.2
Soybean	0.1
Peanut kernel	0.1
Cotton seed oil	0.1
Vegetables	
Onion	0.5
Scallion	2
Head cabbage	0.5
Broccoli	0.5
Sprouting broccoli	5
Cabbage mustard	7
Flower Chinese cabbage	10
Spinach	1
Ordinary cabbage	1
Edible amaranth	5
Garland chrysanthemum	10
Stem and leaf lettuce	1
Stem lettuce leaf	7
Sweet potato leaf	7
Celery cabbage	3
Tomato	0.2
Cherry tomato	1
Eggplant	0.2
Chili	0.2
Cucumber	0.2
Squash	0.2
Loofah	0.2
Pumpkin	0.2
Kidney bean	3
Vegetable soybean	2
Stem lettuce	1
Radish	0.05
Carrot	0.05
Potato	0.05
Sweet potato	0.05
Chinese yam	0.05
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.2
Mandarin orange	1
Orange	1
Tangerine	1
Pome fruit (with the exception of apple, pear)	0.2
Apple	1
Pear	1

Stone fruit (with the exception of peach)	0.2
Peach	1
Berries and other small fruits	0.2
Tropical and sub-tropical fruits (with the exception of mango)	0.2
Mango	1.5
Melons	0.2
Sugar crops	
Sugar beet	0.05
Beverages	
Tea	0.1
Edible fungi	
Mushroom (fresh)	0.2
Condiments	
Condiment made from fruits	0.03
Condiment made from plant root and stem	0.05
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	1
Viscera of mammal animals (with the exception of marine mammal)	0.02
Poultry meats, expressed as residue in the fat	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.1

4.296.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.110; Oil seed and oil, edible fungi shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 5009.110; Tea shall be tested by methods provided in GB 23200.113, GB/T 23204; Condiments shall be tested by methods provided in GB 23200.113; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry, meats poultry viscera, eggs, raw milk shall be tested by methods provided in GB/T 5009.162.

4.297 **Phenamacril**

4.297.1 Major purpose of use: fungicide.

4.297.2 ADI: 0.28 mg/kg bw.

4.297.3 Residue: phenamacril.

4.297.4 Maximum residue limit: Shall comply with provisions in the Table 297.

Table 297

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.05*

* The MRL is the temporary limit.

4.298 **Propyzamide**

4.298.1 Major purpose of use: herbicide.

4.298.2 ADI: 0.02 mg/kg bw.

4.298.3 Residue: propyzamide.

4.298.4 Maximum residue limit: Shall comply with provisions in the Table 298.

Table 298

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Stem and leaf lettuce Ginger	0.05 0.2

4.298.5 Testing method: Vegetables shall be tested by methods provided in GB 23200.113, GB/T 20769.

4.299 **Clodinafop-propargyl**

4.299.1 Major purpose of use: herbicide.

4.299.2 ADI: 0.0003 mg/kg bw.

4.299.3 Residue: the sum of Clodinafop-propargyl and Alkyne oxalic.

4.299.4 Maximum residue limit: Shall comply with provisions in the Table 299.

Table 299

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.1

*The MRL is the temporary limit.

4.299.5 Testing method: Cereals shall be tested referring to methods provided in GB 23200.60.

4.300 Propargite

- 4.300.1 Major purpose of use: Acaricide.
 4.300.2 ADI: 0.01 mg/kg bw.
 4.300.3 Residue: propargite.
 4.300.4 Maximum residue limit: Shall comply with provisions in the Table 300.

Table 300

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.1
Cotton seed oil	0.1
Vegetables	
Spinach	2
Ordinary cabbage	2
Stem and leaf lettuce	2
Celery cabbage	2
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Lemon	5
Pumelo	5
Apple	5
Pear	5
Mulberry	10
Meat from mammals (with the exception of marine mammal), expressed as residue in the fat	0.1
Viscera of mammal animals (with the exception of marine mammal)	0.1
Poultry meats, expressed as residue in the fat	0.1
Poultry viscera	0.1
Eggs	0.1
Raw milk	0.1

4.300.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.9, NY/T 1652; Vegetables shall be tested by methods provided in NY/T 1652; Fruits shall be tested by methods provided in GB 23200.8; NY/T 1652; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, poultry viscera, eggs shall be tested referring to methods provided in GB/T 23211; Raw milk shall be tested by methods provided in GB/T 23211 .

4.301 Lactofen

- 4.301.1 Major purpose of use: herbicide.
 4.301.2 ADI: 0.008 mg/kg bw.
 4.301.3 Residue: lactofen.
 4.301.4 Maximum residue limit: Shall comply with provisions in the Table 301.

Table 301

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Soybean	0.05
Peanut kernel	0.05

4.301.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20769.

4.302 Thidiazuron

- 4.302.1 Major purpose of use: plant growth regulator.
 4.302.2 ADI: 0.04 mg/kg bw.
 4.302.3 Residue: thidiazuron.
 4.302.4 Maximum residue limit: Shall comply with provisions in the Table 302.

Table 302

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	1
Vegetables	
Cucumber	0.05
Fruits	
Apple	0.05
Grape	0.05
Sweet melons	0.05

4.302.5 Testing method: Oil seed and oil, vegetables, fruits shall be tested by methods provided in SN/T 4586.

4.303 Cycloxydim

4.303.1 Major purpose of use: herbicide.

4.303.2 ADI: 0.07 mg/kg bw.

4.303.3 Residue: Cycloxydim and its metabolites and degradation products, which can be oxidized to 3-(3-sulfonyl-tetrahydrothiopyranyl) glutaric acid -S-dioxide and 3-hydroxy-3-(3-sulfonyl-tetrahydrothiopyranyl)-glutaric acid -S-dioxide, expressed as cycloxydim.

4.303.4 Maximum residue limit: Shall comply with provisions in the Table 303.

Table 303

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.09*
Corn	0.2*
Oil seed and oil	
Rapeseed	7*
Flaxseed	7*
Sunflower seed	6*
Vegetables	
Onion	3*
Spring onion	4*
Brassica vegetables (with the exception of kale)	9*
Kale	3*
Stem and leaf lettuce	1.5*
Cabbage lettuce	1.5*
Tomato	1.5*
Kidney bean	1*
Carrot	5*
Celeriac	1*
Turnip	0.2*
Potato	3*
Fruits	
Pome fruit	0.09*
Stone fruit	0.09*
Grape	0.3*
Strawberry	3*
Sugar crops	
Sugar beet	0.2*
Meat from mammals (with the exception of marine mammal)	0.06
Viscera of mammal animals (with the exception of marine mammal)	0.5
Fat of mammal animals (with the exception of milk fat)	0.1
Poultry meats	0.03
Poultry viscera	0.02
Poultry fat	0.03
Eggs	0.15
Raw milk	0.02

* The MRL is the temporary limit.

4.303.5 Testing method: Cereals, vegetables, fruits shall be tested referring to methods provided in GB 23200.38; Oil seed and oil, sugar crops shall be tested referring to methods provided in GB 23200.3; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), fat of mammal animals (with the exception of milk fat), poultry meats, poultry viscera, poultry fat, eggs shall be tested referring to methods provided in GB/T 23211; Raw milk shall be tested by methods provided in GB/T 23211.

4.304 Clothianidin

4.304.1 Major purpose of use: pesticide.

4.304.2 ADI: 0.1 mg/kg bw.

4.304.3 Residue: clothianidin.

4.304.4 Maximum residue limit: Shall comply with provisions in the Table 304.

Table 304

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Brown rice	0.2
Wheat	0.02
Barley	0.04
Corn	0.02
Sorghum	0.01

	Coarse cereals	0.02
Oil seed and oil		
	Oil seeds	0.02
Vegetables		
	Brassica vegetables (with the exception of head cabbage)	0.2
	Head cabbage	0.5
	Leaf vegetables (with the exception of celery)	2
	Celery	0.04
	Solanaceous vegetables (with the exception of tomato)	0.05
	Tomato	1
	Leguminous vegetables	0.01
	Artichoke	0.05
	Stem and root vegetables	0.2
	Cactus	0.01
Fruits		
	Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.07
	Mandarin orange	0.5
	Orange	0.5
	Tangerine	0.5
	Pome fruit	0.4
	Stone fruit	0.2
	Berries and other small fruits (with the exception of grape)	0.07
	Grape	0.7
	Mango	0.04
	Avocado	0.03
	Banana	0.02
	Papaya	0.01
	Pineapple	0.01
Dried fruits		
	Dried prune	0.2
	Raisin	1
Nuts		
	Carya cathayensis	0.01
Sugar crops		
	Sugarcane	0.05
Beverages		
	Tea	10
	Coffee bean	0.05
	Cocoa bean	0.02
	Hop	0.07
	Grape juice	0.2
Condiments		
Mint		
	Dried chili	0.3
		0.5
Meat from mammals (with the exception of marine mammal)		0.02
Viscera of mammal animals (with the exception of marine mammal)		
	Pork liver	0.2
	Beef liver	0.2
	Sheep liver	0.2
	Goat liver	0.2
Fat of mammal animals (with the exception of milk fat)		0.02
Poultry meats		0.01
Poultry viscera		0.1
Poultry fat		0.01
Eggs		0.01
Raw milk		0.02

4.304.5 Testing method: Cereals shall be tested by methods provided in GB 23200.39, GB/T 20770; Oil seed and oil, dried fruits, beverages, condiments, viscera of mammal animals (with the exception of marine mammal), fat of mammal animals (with the exception of milk fat), poultry meats, eggs, meat from mammals (with the exception of marine mammal), poultry viscera, raw milk shall be tested by methods provided in GB 23200.39; Vegetables, fruits shall be tested by methods provided in GB 23200.39, GB/T 20769; Nuts shall be tested referring to methods provided in GB 23200.39; Sugar crops shall be tested referring to methods provided in GB 23200.39, GB/T 20769.

4.305 Thiacloprid

4.305.1 Major purpose of use: pesticide.

4.305.2 ADI: 0.01 mg/kg bw.

4.305.3 Residue: thiacloprid.

4.305.4 Maximum residue limit: Shall comply with provisions in the Table 305.

Table 305

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Cereals	Rice Brown rice Wheat	10 0.2 0.1
Oil seed and oil	Rapeseed Mustard seed Cotton seed	0.5 0.5 0.02
Vegetables	Head cabbage Tomato Eggplant Sweet pepper Cucumber Squash Winter squash Potato	0.5 0.5 0.7 1 1 0.3 0.2 0.02
Fruits	Pome fruit Stone fruit Berries and other small fruits (with the exception of kiwi fruit) Kiwi fruit Watermelon Sweet melons	0.7 0.5 1 0.2 0.2 0.2
Nuts		0.02
Beverages	Tea	10
Meat from mammals (with the exception of marine mammal)		0.1*
Viscera of mammal animals (with the exception of marine mammal)		0.5*
Poultry meats		0.02*
Poultry viscera		0.02*
Eggs		0.02*
Raw milk		0.05*

* The MRL is the temporary limit.

4.305.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil, nuts shall be tested referring to methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 20769; Tea shall be tested by methods provided in GB 23200.13.

4.306 Thiamethoxam

4.306.1 Major purpose of use: pesticide.

4.306.2 ADI: 0.08 mg/kg bw.

4.306.3 Residue: thiamethoxam.

4.306.4 Maximum residue limit: Shall comply with provisions in the Table 306.

Table 306

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.1
Wheat	0.1
Barley	0.4
Corn	0.05
Fresh maize	0.05
Oil seed and oil	
Oil seeds (with the exception of rapeseed, peanut kernel)	0.02
Rapeseed	0.05
Peanut kernel	0.05
Vegetables	
Brassica vegetables (with the exception of head cabbage)	5
Head cabbage	0.2
Leaf vegetables (with the exception of spinach, celery)	3
Spinach	5
Celery	1
Solanaceous vegetables (with the exception of tomato, eggplant, chili)	0.7
Tomato	1
Eggplant	0.5
Chili	1
Cucumber	0.5
Aucchini	1
Loofah	0.2
Edible podded legume vegetables	0.3
Inedible podded legume vegetables	0.01
Artichoke	0.5

Stem and root vegetables	0.3
Potato	0.2
Cactus	0.01
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.5
Apple	0.3
Pear	0.3
Hawthorn	0.3
Loquat	0.3
Quinces	0.3
Stone fruit	1
Berries and other small fruits (with the exception of grape)	0.5
Avocado	0.5
Banana	0.02
Papaya	0.01
Pineapple	0.01
Watermelon	0.2
Nuts	
Carya cathayensis	0.01
Sugar crops	
Sugarcane	0.1
Beverages	
Tea	10
Coffee bean	0.2
Cocoa bean	0.02
Hop	0.09
Condiments	
Mint	1.5
Dried chili	7
Meat from mammals (with the exception of marine mammal)	0.02
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.05

4.306.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil, meat from mammals (with the exception of marine mammal), poultry viscera, raw milk shall be tested by methods provided in GB 23200.39; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.39, GB/T 20769; Fruits shall be tested by methods provided in GB 23200.8, GB/T 20769; Nuts, beverages (with the exception of tea), condiments shall be tested referring to methods provided in GB 23200.11; Sugar crops shall be tested referring to methods provided in GB 23200.9; Tea shall be tested referring to methods provided in GB 23200.11, GB/T 20770; Viscera of mammal animals (with the exception of marine mammal), poultry meats, eggs shall be tested referring to methods provided in GB 23200.39.

4.307 Thifensulfuron-methyl

4.307.1 Major purpose of use: herbicide.

4.307.2 ADI: 0.07 mg/kg bw.

4.307.3 Residue: thifensulfuron-methyl.

4.307.4 Maximum residue limit: Shall comply with provisions in the Table 307.

Table 307

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.05
Corn	0.05
Oil seed and oil	
Soybean	0.05
Peanut kernel	0.05

4.307.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770.

4.308 Thifluzamide

4.308.1 Major purpose of use: fungicide.

4.308.2 ADI: 0.014mg/kg bw.

4.308.3 Residue: thifluzamide.

4.308.4 Maximum residue limit: Shall comply with provisions in the Table 308.

Table 308

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Cereals		
	Rice	7
	Brown rice	3
Oil seed and oil		
	Peanut kernel	0.3
Vegetables		
	Potato	2
Medicinal plant		
	Dendrobium (fresh)	2
	Dendrobium (dried)	10

4.308.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9; oil seed and oil, vegetables, medicinal plant shall be tested referring to methods provided in GB 23200.9.

4.309 Dimethipin

4.309.1 Major purpose of use: plant growth regulator.

4.309.2 ADI: 0.02 mg/kg bw.

4.309.3 Residue: dimethipin.

4.309.4 Maximum residue limit: Shall comply with provisions in the Table 309.

Table 309

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Rapeseed	0.2
Cotton seed	1
Sunflower seed	1
Crude cotton seed oil	0.1
Edible Cotton seed oil	0.1
Vegetables	
Potato	0.05
Meat from mammals (with the exception of marine mammal)	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.01

4.309.5 Testing method: Oil seed and oil shall be tested by methods provided in GB/T 23210; Vegetables shall be tested by methods provided in NY/T 1379; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, poultry viscera, eggs, raw milk shall be tested referring to methods provided in GB/T 20771.

4.310 Thiabendazole

4.310.1 Major purpose of use: fungicide.

4.310.2 ADI: 0.1 mg/kg bw.

4.310.3 Residue: For plant-derived foods, it is thiabendazole; For animal-derived foods, it is the sum of thiabendazole and 5-Hydroxythiabendazole.

4.310.4 Maximum residue limit: Shall comply with provisions in the Table 310.

Table 310

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Chicory	0.05
Potato	15
Fruits	
Mandarin orange	10
Orange	10
Tangerine	10
Lemon	10
Pumelo	10
Pome fruit	3
Grape	5
Mango	5
Avocado	15
Papaya	10
Banana	5
Edible fungi	
Mushroom (fresh)	5
Meat from mammals (with the exception of marine mammal)	
Beef	0.1
Viscera of mammal animals (with the exception of marine mammal)	

Beef kidney	1
Beef liver	0.3
Poultry meats	0.05
Eggs	0.1
Raw milk	
Milk	0.2

4.310.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20769, NY/T 1453, NY/T 1680; edible fungi shall be tested by methods provided in GB/T 20769, NY/T 1453, NY/T 1680; meat from mammals (with the exception of marine mammal), poultry meats shall be tested by methods provided in GB/T 20772; viscera of mammal animals (with the exception of marine mammal), eggs shall be tested referring to methods provided in GB/T 20772; raw milk shall be tested by methods provided in GB/T 23211.

4.311 Thiediazole copper

4.311.1 Major purpose of use: fungicide.

4.311.2 ADI: 0.00078 mg/kg bw₀

4.311.3 Residue: 2-amino -5-mercaptop-1,3,4-thiadiazole, expressed as thiediazole copper.

4.311.4 Maximum residue limit: Shall comply with provisions in the Table 311.

Table 311

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Celery	0.1*
Cabbage	0.5*
Tomato	

*The MRL is the temporary limit.

4.312 Hexythiazox

4.312.1 Major purpose of use: Acaricide.

4.312.2 ADI: 0.03 mg/kg bw.

4.312.3 Residue: For plant-derived foods, it is hexythiazox; for animal-derived foods, it is the sum of hexythiazox and trans-(4-chlorophenyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, trans-5-(4-chlorophenyl)-4-methyl-2-tetrahydrothiazole, trans-5-(4-chlorophenyl)-N-(cis-3-hydroxycyclohexyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, trans-5-(4-chlorophenyl)-N-(trans-3-hydroxycyclohexyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, trans-5-(4-chlorophenyl)-N-(cis-4-hydroxycyclohexyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, trans-5-(4-chlorophenyl)-N-(trans-4-hydroxycyclohexyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, trans-5-(4-chlorophenyl)-N-(3,4-dihydroxycyclohexyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, and trans-5-(4-chlorophenyl)-N-(3,4-dihydroxycyclohexyl)-4-methyl-2-tetrahydrothiazole-3-semicarbazide, expressed as hexythiazox.

4.312.4 Maximum residue limit: Shall comply with provisions in the Table 312.

Table 312

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.05
Vegetables	
Tomato	0.1
Eggplant	0.1
Gourd vegetables	0.05
Fruits	
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Lemon	0.5
Pumelo	0.5
Pome fruit (with the exception of apple, pear)	0.4
Apple	0.5
Pear	0.5
Stone fruit (with the exception of date)	0.3
Date (fresh)	2
Grape	1
Strawberry	0.5
Melons	0.05
Dried fruits	
Dried prune	1
Raisin	1
Nuts	0.05
Beverages	
Hop	3
Tea	15
Meat from mammals (with the exception of marine mammal),	0.05*

expressed as residue in the fat	
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Fat of mammal animals (with the exception of milk fat)	0.05*
Poultry meats, expressed as residue in the fat	0.05*
Poultry viscera	0.05*
Eggs	0.05*
Raw milk	0.05*
Milk fat	0.05*

* The MRL is the temporary limit.

4.312.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB/T 20769; Nuts, beverages shall be tested referring to methods provided in GB 23200.8, GB/T 20769.

4.313 Benzothiazolinone

4.313.1 Major purpose of use: fungicide.

4.313.2 ADI: 0.017 mg/kg bw.

4.313.3 Residue: benzothiazolinone.

4.313.4 Maximum residue limit: Shall comply with provisions in the Table 313.

Table 313

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1*
Brown rice	0.5*
Wheat	0.2*
Vegetables	
Cucumber	0.1*
Fruits	
Apple	0.05*

* The MRL is the temporary limit.

4.314 Buprofezin

4.314.1 Major purpose of use: pesticide.

4.314.2 ADI: 0.009 mg/kg bw.

4.314.3 Residue: buprofezin.

4.314.4 Maximum residue limit: Shall comply with provisions in the Table 314.

Table 314

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.3
Brown rice	0.3
Vegetables	
Tomato	2
Chili	2
Gourd vegetables	0.7
Fruits	
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Lemon	0.5
Pumelo	0.5
Apple	3
Pear	6
Peach	9
Nectarine	9
Prune	2
Cherry	2
Grape	1
Strawberry	3
Olive	5
Mango	0.1
Banana	0.3
Dried fruits	
Preserved citrus	2
Dried prune	2
Raisin	2
Nuts	
Apricot kernel	0.05
Beverages	

Tea	10
Coffee bean	0.4
Condiments	
Dried chili	10
Meat from mammals (with the exception of marine mammal)	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.05
Raw milk	0.01

4.314.5 Testing method: Cereals shall be tested by methods provided in GB 23200.34, GB/T 5009.184; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB/T 20769; Nuts, condiments shall be tested referring to methods provided in GB/T 20769; Beverages (with the exception of tea) shall be tested referring to methods provided in GB/T 23376; Tea shall be tested by methods provided in GB/T 23376; Meat from mammals (with the exception of marine mammal) shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal) shall be tested referring to methods provided in GB/T 20772; Raw milk shall be tested by methods provided in GB/T 23211.

4.315 Thien carbazole-methyl

4.315.1 Major purpose of use: herbicide.

4.315.2 ADI: 0.23 mg/kg bw.

4.315.3 Residue: thien carbazole-methyl.

4.315.4 Maximum residue limit: Shall comply with provisions in the Table 315.

Table 315

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05*
Fresh maize	0.05*

* The MRL is the temporary limit.

4.316 Fosthiazate

4.316.1 Major purpose of use: nematocide.

4.316.2 ADI: 0.004 mg/kg bw.

4.316.3 Residue: fosthiazate.

4.316.4 Maximum residue limit: Shall comply with provisions in the Table 316.

Table 316

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	0.05
Cucumber	0.2
Potato	0.1
Fruits	
Banana	0.05
Watermelon	0.1
Sugar crops	
Sugarcane	0.05

4.316.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 20769; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20769.

4.317 Zinc thiazole

4.317.1 Major purpose of use: fungicide.

4.317.2 ADI: 0.01 mg/kg bw.

4.317.3 Residue: zinc thiazole.

4.317.4 Maximum residue limit: Shall comply with provisions in the Table 317.

Table 317

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2*
Brown rice	0.2*
Vegetables	
Cucumber	0.5*
Taro	0.2*
Fruits	
Mandarin orange	0.5*
Orange	0.5*
Tangerine	0.5*
Peach	1*

* The MRL is the temporary limit.

4.318 Fentin hydroxide

- 4.318.1 Major purpose of use: fungicide.
- 4.318.2 ADI: 0.0005 mg/kg bw.
- 4.318.3 Residue: fentin hydroxide.
- 4.318.4 Maximum residue limit: Shall comply with provisions in the Table 318.

Table 318

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Potato	0.1*

* The MRL is the temporary limit.

4.319 Fentin acetate

- 4.319.1 Major purpose of use: fungicide.
- 4.319.2 ADI: 0.0005 mg/kg bw.
- 4.319.3 Residue: fentin acetate.
- 4.319.4 Maximum residue limit: Shall comply with provisions in the Table 319.

Table 319

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	5* 0.05*
Sugar crops Sugar beet	0.1*

* The MRL is the temporary limit.

4.320 Pyridalyl

- 4.320.1 Major purpose of use: pesticide.
- 4.320.2 ADI: 0.03 mg/kg bw.
- 4.320.3 Residue: pyridalyl.
- 4.320.4 Maximum residue limit: Shall comply with provisions in the Table 320.

Table 320

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Head cabbage	3*

* The MRL is the temporary limit.

4.321 Acifluorfen

- 4.321.1 Major purpose of use: herbicide.
- 4.321.2 ADI: 0.013mg/kg bw.
- 4.321.3 Residue: acifluorfen.
- 4.321.4 Maximum residue limit: Shall comply with provisions in the Table 321.

Table 321

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Peanut kernel Soybean	0.1 0.1

4.321.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.70, SN/T 2228.

4.322 Cyhexatin

- 4.322.1 Major purpose of use: Acaricide.
- 4.322.2 ADI: 0.003 mg/kg bw.
- 4.322.3 Residue: cyhexatin.
- 4.322.4 Maximum residue limit: Shall comply with provisions in the Table 322.

Table 322

Food Category/Name	Maximum residue limit, mg/kg
Fruits Tangerine Current (black, red, white)	0.2 0.1

Grape	0.3
Condiments Dried chili	5

4.322.5 Testing method: Fruits shall be tested by methods provided in SN/T 4558; Condiments shall be tested referring to methods provided in SN/T 4558.

4.323 Tricyclazole

4.323.1 Major purpose of use: fungicide.

4.323.2 ADI: 0.04 mg/kg bw.

4.323.3 Residue: tricyclazole.

4.323.4 Maximum residue limit: Shall comply with provisions in the Table 323.

Table 323

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	2
Vegetables Flower Chinese cabbage	2

4.323.5 Testing method: cereals shall be tested by methods provided in GB/T 5009.115; vegetables shall be tested by methods provided in NY/T 1379.

4.324 Tralkoxydim

4.324.1 Major purpose of use: herbicide.

4.324.2 ADI: 0.005 mg/kg bw.

4.324.3 Residue: tralkoxydim.

4.324.4 Maximum residue limit: Shall comply with provisions in the Table 324.

Table 324

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.02

4.324.5 Testing method: Cereals shall be tested referring to methods provided in GB 23200.3.

4.325 Triclopyr

4.325.1 Major purpose of use: herbicide.

4.325.2 ADI: 0.03 mg/kg bw.

4.325.3 Residue: triclopyr.

4.325.4 Maximum residue limit: Shall comply with provisions in the Table 325.

Table 325

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Rapeseed	0.5

4.325.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB/T 20769.

4.326 Dicofol

4.326.1 Major purpose of use: Acaricide.

4.326.2 ADI: 0.002 mg/kg bw.

4.326.3 Residue: Dicofol (the sum of o,p'-isomer and p,p'-isomer).

4.326.4 Maximum residue limit: Shall comply with provisions in the Table 326.

Table 326

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed oil	0.5
Fruits Mandarin orange	1
Orange	1
Tangerine	1
Lemon	1
Pumelo	1
Apple	1
Pear	1
Beverages Tea	0.2

4.326. Testing method: Oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.176; Fruits shall be tested by methods provided in GB 23200.113, NY/T 761; Tea shall be tested by methods provided in GB 23200.113, GB/T 5009.176.

4.327 Tetradifon

4.327.1 Major purpose of use: Acaricide.

4.327.2 ADI: 0.02 mg/kg bw.

4.327.3 Residue: tetradifon.

4.327.4 Maximum residue limit: Shall comply with provisions in the Table 327.

Table 327

Food Category/Name	Maximum residue limit, mg/kg
Fruits Apple	2

4.327.5 Testing method: fruits shall be tested by methods provided in GB 23200.13, NY/T 1379.

4.328 Fosetyl-aluminium

4.328.1 Major purpose of use: fungicide.

4.328.2 ADI: 1 mg/kg bw.

4.328.3 Residue: the sum of Ethylphosphonic acid, phosphoric acid and its phosphate, expressed as Ethylphosphonic acid.

4.328.4 Maximum residue limit: Shall comply with provisions in the Table 328.

Table 328

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	30*
Fruits Apple	30*
Grape	10*
Litchi	1*

* The MRL is the temporary limit.

4.329 Triadimenol

4.329.1 Major purpose of use: fungicide.

4.329.2 ADI: 0.03 mg/kg bw.

4.329.3 Residue: the sum of triadimefon and triadimenol.

4.329.4 Maximum residue limit: Shall comply with provisions in the Table 329.

Table 329

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.5
Brown rice	0.05
Wheat	0.2
Barley	0.2
Oats	0.2
Rye	0.2
Triticale	0.2
Upland crops (with the exception of corn, sorghum) Corn	0.2
Sorghum	0.5
	0.1
Vegetables Solanaceous vegetables	1
Gourd vegetables	0.2
Artichoke	0.7
Fruits Apple	1
Current (black, red, white)	0.7
Grape	0.3
Strawberry	0.7
Banana	1
Pineapple	5
Melons	0.2
Dried fruits Raisin	10
Sugar crops Sugar beet	0.1
Beverages	

Coffee bean	0.5
Condiments	
Dried chili	5
Meat from mammals (with the exception of marine mammal)	0.02*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.329.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20769; Beverages shall be tested by methods provided in GB 23200.113; Condiments shall be tested by methods provided in GB 23200.113.

4.330 Triazophos

4.330.1 Major purpose of use: pesticide.

4.330.2 ADI: 0.001 mg/kg bw.

4.330.3 Residue: triazophos.

4.330.4 Maximum residue limit: Shall comply with provisions in the Table 330.

Table 330

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Wheat	0.05
Barley	0.05
Oats	0.05
Rye	0.05
Triticale	0.05
Upland crops	0.05
Rice	0.6
Oil seed and oil	
Cotton seed	0.1
Crude cotton seed oil	1
Vegetables	
Head cabbage	0.1
Aucchini	0.1
Fruits	
Mandarin orange	0.2
Orange	0.2
Tangerine	0.2
Apple	0.2
Litchi	0.2
Condiments	
Condiment made from fruits	0.07
Condiment made from plant root and stem	0.1

4.330.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; oil seed and oil shall be tested by methods provided in GB 23200.113; vegetables, fruits shall be tested by methods provided in GB 23200.113, NY/T 761; condiments shall be tested by methods provided in GB 23200.113.

4.331 Triadimefon

4.331.1 Major purpose of use: fungicide.

4.331.2 ADI: 0.03 mg/kg bw.

4.331.3 Residue: the sum of triadimefon and triadimenol.

4.331.4 Maximum residue limit: Shall comply with provisions in the Table 331.

Table 331

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Wheat	0.2
Barley	0.2
Oats	0.2
Rye	0.2
Triticale	0.2
Upland crops (with the exception of corn)	0.2
Corn	0.5
Oil seed and oil	

Rapeseed Cotton seed	0.2 0.05
Vegetables	
Head cabbage	0.05
Solanaceous vegetables	1
Gourd vegetables (with the exception of cucumber)	0.2
Cucumber	0.1
Pea	0.05
Artichoke	0.7
Fruits	
Mandarin orange	1
Orange	1
Tangerine	1
Apple	1
Pear	0.5
Current (black, red, white)	0.7
Grape	0.3
Strawberry	0.7
Litchi	0.05
Banana	1
Pineapple	5
Melons	0.2
Dried fruits	
Raisin	10
Sugar crops	
Sugar beet	0.1
Beverages	
Coffee bean	0.5
Condiments	
Dried chili	5
Meat from mammals (with the exception of marine mammal)	0.02*
Viscera of mammal animals (with the exception of marine mammal)	0.01*
Poultry meats	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.01*

* The MRL is the temporary limit.

4.331.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 5009.126, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 5009.126; Beverages, condiments shall be tested by methods provided in GB 23200.113.

4.332 Azocyclotin

4.332.1 Major purpose of use: Acaricide.

4.332.2 ADI: 0.003 mg/kg bw.

4.332.3 Residue: azocyclotin.

4.332.4 Maximum residue limit: Shall comply with provisions in the Table 332.

Table 332

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Mandarin orange	2
Orange	2
Tangerine	0.2
Lemon	0.2
Pumelo	0.2
Apple	0.5
Pear	0.2
Current (red, black, white)	0.1
Grape	0.3

4.332.5 Testing method: fruits shall be tested by methods provided in SN/T 4558.

4.333 Amitrole

4.333.1 Major purpose of use: herbicide.

4.333.2 ADI: 0.002 mg/kg bw.

4.333.3 Residue: amitrole.

4.333.4 Maximum residue limit: Shall comply with provisions in the Table 333.

Table 333

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Pome fruit	0.05
Stone fruit	0.05
Grape	0.05

4.333.5 Testing method: fruits shall be tested by methods provided in GB 23200.6.

4.334 Thiosultap-monosodium

4.334.1 Major purpose of use: pesticide.

4.334.2 ADI: 0.01 mg/kg bw.

4.334.3 Residue: nereistoxin.

4.334.4 Maximum residue limit: Shall comply with provisions in the Table 334.

Table 334

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1
Vegetables	
Head cabbage	0.5*
Ordinary cabbage	1*
Cucumber	2*
Tomato	1*
Kidney bean	2*
Fruits	
Apple	1*
Sugar crops	
Sugarcane	0.1*

* The MRL is the temporary limit.

4.334.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.114.

4.335 Thiocyclam

4.335.1 Major purpose of use: pesticide.

4.335.2 ADI: 0.05 mg/kg bw.

4.335.3 Residue: thiocyclam.

4.335.4 Maximum residue limit: Shall comply with provisions in the Table 335.

Table 335

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.2
Vegetables Head cabbage	0.2
Aucchini	0.2

4.335.5 Testing method: cereals shall be tested by methods provided in GB/T 5009.113; vegetables shall be tested referring to methods provided in GB/T 5009.113, GB/T 5009.114.

4.336 Chlordimeform

4.336.1 Major purpose of use: pesticide.

4.336.2 ADI: 0.001 mg/kg bw.

4.336.3 Residue: chlordimeform.

4.336.4 Maximum residue limit: Shall comply with provisions in the Table 336.

Table 336

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.01
Brown rice	0.01
Wheats	0.01
Upland crops	0.01
Coarse cereals	0.01
Oil seed and oil Cotton seed	0.01
Vegetables Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetables	0.01
Root, tuber and tuberous rooted	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruits Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.336.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.337 Thiosultap-disodium

4.337.1 Major purpose of use: pesticide.

4.337.2 ADI: 0.01 mg/kg bw.

4.337.3 Residue: Nereistoxin.

4.337.4 Maximum residue limit: Shall comply with provisions in the Table 337.

Table 337

Food Category/Name	Maximum residue limit, mg/kg
Cereals	

Rice	1
Brown rice	1
Wheat	0.2
Corn	0.2
Fresh maize	0.2
Rice	0.2
Vegetables	
Head cabbage	0.5
Ordinary cabbage	1
Tomato	1
Fruits	
Apple	1*
Sugar crops	
Sugarcane	0.1*

* The MRL is the temporary limit.

4.337.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.114, Vegetables shall be tested referring to methods provided in GB/T 5009.114.

4.338 Triflumuron

4.338.1 Major purpose of use: pesticide.

4.338.2 ADI: 0.014 mg/kg bw.

4.338.3 Residue: triflumuron.

4.338.4 Maximum residue limit: Shall comply with provisions in the Table 338.

Table 338

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Head cabbage	0.2
Fruits	
Mandarin orange	0.05
Orange	0.05
Tangerine	0.05
Apple	0.1

4.338.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769; Fruits shall be tested by methods provided in GB/T 20769, NY/T 1720.

4.339 Niclosamide-olamine

4.339.1 Major purpose of use: pesticide.

4.339.2 ADI: 1 mg/kg bw .

4.339.3 Residue: Niclosamide.

4.339.4 Maximum residue limit: Shall comply with provisions in the Table 339.

Table 339

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	2*
Brown rice	0.5*

* The MRL is the temporary limit.

4.340 Cartap

4.340.1 Major purpose of use: pesticide.

4.340.2 ADI: 0.1 mg/kg bw.

4.340.3 Residue: cartap.

4.340.4 Maximum residue limit: Shall comply with provisions in the Table 340.

Table 340

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.1
Vegetables	
Head cabbage	0.5
Celery cabbage	3
Fruits	
Mandarin orange	3
Orange	3
Tangerine	3
Beverages	

Tea	20
Sugar crops Sugarcane	0.1

4.340.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 20769; Sugar crops, tea shall be tested referring to methods provided in GB/T 20769.

4.341 Fenitrothion

4.341.1 Major purpose of use: pesticide.

4.341.2 ADI: 0.006 mg/kg bw.

4.341.3 Residue: fenitrothion.

4.341.4 Maximum residue limit: Shall comply with provisions in the Table 341.

Table 341

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	5*
Wheats	5*
Wheat flour	1*
Whole wheat flour	5*
Upland crops	5*
Coarse cereals	5*
Rice	1*
Oil seed and oil	
Soybean	5*
Cotton seed	0.1*
Vegetables	
Bulb vegetables	0.5*
Brassica vegetables (with the exception of head cabbage)	0.5*
Head cabbage	0.2*
Leaf vegetables	0.5*
Solanaceous vegetables	0.5*
Gourd vegetables	0.5*
Leguminous vegetables	0.5*
Stem vegetables	0.5*
Root, tuber and tuberous rooted	0.5*
Aquatic vegetables	0.5*
Sprout vegetables	0.5*
Other vegetables	0.5*
Fruits	
Citrus fruit	0.5*
Pome fruit	0.5*
Stone fruit	0.5*
Berries and other small fruits	0.5*
Tropical and sub-tropical fruits	0.5*
Melons	0.5*
Beverages	
Tea	0.5*
Condiments	
Condiment made from fruits	1
Condiment made from seeds	7
Condiment made from plant root and stem	0.1
Meat from mammals (with the exception of marine mammal)	0.05
Viscera of mammal animals (with the exception of marine mammal)	0.05
Poultry meats	0.05
Eggs	0.05
Raw milk	0.01

* The MRL is the temporary limit.

4.341.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.20, GB/T 14553; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 14553, GB/T 20769, NY/T 761; Tea shall be tested by methods provided in GB 23200.113; Condiments shall be tested by methods provided in GB 23200.113; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), poultry meats, eggs, raw milk shall be tested by methods provided in GB/T 5009.161.

4.342 Methidathion

4.342.1 Major purpose of use: pesticide.

4.342.2 ADI: 0.001 mg/kg bw.

4.342.3 Residue: methidathion.

4.342.4 Maximum residue limit: Shall comply with provisions in the Table 342.

Table 342

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.05
Mandarin orange	2
Orange	2
Tangerine	2
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Meat from mammals (with the exception of marine mammal)	
Pork	0.02
Beef	0.02
Meat of sheep	0.02
Meat of goat	0.02
Viscera of mammal animals (with the exception of marine mammal)	
Pork viscera	0.02
Beef viscera	0.02
Sheep viscera	0.02
Goat viscera	0.02
Fat of mammal animals (with the exception of milk fat)	
Pork fat	0.02
Beef fat	0.02
Sheep fat	0.02
Goat fat	0.02
Poultry meats	0.02
Poultry fat	0.02
Poultry viscera	0.02
Eggs	0.02
Raw milk	0.001

4.342.5 Testing method: Cereals shall be tested referring to methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.113, NY/T 761; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 14553, NY/T 761; Meat from mammals (with the exception of marine mammal), viscera of mammal animals (with the exception of marine mammal), fat of mammal animals (with the exception of milk fat), poultry meats, poultry fat, poultry viscera shall be tested by methods provided in GB/T 20772; eggs, raw milk shall be tested referring to methods provided in GB/T 20772.

4.343 Oxamyl

4.343.1 Major purpose of use: pesticide.

4.343.2 ADI: 0.009 mg/kg bw.

4.343.3 Residue: the sum of oxamyl and oxamyl oxime expressed as oxamyl.

4.343.4 Maximum residue limit: Shall comply with provisions in the Table 343.

Table 343

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.2*
Peanut kernel	0.05*
Vegetables	
Tomato	2*
Sweet pepper	2*

Cucumber	2*
Carrot	0.1*
Potato	0.1*
Fruits	
Citrus fruit	5*
Sweet melons	2*
Condiments	
Condiment made from fruits	0.07*
Condiment made from plant root and stem	0.05*
Meat from mammals (with the exception of marine mammal)	0.02*
Viscera of mammal animals (with the exception of marine mammal)	
Pork viscera	0.02*
Beef viscera	0.02*
Sheep viscera	0.02*
Goat viscera	0.02*
Horse viscera	0.02*
Poultry meats	0.02*
Poultry viscera	0.02*
Eggs	0.02*
Raw milk	0.02*

4.344 Anilofos

4.344.1 Major purpose of use: herbicide.

4.344.2 ADI: 0.001 mg/kg bw.

4.344.3 Residue: anilofos.

4.344.4 Maximum residue limit: Shall comply with provisions in the Table 344.

Table 344

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.1

4.344.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113.

4.345 Phenazino-1-carboxylic acid

4.345.1 Major purpose of use: fungicide.

4.345.2 ADI: 0.0028 mg/kg bw.

4.345.3 Residue: phenazino-1-carboxylic acid.

4.345.4 Maximum residue limit: Shall comply with provisions in the Table 345.

Table 345

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Chili	0.1*
Cucumber	0.3*

* The MRL is the temporary limit.

4.346 Bioresmethrin

4.346.1 Major purpose of use: pesticide.

4.346.2 ADI: 0.03 mg/kg bw.

4.346.3 Residue: bioresmethrin.

4.346.4 Maximum residue limit: Shall comply with provisions in the Table 346.

Table 346

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	1
Wheat flour	1
Whole wheat flour	1
Wheat germ	3

4.346.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770, SN/T2151.

4.347 Lufenuron

4.347.1 Major purpose of use: pesticide.

4.347.2 ADI: 0.02 mg/kg bw.

4.347.3 Residue: lufenuron.

4.347.4 Maximum residue limit: Shall comply with provisions in the Table 347.

Table 347

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.05*
Vegetables Head cabbage	1*
Fruits Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Apple	1

* The MRL is the temporary limit.

4.347.5 Testing method: fruits shall be tested by methods provided in GB/T 20769.

4.348 Bispyribac-sodium

4.348.1 Major purpose of use: herbicide.

4.348.2 ADI: 0.01 mg/kg bw.

4.348.3 Residue: bispyribac-sodium.

4.348.4 Maximum residue limit: Shall comply with provisions in the Table 348.

Table 348

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.1*
Brown rice	0.1*

* The MRL is the temporary limit.

4.349 Florasulam

4.349.1 Major purpose of use: herbicide.

4.349.2 ADI: 0.05 mg/kg bw.

4.349.3 Residue: florasulam.

4.349.4 Maximum residue limit: Shall comply with provisions in the Table 349.

Table 349

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.01

4.349.5 Testing method: Cereals shall be tested referring to methods provided in GB/T 20769.

4.350 Iminoctadinetris (albesilate)

4.350.1 Major purpose of use: fungicide.

4.350.2 ADI: 0.009 mg/kg bw.

4.350.3 Residue: Iminoctadine.

4.350.4 Maximum residue limit: Shall comply with provisions in the Table 350.

Table 350

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	1*
Cucumber	2*
Asparagus	1*
Fruits Mandarin orange	3*
Orange	3*
Tangerine	3*
Apple	2*
Grape	1*
Watermelon	0.2*

* The MRL is the temporary limit.

4.351 Amitraz

4.351.1 Major purpose of use: Acaricide.

4.351.2 ADI: 0.01 mg/kg bw.

4.351.3 Residue: The sum of amitraz and N-(2,4-xylyl)-N'-methyl-formamidine, expressed as amitraz.

4.351.4 Maximum residue limit: Shall comply with provisions in the Table 351.

Table 351

Food Category/Name	Maximum residue limit, mg/kg
Cereals Fresh maize	0.5
Oil seed and oil Cotton seed	0.5
Cotton seed oil	0.05
Vegetables Tomato	0.5
Eggplant	0.5
Chili	0.5
Cucumber	0.5
Fruits Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Lemon	0.5
Pumelo	0.5
Apple	0.5
Pear	0.5
Hawthorn	0.5
Loquat	0.5
Quinces	0.5
Peach	0.5
Cherry	0.5
Edible fungi Mushroom (fresh)	0.5
Meat from mammals (with the exception of marine mammal) Pork	0.05*
Beef	0.05*
Meat of sheep	0.1*
Viscera of mammal animals (with the exception of marine mammal) Pork viscera	0.2*
Beef viscera	0.2*
Sheep viscera	0.2*
Raw milk	0.01

* The MRL is the temporary limit.

4.351.5 Testing method: Cereals, oil seed and oil, vegetables, fruits, edible fungi shall be tested by methods provided in GB/T 5009.143; Raw milk shall be tested by methods provided in GB 29707.

4.352 Mandipropamid

4.352.1 Major purpose of use: fungicide.

4.352.2 ADI: 0.2 mg/kg bw.

4.352.3 Residue: mandipropamid.

4.352.4 Maximum residue limit: Shall comply with provisions in the Table 352.

Table 352

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Onion	0.1*
Scallion	7*
Head cabbage	3*
Sprouting broccoli	2*
Leaf (with the exception of celery) Celery	25*
Tomato	20*
Chili	0.3*
Cucumber	1*
Squash	0.2*
Potato	0.2*
	0.01*
Fruits Grape	0.2*
Litchi	0.2*
Watermelon	0.2*
Sweet melons	0.5*
Dried fruits Raisin	5*
Beverages Hop	90*
Condiments	

Dried chili	10*
* The MRL is the temporary limit.	

4.353 Propamocarb and propamocarb hydrochloride

- 4.353.1 Major purpose of use: fungicide.
- 4.353.2 ADI: 0.4 mg/kg bw.
- 4.353.3 Residue: Propamocarb.
- 4.353.4 Maximum residue limit: Shall comply with provisions in the Table 353.

Table 353

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Brown rice	0.1
Vegetables	
Onion	2
Spring onion	30
Brussels sprouts	2
Broccoli	0.2
Sprouting broccoli	3
Spinach	100
Celery cabbage	10
Chicory	2
Tomato	2
Eggplant	0.3
Chili	2
Sweet pepper	3
Gourd vegetables	5
Radish	1
Potato	0.3
Fruits	
Grape	2
Melons	5
Condiments	
Dried chili	10
Medicinal plant	
Corydalis yanhusuo (fresh)	2
Corydalis yanhusuo (dry)	2
Meat from mammals (with the exception of marine mammal)	0.01
Viscera of mammal animals (with the exception of marine mammal)	0.01
Poultry meats	0.01
Poultry fat	0.01
Poultry viscera	0.01
Eggs	0.01
Raw milk	0.01

- 4.353.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Vegetables shall be tested by methods provided in GB/T 20769, NY/T 1379; Fruits shall be tested by methods provided in GB/T 20769; Condiments shall be tested referring to methods provided in SN 0685; Medicinal plant shall be tested referring to methods provided in GB/T 20769; Meat from mammals (with the exception of marine mammal), poultry meats shall be tested by methods provided in GB/T 20772; Viscera of mammal animals (with the exception of marine mammal), poultry fat, poultry viscera, eggs shall be tested referring to methods provided in GB/T 20772; Raw milk shall be tested by methods provided in GB/T 23211.

4.354 Cymoxanil

- 4.354.1 Major purpose of use: fungicide.
- 4.354.2 ADI: 0.013 mg/kg bw.
- 4.354.3 Residue: cymoxanil.
- 4.354.4 Maximum residue limit: Shall comply with provisions in the Table 354.

Table 354

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	1
Chili	0.2
Cucumber	0.5
Potato	0.5
Fruits	
Grape	0.5

Litchi	0.1
4.354.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20769.	

4.355 Isocarbophos

- 4.355.1 Major purpose of use: pesticide.
- 4.355.2 ADI: 0.003 mg/kg bw.
- 4.355.3 Residue: isocarbophos.
- 4.355.4 Maximum residue limit: Shall comply with provisions in the Table 355.

Table 355

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil	
Cotton seed	0.05
Peanut kernel	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.02
Pome fruit	0.01
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Sugar crops	
Sugar beet	0.05
Sugarcane	0.05
Beverages	
Tea	0.05

- 4.355.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.113, NY/T 761; Fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.20; Sugar crops shall be tested referring to methods provided in GB 23200.113, NY/T 761; Tea shall be tested by methods provided in GB 23200.113, GB/T 23204.

4.356 Tetraconazole

- 4.356.1 Major purpose of use: fungicide.
- 4.356.2 ADI: 0.004 mg/kg bw.

4.356.3 Residue: tetriconazole

4.356.4 Maximum residue limit: Shall comply with provisions in the Table 356.

Table 356

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	0.5
Fruits Strawberry	3

4.356.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.65, GB 23200.113, GB/T 20769 .

4.357 Metaldehyde

4.357.1 Major purpose of use: **molluscicide**.

4.357.2 ADI: 0.1 mg/kg bw.

4.357.3 Residue: metaldehyde.

4.357.4 Maximum residue limit: Shall comply with provisions in the Table 357.

Table 357

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.2*
Oil seed and oil Cotton seed	0.2*
Vegetables Leek Head cabbage Spinach Ordinary cabbage Edible amaranth Garland chrysanthemum Stem and leaf lettuce Stem lettuce leaf Leaf musta Rappini leaf Celery Cumin Celery cabbage Tomato Stem lettuce Turnip	1* 2* 1* 3* 3* 10* 3* 10* 5* 7* 1* 2* 1* 0.5* 3* 3*
Medicinal plant Dendrobium (fresh) Dendrobium (dried)	0.2 0.5

* The MRL is the temporary limit.

4.357.5 Testing method: Medicinal plant shall be tested referring to methods provided in SN/T 4264.

4.358 Phthalide

4.358.1 Major purpose of use: fungicide.

4.358.2 ADI: 0.15 mg/kg bw.

4.358.3 Residue: phthalide.

4.358.4 Maximum residue limit: Shall comply with provisions in the Table 358.

Table 358

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	0.5* 1*
* The MRL is the temporary limit.	

4.358.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9.

4.359 Tecnazene

4.359.1 Major purpose of use: fungicide /plant growth regulator.

4.359.2 ADI: 0.02 mg/kg bw.

4.359.3 Residue: tecnazene.

4.359.4 Maximum residue limit: Shall comply with provisions in the Table 359.

Table 359

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Potato	20

4.359.5 Testing method: Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.360 Clofentezine

4.360.1 Major purpose of use: Acaricide.

4.360.2 ADI: 0.02 mg/kg bw.

4.360.3 Residue: For plant-derived foods, it is clofentezine; For animal-derived foods, it is clofentezine and all metabolites containing 2-chlorophenyl structure, expressed in clofentezine.

4.360.4 Maximum residue limit: Shall comply with provisions in the Table 360.

Table 360

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	0.5
Cucumber	0.5
Fruits Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Lemon	0.5
Pumelo	0.5
Bergamot	0.5
Kumquat	0.5
Apple	0.5
Pear	0.5
Hawthorn	0.5
Loquat	0.5
Quinces	0.5
Stone fruit (with the exception of date)	0.5

Table 360 (continued)

Food Category/Name	Maximum residue limit, mg/kg
Date (fresh)	1
Current (black, red, white)	0.2
Grape	2
Strawberry	2
Sweet melons	0.1
Dried fruits	
Raisin	2
Nuts	0.5*
Meat from mammals (with the exception of marine mammal)	0.05*
Viscera of mammal animals (with the exception of marine mammal)	0.05*
Poultry meats	0.05*
Poultry viscera	0.05*
Eggs	0.05*
Raw milk	0.05*

* The MRL is the temporary limit.

4.360.5 Testing method: Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.47, GB/T 20769; Nuts shall be tested referring to methods provided in GB/T 20769.

4.361 Terbutylazine

4.361.1 Major purpose of use: herbicide.

4.361.2 ADI: 0.003 mg/kg bw.

4.361.3 Residue: terbutylazine.

4.361.4 Maximum residue limit: Shall comply with provisions in the Table 361.

Table 361

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.05
Fresh maize	0.1
Corn	0.1

4.361.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770.

4.362 Terbufos

4.362.1 Major purpose of use: pesticide.

4.362.2 ADI: 0.0006 mg/kg bw.

4.362.3 Residue: the sum of terbufos and its oxygen analogue (sulfoxide and sulphone), expressed as terbufos.

4.362.4 Maximum residue limit: Shall comply with provisions in the Table 362.

Table 362

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.01*
Wheats	0.01*
Upland crops	0.01*
Coarse cereals	0.01*
Oil seed and oil	
Cotton seed	0.01*
Peanut kernel	0.02*
Vegetables	
Bulb vegetables	0.01*
Brassica vegetables	0.01*
Leaf vegetables	0.01*
Solanaceous vegetables	0.01*
Gourd vegetables	0.01*
Leguminous vegetables	0.01*
Stem vegetables	0.01*
Root, tuber and tuberous rooted	0.01*
Aquatic vegetables	0.01*
Sprout vegetables	0.01*
Other vegetables	0.01*
Fruits	
Citrus fruit	0.01*
Pome fruit	0.01*
Stone fruit	0.01*
Berries and other small fruits	0.01*
Tropical and sub-tropical fruits	0.01*
Melons	0.01*

Sugar crops		
Sugarcane		0.01*
Sugar beet		0.01*
Beverages		
Tea		0.01*
Meat from mammals (with the exception of marine mammal)		0.05*
Viscera of mammal animals (with the exception of marine mammal)		0.05*
Poultry meats		0.05*
Poultry viscera		0.05*
Eggs		0.01*
Raw milk		0.01*

* The MRL is the temporary limit.

4.363 Aldicarb

4.363.1 Major purpose of use: pesticide.

4.363.2 ADI: 0.003 mg/kg bw.

4.363.3 Residue: the sum of aldicarb its oxygen analogue (sulfoxide and sulphone), expressed as aldicarb.

4.363.4 Maximum residue limit: Shall comply with provisions in the Table 363.

Table 363

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.02
Barley	0.02
Corn	0.05
Oil seed and oil	
Cotton seed	0.1
Soybean	0.02
Peanut kernel	0.02
Sunflower seed	0.05
Cotton seed oil	0.01
Peanut oil	0.01
Vegetables	
Bulb vegetables	0.03
Brassica vegetables	0.03
Leaf vegetables	0.03
Solanaceous vegetables	0.03
Gourd vegetables	0.03
Leguminous vegetables	0.03
Stem vegetables	0.03
Root, tuber and tuberous rooted (with the exception of sweet potato, potato, cassava, Chinese yam)	0.03
Potato	0.1
Sweet potato	0.1
Chinese yam	0.1
Cassava	0.1
Aquatic vegetables	0.03
Sprout vegetables	0.03
Other vegetables	0.03
Fruits	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Sugar crops	
Sugar beet	0.05
Condiments	
Condiment made from fruits	0.07
Condiment made from plant root and stem	0.02
Meat from mammals (with the exception of marine mammal)	0.01
Raw milk	0.01

4.363.5 Testing method: Cereals, condiments shall be tested by methods provided in GB 23200.112; Oil seed and oil shall be tested by methods provided in GB 23200.112, GB/T 14929.2; Vegetables, fruits shall be tested by methods provided in GB 23200.112, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.112, SN/T 2441; Meat from mammals (with the exception of marine mammal), Raw milk shall be tested by methods provided in SN/T 2560.

4.364 Desmedipham

- 4.364.1 Major purpose of use: herbicide.
- 4.364.3 ADI: 0.04 mg/kg bw.
- 4.364.4 Residue: desmedipham.
- 4.364.5 Maximum residue limit: Shall comply with provisions in the Table 364.

Table 364

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugar beet	0.1*

* The MRL is the temporary limit.

4.365 Phenmedipham

- 4.365.1 Major purpose of use: herbicide.
 4.365.2 ADI: 0.03 mg/kg bw.
 4.365.3 Residue: phenmedipham.
 4.365.4 Maximum residue limit: Shall comply with provisions in the Table 365.

Table 365

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops Sugar beet	0.1

4.365.5 Testing method: Sugar crops shall be tested by methods provided in GB/T 20769.

4.366 Prohexadione -calcium

- 4.366.1 Major purpose of use: plant growth regulator.
 4.366.2 ADI: 0.2 mg/kg bw.
 4.366.3 Residue: prohexadione, expressed as Prohexadione-calcium.
 4.366.4 Maximum residue limit: Shall comply with provisions in the Table 366.

Table 366

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	0.05 0.05

4.366.5 Testing method: Cereals shall be tested referring to methods provided in SN/T 0931.

4.367 Metam -sodium

- 4.367.1 Major purpose of use: nematocide.
 4.367.2 ADI: 0.001mg/kg bw.
 4.367.3 Residue: metam -sodium.
 4.367.4 Maximum residue limit: Shall comply with provisions in the Table 367.

Table 367

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	0.05*

* The MRL is the temporary limit.

4.368 Carboxin

- 4.368.1 Major purpose of use: fungicide.
 4.368.2 ADI: 0.008 mg/kg bw.
 4.368.3 Residue: carboxin.
 4.368.4 Maximum residue limit: Shall comply with provisions in the Table 368.

Table 368

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice Wheat Corn	0.2 0.05 0.2
Oil seed and oil Cotton seed Soybean	0.2 0.2
Vegetables Vegetable soybean	0.2

4.368.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9; oil seed and oil shall be tested referring to methods provided in GB 23200.9; vegetables shall be tested by methods provided in NY/T 1379.

4.369 Trifloxystrobin

- 4.369.1 Major purpose of use: fungicide.
 4.369.2 ADI: 0.04 mg/kg bw.
 4.369.3 Residue: trifloxystrobin.
 4.369.4 Maximum residue limit: Shall comply with provisions in the Table 369.

Table 369

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.1
Wheat	0.2
Barley	0.5
Corn	0.02
Oil seed and oil	
Peanut kernel	0.02
Virgin olive oil	0.9
Refined olive oil	1.2
Vegetables	
Leek	0.7
Head cabbage	0.5
Brussels sprouts	0.5
Cabbage lettuce	15
Radish leaf	15
Celery	1
Tomato	0.7
Eggplant	0.7
Chili	0.5
Sweet pepper	0.3
Cucumber	0.3
Asparagus	0.05
Carrot	0.1
Radish	0.08
Potato	0.2
Fruits	
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Lemon	0.5
Pumelo	0.5
Bergamot	0.5
Kumquat	0.5
Apple	0.7
Pear	0.7
Hawthorn	0.7
Loquat	0.7
Quinces	0.7
Stone fruit	3
Grape	3
Strawberry	1
Olive	0.3
Banana	0.1
Papaya	0.6
Watermelon	0.2
Dried fruits	
Raisin	5
Nuts	0.02
Sugar crops	
Sugar beet	0.05
Beverages	
Hop	40

- 4.369.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Nuts, sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23200.113; Beverages shall be tested by methods provided in GB 23200.113.

4.370 Penoxsulam

- 4.370.1 Major purpose of use: herbicide.
 4.370.2 ADI: 0.147 mg/kg bw.
 4.370.3 Residue: penoxsulam.
 4.370.4 Maximum residue limit: Shall comply with provisions in the Table 370.

Table 370

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice Brown rice	0.02* 0.02*

* The MRL is the temporary limit.

4.371 Quintozene

- 4.371.1 Major purpose of use: fungicide.
- 4.371.2 ADI: 0.01 mg/kg bw.
- 4.371.3 Residue: For plant-derived foods, it is quintozene; For animal-derived foods, it is the sum of quintozene, pentachloroaniline and pentachlorobenzene ether.
- 4.371.4 Maximum residue limit: Shall comply with provisions in the Table 371.

Table 371

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.01
Barley	0.01
Corn	0.01
Fresh maize	0.1
Coarse cereals (with the exception of pea)	0.02
Pea	0.01
Oil seed and oil	
Cotton seed	0.01
Soybean	0.01
Peanut kernel	0.5
Cotton seed oil	0.01
Vegetables	
Head cabbage	0.1
Broccoli	0.05
Tomato	0.1
Eggplant	0.1
Chili	0.1
Sweet pepper	0.05
Kidney bean	0.1
Potato	0.2
Fruits	
Watermelon	0.02
Sugar crops	
Sugar beet	0.01
Edible fungi	
Mushroom (fresh)	0.1
Condiments	
Dried chili	0.1
Condiment made from fruits	0.02
Condiment made from seeds	0.1
Condiment made from plant root and stem	2
Poultry meats	0.1
Poultry viscera	0.1
Eggs	0.03

- 4.371.5 Cereals, vegetables shall be tested by methods provided in GB 23200.113, GB/T 5009.19, GB/T 5009.136; Oil seed and oil, edible fungi, condiments shall be tested by methods provided in GB 23200.113; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 5009.19, GB/T 5009.136; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.372 Penconazole

- 4.372.1 Major purpose of use: fungicide.
- 4.372.2 ADI: 0.03 mg/kg bw.
- 4.372.3 Residue: penconazole.
- 4.372.4 Maximum residue limit: Shall comply with provisions in the Table 372.

Table 372

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Cucumber Tomato	0.1 0.2
Fruits	

Pome fruit	0.2
Peach	0.1
Nectarine	0.1
Grape	0.2
Strawberry	0.1
Sweet melons	0.1
Dried fruits	
Raisin	0.5
Beverages	
Hop	0.5

4.372.5 Testing method: Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Beverages shall be tested by methods provided in GB 23200.113.

4.373 Tebuconazole

4.373.1 Major purpose of use: fungicide.

4.373.2 ADI: 0.03 mg/kg bw.

4.373.3 Residue: tebuconazole.

4.373.4 Maximum residue limit: Shall comply with provisions in the Table 373.

Table 373

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.5
Wheat	0.05
Barley	2
Oats	2
Rye	0.15
Triticale	0.15
Sorghum	0.05
Coarse cereals	0.3
Oil seed and oil	
Rapeseed	0.3
Cotton seed	2
Peanut kernel	0.1
Soybean	0.05
Vegetables	
Garlic	0.1
Onion	0.1
Spring onion	0.7
Head cabbage	1
Brussels sprouts	0.3
Broccoli	0.05
Sprouting broccoli	0.2
Cabbage lettuce	5
Celery cabbage	7
Tomato	2
Eggplant	0.1
Chili	2
Sweet pepper	1
Cucumber	1
Squash	0.2
Bitter gourd	2
Artichoke	0.6
Carrot	0.4
Cactus	0.6
Fruits	
Mandarin orange	2
Orange	2
Tangerine	2
Apple	2
Pear	0.5
Hawthorn	0.5
Loquat	0.5
Quinces	0.5
Peach	2
Nectarine	2
Apricot	2
Prune	1
Cherry	4
Mulberry	1.5
Grape	2
Passion fruit	0.1

Olive	0.05
Mango	0.05
Papaya	2
Banana	3
Watermelon	0.1
Sweet melons	0.15
Dried fruits	
Dried prune	3
Nuts	0.05
Beverages	
Coffee bean	0.1
Hop	40
Condiments	
Dried chili	10
Medicinal plant	
Notoginseng (Sanchi) root tuber (dry)	3
Notoginseng (Sanchi) fibrous root (dry)	15

4.373.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Oil seed and oil, beverages shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Fruits, dried fruits, condiments shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Nuts, medicinal plant shall be tested referring to methods provided in GB 23200.113, GB/T 20770.

4.374 Simetryn

4.374.1 Major purpose of use: herbicide.

4.374.2 ADI: 0.025 mg/kg bw.

4.374.3 Residue: simetryn.

4.374.4 Maximum residue limit: Shall comply with provisions in the Table 374.

Table 374

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.05
Oil seed and oil	
Peanut kernel	0.05

4.374.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770.

4.375 Simazine

4.375.1 Major purpose of use: herbicide.

4.375.2 ADI: 0.018 mg/kg bw.

4.375.3 Residue: simazine.

4.375.4 Maximum residue limit: Shall comply with provisions in the Table 375.

Table 375

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.1
Sugar crops	
Sugarcane	0.5
Fruits	
Apple	0.2
Pear	0.05
Beverages	
Tea	0.05

4.375.5 Cereals shall be tested by methods provided in GB 23200.113; Fruits shall be tested by methods provided in GB/T 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23200.113, NY/T 761, NY/T 1379; Tea shall be tested by methods provided in GB 23200.113.

4.376 Probenazole

4.376.1 Major purpose of use: fungicide.

4.376.2 ADI: 0.07 mg/kg bw.

4.376.3 Residue: probenazole.

4.376.4 Maximum residue limit: Shall comply with provisions in the Table 376.

Table 376

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Cereals	Rice Brown rice	1* 1*
* The MRL is the temporary limit.		

4.377 Clethodim

- 4.377.1 Major purpose of use: herbicide.
 4.377.2 ADI: 0.01 mg/kg bw.
 4.377.3 Residue: The sum of clethodim and its metabolite (sulfoxide and sulphone), expressed as clethodim..
 4.377.4 Maximum residue limit: Shall comply with provisions in the Table 377.

Table 377

Food Category/Name	Maximum residue limit, mg/kg
Cereals Coarse cereals	2*
Oil seed and oil Rapeseed	0.5*
Cotton seed	0.5*
Soybean	0.1*
Peanut kernel	5*
Sunflower seed	0.5*
Crude soybean oil	1*
Crude rapeseed oil	0.5*
Crude cotton seed oil	0.5*
Crude sunflower seed oil	0.1*
Soybean oil	0.5*
Canola oil	0.5*
Edible Cotton seed oil	0.5*
Vegetables Garlic	0.5
Onion	0.5
Tomato	1
Leguminous vegetables Potato	0.5
Sugar crops Sugar beet	0.1

* The MRL is the temporary limit.

- 4.377.5 Testing method: Vegetables shall be tested by methods provided in GB 23200.8; Sugar crops shall be tested referring to methods provided in GB 23200.8.

4.378 Methoprene

- 4.378.1 Major purpose of use: pesticide.
 4.378.2 ADI: 0.09 mg/kg bw.
 4.378.3 Residue: methoprene.
 4.378.4 Maximum residue limit: Shall comply with provisions in the Table 378.

Table 378

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	10

- 4.378.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113.

4.379 Nitenpyram

- 4.379.1 Major purpose of use: pesticide.
 4.379.2 ADI: 0.53 mg/kg bw.
 4.379.3 Residue: nitenpyram.
 4.379.4 Maximum residue limit: Shall comply with provisions in the Table 379.

Table 379

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice Brown rice	0.5* 0.1*
Oil seed and oil Cotton seed	0.05*
Vegetables Head cabbage	0.2*
Fruits	

Mandarin orange	0.5*
Orange	0.5*
Tangerine	0.5*

* The MRL is the temporary limit.

4.379.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20769; Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.380 Sethoxydim

4.380.1 Major purpose of use: herbicide.

4.380.2 ADI: 0.14 mg/kg bw.

4.380.3 Residue: sethoxydim.

4.380.4 Maximum residue limit: Shall comply with provisions in the Table 380.

Table 380

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Rapeseed	0.5
Flaxseed	0.5
Cotton seed	0.5
Soybean	2
Peanut kernel	2
Sugar crops	
Sugar beet	0.5

4.380.5 Testing method: Oil seed and oil, sugar crops shall be tested referring to methods provided in GB 23200.9, GB/T 20770.

4.381 Fenaminstrobin

4.381.1 Major purpose of use: fungicide.

4.381.2 ADI: 0.069 mg/kg bw.

4.381.3 Residue: fenaminstrobin.

4.381.4 Maximum residue limit: Shall comply with provisions in the Table 381.

Table 381

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	1*
Brown rice	1*
Wheat	0.1*
Vegetables	
Cucumber	1*

* The MRL is the temporary limit.

4.382 Enestroburin

4.382.1 Major purpose of use: fungicide.

4.382.2 ADI: 0.024mg/kg bw.

4.382.3 Residue: enestroburin.

4.382.4 Maximum residue limit: Shall comply with provisions in the Table 382.

Table 382

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Cucumber	1*

* The MRL is the temporary limit.

4.383 Dimethomorph

4.383.1 Major purpose of use: fungicide.

4.383.2 ADI: 0.2 mg/kg bw.

4.383.3 Residue: dimethomorph.

4.383.4 Maximum residue limit: Shall comply with provisions in the Table 383.

Table 383

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Garlic	0.6
Onion	0.6

Scallion	9
Spring onion	0.8
Head cabbage	2
Sprouting broccoli	1
Spinach	30
Cabbage lettuce	10
Lamb' s-lettuce	10
Taro leaf	10
Celery	15
Solanaceous vegetables (with the exception of chili)	1
Chili	3
Gourd vegetables (with the exception of cucumber)	0.5
Cucumber	5
Edible podded pea	0.15
Inedible podded legume vegetables	0.7
Artichoke	2
Potato	0.05
Fruits	
Grape	5
Strawberry	0.05
Pineapple	0.01
Melons	0.5
Dried fruits	
Raisin	5
Beverages	
Hop	80
Condiments	
Dried chili	5

4.383.5 Testing method: Vegetables, fruits, dried fruits shall be tested by methods provided in GB/T 20769; Beverages, condiments shall be tested referring to methods provided in GB/T 20769.

4.384 Uniconazole

4.384.1 Major purpose of use: plant growth regulator.

4.384.2 ADI: 0.02 mg/kg bw.

4.384.3 Residue: uniconazole.

4.384.4 Maximum residue limit: Shall comply with provisions in the Table 384.

Table 384

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.1
Wheat	0.05
Oil seed and oil	
Peanut kernel	0.05
Rapeseed	0.05

4.384.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB 23200.9, GB/T 20770.

4.385 Diniconazole

4.385.1 Major purpose of use: fungicide.

4.385.2 ADI: 0.005 mg/kg bw.

4.385.3 Residue: diniconazole.

4.385.4 Maximum residue limit: Shall comply with provisions in the Table 385.

Table 385

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Wheat	0.2
Corn	0.05
Sorghum	0.05
Millet	0.05
Proso millet	0.05
Oil seed and oil	
Peanut kernel	0.5
Vegetables	
Asparagus	0.5
Fruits	
Mandarin orange	1
Orange	1

Tangerine	1
Apple	0.2
Pear	0.1
Grape	0.2
Banana	2

4.385.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.201, GB/T 20769.

4.386 Amidosulfuron

- 4.386.1 Major purpose of use: herbicide.
- 4.386.2 ADI: 0.2 mg/kg bw.
- 4.386.3 Residue: amidosulfuron.
- 4.386.4 Maximum residue limit: Shall comply with provisions in the Table 386.

Table 386

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheats	0.01*

* The MRL is the temporary limit.

4.387 Meptyldinocap

- 4.387.1 Major purpose of use: fungicide.
- 4.387.2 ADI: 0.02 mg/kg bw.
- 4.387.3 Residue: meptyldinocap.
- 4.387.4 Maximum residue limit: Shall comply with provisions in the Table 387.

Table 387

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	2*
Squash	0.07*
Fruits Grape	0.2*
Strawberry	0.3*
Melons (with the exception of watermelon)	0.5*

* The MRL is the temporary limit.

4.388 Mesotrione

- 4.388.1 Major purpose of use: herbicide.
- 4.388.2 ADI: 0.5 mg/kg bw.
- 4.388.3 Residue: mesotrione.
- 4.388.4 Maximum residue limit: Shall comply with provisions in the Table 388.

Table 388

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.05
Brown rice	0.05
Oats	0.01
Corn	0.01
Sorghum	0.01
Millet	0.01
Oil seed and oil Flaxseed	0.01
Soybean	0.03
Vegetables Hibiscus esculentus	0.01
Asparagus	0.01
Rhubarb	0.01
Cactus	0.01
Fruits Berries and other small fruits	0.01
Sugar crops Sugarcane	0.05

4.388.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB/T 20769; Sugar crops shall be tested referring to methods provided in GB/T 20769.

4.389 Xinjunan

- 4.389.1 Major purpose of use: fungicide.
 4.389.2 ADI: 0.028 mg/kg bw.
 4.389.3 Residue: xinjunan.
 4.389.4 Maximum residue limit: Shall comply with provisions in the Table 389.

Table 389

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	0.5*
Chili	0.2*
Fruits	
Apple	0.1*
Oil seed and oil	
Cotton seed	0.1*

* The MRL is the temporary limit.

4.390 Phoxim

- 4.390.1 Major purpose of use: pesticide.
 4.390.2 ADI: 0.004 mg/kg bw.
 4.390.3 Residue: phoxim.
 4.390.4 Maximum residue limit: Shall comply with provisions in the Table 390.

Table 390

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Wheats	0.05
Upland crops (with the exception of corn, fresh maize)	0.05
Corn	0.1
Fresh maize	0.1
Coarse cereals	0.05
Oil seed and oil	
Rapeseed	0.1
Cotton seed	0.1
Soybean	0.05
Peanut kernel	0.05
Vegetables	
Bulb vegetables (with the exception of garlic)	0.05
Garlic	0.1
Brassica vegetables (with the exception of head cabbage)	0.05
Head cabbage	0.1
Leaf vegetables (with the exception of ordinary cabbage)	0.05
Ordinary cabbage	0.1
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Apple	0.3
Pear	0.05
Hawthorn	0.05
Loquat	0.05
Quinces	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Sugar crops	
Sugarcane	0.05
Beverages	
Tea	0.2

- 4.390.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.102, SN/T 3769; Oil seed and oil shall be tested referring to methods provided in GB/T 5009.102, GB/T 20769, SN/T 3769; Vegetables, fruits shall be tested by

methods provided in GB/T 5009.102, GB/T 20769; Sugar crops shall be tested referring to methods provided in GB/T 5009.102, GB/T 20769; Tea shall be tested referring to methods provided in GB/T 20769.

4.391 Bromoxynil octanoate

- 4.391.1 Major purpose of use: herbicide.
- 4.391.2 ADI: 0.015 mg/kg bw.
- 4.391.3 Residue: bromoxynil octanoate.
- 4.391.4 Maximum residue limit: Shall comply with provisions in the Table 391.

Table 391

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.1*
	0.05*
Vegetables	0.1*
	0.1*
	0.1*

* The MRL is the temporary limit.

4.392 Bromoxynil

- 4.392.1 Major purpose of use: herbicide.
- 4.392.2 ADI: 0.01 mg/kg bw.
- 4.392.3 Residue: bromoxynil.
- 4.392.4 Maximum residue limit: Shall comply with provisions in the Table 392.

Table 392

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05
	0.1

4.392.5 Testing method: Cereals shall be tested by methods provided in SN/T 2228.

4.393 Methyl bromide

- 4.393.1 Major purpose of use: fumigant.
- 4.393.2 ADI: 1mg/kg bw.
- 4.393.3 Residue: methyl bromide.
- 4.393.4 Maximum residue limit: Shall comply with provisions in the Table 393.

Table 393

Food Category/Name	Maximum residue limit, mg/kg
Cereals	5*
	5*
	5*
	5*
	5*
Oil seed and oil	5*
Vegetables	5*
Fruits	30*

* The MRL is the temporary limit.

4.394 Bromothalonil

- 4.394.1 Major purpose of use: fungicide.
- 4.394.2 ADI: 0.001 mg/kg bw.
- 4.394.3 Residue: bromothalonil.
- 4.394.4 Maximum residue limit: Shall comply with provisions in the Table 394.

Table 394

Food Category/Name	Maximum residue limit, mg/kg
Fruits	0.5*
	0.5*

	Tangerine Apple	0.5* 0.2*
Vegetables	Cucumber	0.5*
* The MRL is the temporary limit.		

4.395 Bromopropylate

4.395.1 Major purpose of use: Acaricide.

4.395.2 ADI: 0.03 mg/kg bw.

4.395.3 Residue: bromopropylate.

4.395.4 Maximum residue limit: Shall comply with provisions in the Table 395.

Table 395

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Cucumber	0.5
Squash	0.5
Kidney bean	3
Fruits	
Mandarin orange	2
Orange	2
Tangerine	2
Lemon	2
Pumelo	2
Apple	2
Pear	2
Hawthorn	2
Loquat	2
Quinces	2
Prune	2
Grape	2
Strawberry	2
Sweet melons	0.5
Dried fruits	
Dried prune	2

4.395.5 Testing method: Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 1379; Fruits, dried fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, SN/T 0192 .

4.396 Cyantraniliprole

4.396.1 Major purpose of use: pesticide.

4.396.2 ADI: 0.03 mg/kg bw.

4.396.3 Residue: cyantraniliprole.

4.396.4 Maximum residue limit: Shall comply with provisions in the Table 396.

Table 396

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2*
Brown rice	0.2*
Vegetables	
Garlic	0.05*
Onion	0.05*
Scallion	8*
Brassica vegetables (with the exception of head cabbage)	
Head cabbage	2*
Leaf vegetables (with the exception of ordinary cabbage, cabbage lettuce, celery)	0.5*
Ordinary cabbage	20*
Cabbage lettuce	7*
Celery	5*
Solanaceous vegetables (with the exception of tomato, chili)	
Tomato	15*
Chili	0.5*
Cucumber	0.2*
Stem and root vegetables	
Potato	0.2*
Fruits	
Pome fruit	0.05*
Peach	0.05*
Prune	0.05*

Cherry Berries and other small fruits	6* 4*
Dried fruits Dried prune	0.5*
Beverages Coffee bean	0.03*
Condiments Dried chili	5*

* The MRL is the temporary limit.

4.397 Deltamethrin

- 4.397.1 Major purpose of use: pesticide.
- 4.397.2 ADI: 0.01 mg/kg bw.
- 4.397.3 Residue: deltamethrin (sum of isomers)
- 4.397.4 Maximum residue limit: Shall comply with provisions in the Table 397.

Table 397

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Wheats	0.5
Upland crops (with the exception of fresh maize)	0.5
Fresh maize	0.2
Coarse cereals (with the exception of pea, lentils)	0.5
Pea	1
Lentils	1
Processed grain (with the exception of wheat flour)	0.5
Wheat flour	0.2
Oil seed and oil	
Rapeseed	0.1
Cotton seed	0.1
Soybean	0.05
Peanut kernel	0.01
Sunflower seed	0.05
Vegetables	
Onion	0.05
Spring onion	0.2
Head cabbage	0.5
Broccoli	0.5
Sprouting broccoli	0.5
Spinach	0.5
Ordinary cabbage	0.5
Garland chrysanthemum	2
Stem and leaf lettuce	2
Leaf musta	2
Celery	2
Celery cabbage	0.5
Tomato	0.2
Eggplant	0.2
Chili	0.2
Leguminous vegetables	0.2
Radish	0.2
Carrot	0.2
Celeriac	0.2
Turnip	0.2
Potato	0.01
Sweet potato	0.5
Taro	0.2
Cactus	0.02
Fruits	
Citrus fruit (with the exception of the separately listed)	0.02
Mandarin orange	0.05
Orange	0.05
Tangerine	0.05
Lemon	0.05
Pumelo	0.05
Apple	0.1
Pear	0.1
Peach	0.05
Nectarine	0.05
Apricot	0.05
Date (fresh)	0.05
Prune	0.05

Cherry	0.05
Greengage	0.05
Grape	0.2
Kiwi fruit	0.05
Strawberry	0.2
Olive	1
Litchi	0.05
Mango	0.05
Banana	0.05
Pineapple	0.05
Dried fruits	
Dried prune	0.05
Nuts	
Hazelnut	0.02
Walnut	0.02
Beverages	
Tea	10
Edible fungi	
Mushroom (fresh)	0.2
Condiments	
Condiment made from fruits	0.03
Condiment made from plant root and stem	0.5

4.397.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 5009.110; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761, SN/T 0217; Fruits, dried fruits, edible fungi shall be tested by methods provided in GB 23200.113, NY/T 761; Nuts shall be tested referring to methods provided in GB 23200.9, GB 23200.113, GB/T 5009.110; Tea shall be tested by methods provided in GB 23200.113, GB/T 5009.110; Condiments shall be tested by methods provided in GB 23200.113.

4.398 Bronopol

4.398.1 Major purpose of use: fungicide.

4.398.2 ADI: 0.02 mg/kg bw.

4.398.3 Residue: bronopol.

4.398.4 Maximum residue limit: Shall comply with provisions in the Table 398.

Table 398

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2*
Brown rice	0.2*

* The MRL is the temporary limit.

4.399 Vamidothion

4.399.1 Major purpose of use: pesticide.

4.399.2 ADI: 0.008 mg/kg bw.

4.399.3 Residue: vamidothion.

4.399.4 Maximum residue limit: Shall comply with provisions in the Table 399.

Table 399

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Apple	1
Pear	1

4.399.5 Testing method: Fruits shall be tested by methods provided in GB/T 20769.

4.400 Phosmet

4.400.1 Major purpose of use: pesticide.

4.400.2 ADI: 0.01 mg/kg bw.

4.400.3 Residue: phosmet.

4.400.4 Maximum residue limit: Shall comply with provisions in the Table 400.

Table 400

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.5
Corn	0.05
Oil seed and oil	
Cotton seed	0.05
Vegetables	

Celery	0.5
cabbage	0.05
Potato	
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Lemon	5
Pumelo	5
Pome fruit	3
Peach	10
Nectarine	10
Apricot	10
Blueberry	10
Cranberry	3
Grape	10
Nuts	0.2

4.400.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.131; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.113, GB/T 5009.131, NY/T 761; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 761; Nuts shall be tested referring to methods provided in GB 23200.8, GB 23200.113, GB/T 20770.

4.401 Imibenconazole

4.401.1 Major purpose of use: fungicide.

4.401.2 ADI: 0.0098mg/kg bw.

4.401.3 Residue: imibenconazole.

4.401.4 Maximum residue limit: Shall comply with provisions in the Table 401.

Table 401

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Mandarin orange	1*
Orange	1*
Tangerine	1*
Apple	1*
Greengage	3*
Grape	3*

* The MRL is the temporary limit.

4.402 Oxydemeton-methyl

4.402.1 Major purpose of use: pesticide.

4.402.2 ADI: 0.0003 mg/kg bw.

4.402.3 Residue: sum of demeton-S-methyl, oxydemeton-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl.

4.402.4 Maximum residue limit: Shall comply with provisions in the Table 402.

Table 402

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.02*
Barley	0.02*
Rye	0.02*
Coarse cereals	0.1*
Oil seed and oil	
Cotton seed	0.05*
Vegetables	
Kohlrabi	0.05*
Kale	0.01*
Broccoli	0.01*
Potato	0.01*
Fruits	
Pear	0.05*
Lemon	0.2*
Sugar crops	
Sugar beet	0.01*

* The MRL is the temporary limit.

4.403 Nicotine

4.403.1 Major purpose of use: pesticide.

4.403.2 ADI: 0.0008 mg/kg bw.

4.403.3 Residue: nicotine.

4.403.4 Maximum residue limit: Shall comply with provisions in the Table 403.

Table 403

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.05*
Vegetables Head cabbage	0.2
Fruits Mandarin orange	0.2
Orange	0.2
Tangerine	0.2

* The MRL is the temporary limit.

4.403.5 Testing method: Vegetables, Fruits shall be tested referring to methods provided in GB/T 20769, SN/T 2397.

4.404 Nicosulfuron

4.404.1 Major purpose of use: herbicide.

4.404.2 ADI: 2mg/kg bw.

4.404.3 Residue: nicosulfuron.

4.404.4 Maximum residue limit: Shall comply with provisions in the Table 404.

Table 404

Food Category/Name	Maximum residue limit, mg/kg
Cereals Corn	0.1

4.404.5 Testing method: Cereals shall be tested referring to methods provided in NY/T1616.

4.405 Moroxydinehydrochloride

4.405.1 Major purpose of use: fungicide.

4.405.2 ADI: 0.1 mg/kg bw.

4.405.3 Residue: moroxydine.

4.405.4 Maximum residue limit: Shall comply with provisions in the Table 405.

Table 405

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	5*

* The MRL is the temporary limit.

4.406 Omethoate

4.406.1 Major purpose of use: pesticide.

4.406.2 ADI: 0.0003 mg/kg bw.

4.406.3 Residue: omethoate.

4.406.4 Maximum residue limit: Shall comply with provisions in the Table 406.

Table 406

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheats	0.02
Upland crops	0.05
Coarse cereals	0.05
Oil seed and oil Cotton seed	0.02
Soybean	0.05
Vegetables Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	

Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Sugar crops	
Sugar beet	0.05
Sugarcane	0.05
Beverages	
Tea	0.05
Condiments	
Condiment made from fruits	0.01
Condiment made from plant root and stem	0.05

4.406.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables, Fruits shall be tested by methods provided in GB 23200.113, NY/T 761, NY/T 1379; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 20770, NY/T 761; Tea shall be tested by methods provided in GB 23200.13, GB 23200.113; Condiments shall be tested by methods provided in GB 23200.113.

4.407 Triallate

4.407.1 Major purpose of use: herbicide.

4.407.2 ADI: 0.025 mg/kg bw.

4.407.3 Residue: triallate.

4.407.4 Maximum residue limit: Shall comply with provisions in the Table 407.

Table 407

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.05

4.407.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770.

4.408 Difenoquat

4.408.1 Major purpose of use: herbicide.

4.408.2 ADI: 0.25mg/kg bw.

4.408.3 Residue: difenoquat.

4.408.4 Maximum residue limit: Shall comply with provisions in the Table 408.

Table 408

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheats	0.1

4.408.5 Testing method: Cereals shall be tested by methods provided in GB/T 5009.200.

4.409 Ivermectin

4.409.1 Major purpose of use: pesticide.

4.409.2 ADI: 0.001mg/kg bw.

4.409.3 Residue: ivermectin.

4.409.4 Maximum residue limit: Shall comply with provisions in the Table 409.

Table 409

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Head cabbage	0.02*
Fruits Strawberry	0.1*

* The MRL is the temporary limit.

4.410 Disulfoton

4.410.1 Major purpose of use: pesticide.

4.410.2 ADI: 0.0003 mg/kg bw.

4.410.3 Residue: the sum of disulfoton, thiol-internally absorbed phosphorus and their sulfoxides and sulfones, expressed as disulfoton.

4.410.4 Maximum residue limit: Shall comply with provisions in the Table 410.

Table 410

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.02
Oats	0.02
Corn	0.02
Fresh maize	0.02
Pea	0.02
Vegetables	0.02
Asparagus	0.02
Condiments	0.05
Cactus	0.02

4.410.5 Testing method: Cereals, condiments shall be tested referring to methods provided in GB/T 20769; Vegetables shall be tested by methods provided in GB/T 20769.

4.411 Acetochlor

4.411.1 Major purpose of use: herbicide.

4.411.2 ADI: 0.01 mg/kg bw.

4.411.3 Residue: acetochlor.

4.411.4 Maximum residue limit: Shall comply with provisions in the Table 411.

Table 411

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.05
Brown rice	0.05
Oil seed and oil	0.1
Soybean	0.2
Rapeseed	0.1
Peanut kernel	
Vegetables	0.05
Garlic	0.05
Ginger	0.1

4.411.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.57, GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.57, GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.113, GB/T 20769.

4.412 Ethiprole

4.412.1 Major purpose of use: pesticide.

4.412.2 ADI: 0.005 mg/kg bw.

4.412.3 Residue: ethiprole.

4.412.4 Maximum residue limit: Shall comply with provisions in the Table 412.

Table 412

Food Category/Name	Maximum residue limit, mg/kg
Brown rice	0.2

4.412.5 Testing method: Cereals shall be tested referring to methods provided in GB/T 20769.

4.413 Spinetoram

4.413.1 Major purpose of use: pesticide.

4.413.2 ADI: 0.05 mg/kg bw.

4.413.3 Residue: spinetoram.

4.413.4 Maximum residue limit: Shall comply with provisions in the Table 413.

Table 413

Food Category/Name	Maximum residue limit, mg/kg
Cereals	0.5*
Brown rice	0.2*
Vegetables	0.8*
Onion	0.8*
Scallion	0.3*
Brassica vegetables (with the exception of head cabbage)	
Head cabbage	0.5*
Spinach	8*
Stem and leaf lettuce	10*
Cabbage lettuce	10*
Celery	6*

Tomato	0.06*
Eggplant	0.1*
Leguminous vegetables (with the exception of broad bean, vegetable soybean and cowpea)	0.05*
Cowpea	0.1*
Fruits	
Tangerine	0.07*
Pome fruit	0.05*
Peach	0.3*
Nectarine	0.3*
Blueberry	0.2*
Rubus idaeus	0.8*
Grape	0.3*
Red bayberry	1*
Nuts	0.01*
Sugar crops	
Sugar beet	0.01*

* The MRL is the temporary limit.

4.414 Ethion

4.414.1 Major purpose of use: pesticide.

4.414.2 ADI: 0.002 mg/kg bw.

4.414.3 Residue: ethion.

4.414.4 Maximum residue limit: Shall comply with provisions in the Table 414.

Table 414

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Oil seed and oil	
Cotton seed oil	0.5
Condiments	
Condiment made from fruits	5
Condiment made from seeds	3
Condiment made from plant root and stem	0.3

4.414.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.20; Oil seed and oil, condiments shall be tested by methods provided in GB 23200.113.

4.415 Etoxazole

4.415.1 Major purpose of use: Acaricide.

4.415.2 ADI: 0.05 mg/kg bw.

4.415.3 Residue: etoxazole.

4.415.4 Maximum residue limit: Shall comply with provisions in the Table 415.

Table 415

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Cucumber	0.02
Fruits	
Citrus fruit (with the exception of mandarin orange, orange, tangerine)	0.1
Mandarin orange	0.5
Orange	0.5
Tangerine	0.5
Pome fruit (with the exception of apple)	0.07
Apple	0.1
Grape	0.5
Nuts	0.01
Beverages	
Tea	15
Hop	15
Condiments	
Mint	15

4.415.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Nuts shall be tested referring to methods provided in GB 23200.8, GB 23200.113; Beverages, condiments shall be tested by methods provided in GB 23200.113.

4.416 Diethofencarb

4.416.1 Major purpose of use: fungicide.

- 4.416.2 ADI: 0.004 mg/kg bw.
 4.416.3 Residue: diethofencarb.
 4.416.4 Maximum residue limit: Shall comply with provisions in the Table 416.

Table 416

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	1
Cucumber	5

4.416.5 Testing method: Vegetables shall be tested by methods provided in GB/T 20769.

4.417 Ethirimol

- 4.417.1 Major purpose of use: fungicide.
 4.417.2 ADI: 0.035 mg/kg bw.
 4.417.3 Residue: ethirimol.

4.417.4 Maximum residue limit: Shall comply with provisions in the Table 417.

Table 417

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	1
Fruits Apple	0.1

4.417.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB/T 20769.

4.418 Bupirimate

- 4.418.1 Major purpose of use: fungicide.
 4.418.2 ADI: 0.05 mg/kg bw.
 4.418.3 Residue: bupirimate.

4.418.4 Maximum residue limit: Shall comply with provisions in the Table 418.

Table 418

Food Category/Name	Maximum residue limit, mg/kg
Fruits Grape	0.5

4.418.5 Testing method: Fruits shall be tested by methods provided in GB 23200.113, GB/T 20769.

4.419 Ethylicin

- 4.419.1 Major purpose of use: fungicide.
 4.419.2 ADI: 0.001 mg/kg bw.
 4.419.3 Residue: ethylicin.

4.419.4 Maximum residue limit: Shall comply with provisions in the Table 419.

Table 419

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.05*
Brown rice	0.05*
Oil seed and oil Cotton seed	0.05*
Soybean	0.1*
Vegetables Cucumber	0.1*
Vegetable soybean	0.1*
Fruits Apple	0.2*

* The MRL is the temporary limit.

4.420 Fluoroglycofen-ethyl

- 4.420.1 Major purpose of use: herbicide.
 4.420.2 ADI: 0.01mg/kg bw.
 4.420.3 Residue: fluoroglycofen-ethyl.

4.420.4 Maximum residue limit: Shall comply with provisions in the Table 420.

Table 420

Food Category/Name	Maximum residue limit, mg/kg
--------------------	------------------------------

Cereals		
	Wheat	0.05
Oil seed and oil		
	Cotton seed	0.05
	Peanut kernel	0.05
	Soybean	0.05

4.420.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.2.

4.421 Vinclozolin

4.421.1 Major purpose of use: fungicide.

4.421.2 ADI: 0.01 mg/kg bw.

4.421.3 Residue: The sum of vinclozolin and its metabolite concentering 3,5-dichloroaniline, expressed as vinclozolin.

4.421.4 Maximum residue limit: Shall comply with provisions in the Table 421.

Table 421

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Tomato	3*
Cucumber	1*
Condiments	0.05*

* The MRL is the temporary limit.

4.422 Ethepron

4.422.1 Major purpose of use: plant growth regulator.

4.422.2 ADI: 0.05 mg/kg bw.

4.422.3 Residue: ethephon.

4.422.4 Maximum residue limit: Shall comply with provisions in the Table 422.

Table 422

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	1
Barley	1
Rye	1
Corn	0.5
Oil seed and oil	
Cotton seed	2
Vegetables	
Tomato	2
Chili	5
Fruits	
Apple	5
Cherry	10
Blueberry	20
Grape	1
Kiwi fruit	2
Persimmon	30
Litchi	2
Mango	2
Banana	2
Pineapple	2
Honey-dew melon	1
Dried fruits	
Raisin	5
DriedFig	10
Preserved fig	10
Nuts	
Hazelnut	0.2
Walnut	0.5
Condiments	
Dried chili	50

4.422.5 Testing method: Cereals, oil seed and oil, Nuts, condiments shall be tested referring to methods provided in GB 23200.16; Vegetables, fruits, dried fruits shall be tested by methods provided in GB 23200.16.

4.423 Acephate

4.423.1 Major purpose of use: pesticide.

4.423.2 ADI: 0.03 mg/kg bw.

4.423.3 Residue: acephate.

4.423.4 Maximum residue limit: Shall comply with provisions in the Table 423.

Table 423

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	1
Wheat	0.2
Corn	0.2
Oil seed and oil	
Cotton seed	2
Soybean	0.3
Vegetables	
Bulb vegetables	1
Brassica vegetables	1
Leaf vegetables	1
Solanaceous vegetables	1
Gourd vegetables	1
Leguminous vegetables	1
Stem vegetables (with the exception of artichoke)	1
Artichoke	0.3
Root, tuber and tuberous rooted	1
Aquatic vegetables	1
Sprout vegetables	1
Other vegetables	1
Fruits	
Citrus fruit	0.5
Pome fruit	0.5
Stone fruit	0.5
Berries and other small fruits	0.5
Tropical and sub-tropical fruits	0.5
Melons	0.5
Beverages	
Tea	0.1
Condiments	
Condiments (with the exception of dried chili)	0.2
Dried chili	50

4.423.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.103, SN/T 3768; Vegetables shall be tested by methods provided in GB 23200.113, GB/T 5009.103, GB/T 5009.145, NY/T 761; Fruits shall be tested by methods provided in GB 23200.113, NY/T 761; Tea shall be tested by methods provided in GB 23200.113.

4.424 Ethofumesate

4.424.1 Major purpose of use: herbicide.

4.424.2 ADI: 1mg/kg bw.

4.424.3 Residue: ethofumesate.

4.424.4 Maximum residue limit: Shall comply with provisions in the Table 424.

Table 424

Food Category/Name	Maximum residue limit, mg/kg
Sugar crops	
Sugar beet	0.1

4.424.5 Testing method: Sugar crops shall be tested referring to methods provided in GB 23200.8, GB 23200.113.

4.425 Oxyfluorfen

4.425.1 Major purpose of use: herbicide.

4.425.2 ADI: 0.03 mg/kg bw.

4.425.3 Residue: oxyfluorfen.

4.425.4 Maximum residue limit: Shall comply with provisions in the Table 425.

Table 425

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.05
Oil seed and oil	
Cotton seed	0.05
Vegetables	
Garlic	0.05
Young garlic sprouts	0.1
Garlic sprouts	0.1
Ginger	0.05

Fruits		
	Apple	0.05

4.425.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.2, GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769.

4.426 Ethoxysulfuron

4.426.1 Major purpose of use: herbicide.

4.426.2 ADI: 0.04 mg/kg bw.

4.426.3 Residue: ethoxysulfuron.

4.426.4 Maximum residue limit: Shall comply with provisions in the Table 426.

Table 426

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.05

4.426.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.427 Ethoxyquin

4.427.1 Major purpose of use: fungicide.

4.427.2 ADI: 0.005 mg/kg bw.

4.427.3 Residue: ethoxyquin.

4.427.4 Maximum residue limit: Shall comply with provisions in the Table 427.

Table 427

Food Category/Name	Maximum residue limit, mg/kg
Fruits Pear	3

4.427.5 Testing method: Fruits shall be tested by methods provided in GB/T 5009.129.

4.428 Propisochlor

4.428.1 Major purpose of use: herbicide.

4.428.2 ADI: 0.013mg/kg bw.

4.428.3 Residue: propisochlor.

4.428.4 Maximum residue limit: Shall comply with provisions in the Table 428.

Table 428

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.05*
Brown rice	0.05*
Corn	0.1*
Oil seed and oil Soybean	0.1*
Peanut kernel	0.05*
Vegetables Vegetable soybean	0.1*
Sweet potato	0.05*

* The MRL is the temporary limit.

4.428.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB/T 20770; Oil seed and oil, vegetables shall be tested referring to methods provided in GB 23200.9.

4.429 Metolachlor and S-metolachlor

4.429.1 Major purpose of use: herbicide.

4.429.2 ADI: 0.1 mg/kg bw.

4.429.3 Residue: metolachlor.

4.429.4 Maximum residue limit: Shall comply with provisions in the Table 429.

Table 429

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.1
Corn	0.1
Sorghum	0.05
Oil seed and oil	

Rapeseed	0.1
Sesame	0.1
Cotton seed	0.1
Soybean	0.5
Peanut kernel	0.5
Vegetables	
Head cabbage	0.1
Tomato	0.1
Pumpkin	0.05
Kidney bean	0.05
Vegetable soybean	0.1
Fruits	
Date (fresh)	0.05
Sugar crops	
Sugarcane	0.05
Sugar beet	0.1

4.429.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113, GB/T 20770; Oil seed and oil shall be tested by methods provided in GB 23200.113, GB/T 5009.174; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.9, GB 23200.113.

4.430 Isoproturon

4.430.1 Major purpose of use: herbicide.

4.430.2 ADI: 0.015 mg/kg bw.

4.430.3 Residue: isoproturon.

4.430.4 Maximum residue limit: Shall comply with provisions in the Table 430.

Table 430

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.05
Wheat	0.05

4.430.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770.

4.431 Isoprocarb

4.431.1 Major purpose of use: pesticide.

4.431.2 ADI: 0.002 mg/kg bw.

4.431.3 Residue: isoprocarb.

4.431.4 Maximum residue limit: Shall comply with provisions in the Table 431.

Table 431

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.2
Vegetables	
Cucumber	0.5

4.431.5 Testing method: Cereals shall be tested by methods provided in GB 23200.112, GB 23200.113, GB/T 5009.104; Vegetables shall be tested by methods provided in GB 23200.113, NY/T 761.

4.432 Iprobenfos

4.432.1 Major purpose of use: fungicide.

4.432.2 ADI: 0.035 mg/kg bw.

4.432.3 Residue: iprobenfos.

4.432.4 Maximum residue limit: Shall comply with provisions in the Table 432.

Table 432

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Brown rice	0.5

4.432.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.83, GB 23200.113, GB/T 20770 .

4.433 Clomazone

4.433.1 Major purpose of use: herbicide.

4.433.2 ADI: 0.133 mg/kg bw.

4.433.3 Residue: clomazone.

4.433.4 Maximum residue limit: Shall comply with provisions in the Table 433.

Table 433

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	0.02
Oil seed and oil Rapeseed	0.1
Soybean	0.05
Vegetables Pumpkin	0.05
Vegetable soybean	0.05
Potato	0.02
Sugar crops Sugarcane	0.1

4.433.5 Testing method: Cereals shall be tested by methods provided in GB 23200.9, GB 23200.113; Oil seed and oil shall be tested by methods provided in GB 23200.113; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.9, GB 23200.113.

4.434 Isoxaflutole

4.434.1 Major purpose of use: herbicide.

4.434.2 ADI: 0.02 mg/kg bw.

4.434.3 Residue: The sum of isoxaflutole and its diketone nitrile metabolite is expressed as isoxaflutole.

4.434.4 Maximum residue limit: Shall comply with provisions in the Table 434.

Table 434

Food Category/Name	Maximum residue limit, mg/kg
Cereals Corn	0.02*
Fresh maize	0.02*
Chickpeas	0.01*
Vegetables Cactus	0.02*
Sugar crops Sugarcane	0.01*

* The MRL is the temporary limit.

4.435 Iprodione

4.435.1 Major purpose of use: fungicide.

4.435.2 ADI: 0.06 mg/kg bw.

4.435.3 Residue: iprodione.

4.435.4 Maximum residue limit: shall comply with provisions in the Table 435.

Table 435

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice	10
Barley	2
Coarse cereals	0.1
Oil seed and oil Rapeseed	2
Vegetables Onion	0.2
Tomato	5
Chili	5
Cucumber	2
Vegetable soybean	2
Carrot	10
Fruits Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Peach	10
Cherry	10
Blackberry	30
Gooseberry	30
Grape	10

Kiwi fruit	5
Banana	10
Nuts	
Apricot kernel	0.2
Sugar crops	
Sugar beet	0.1
Condiments	
Condiment made from seeds	0.05
Condiment made from plant root and stem	0.1

4.435.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, NY/T 761; Oil seed and oil shall be tested by methods provided in GB 23200.113; Nuts shall be tested by methods provided in GB 23200.9, GB 23200.113; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T 761, NY/T 1277; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 5009.218; Condiments shall be tested by methods provided in GB 23200.113.

4.436 Imazalil

4.436.1 Major purpose of use: fungicide.

4.436.2 ADI: 0.03 mg/kg bw.

4.436.3 Residue: imazalil.

4.436.4 Maximum residue limit: Shall comply with provisions in the Table 436.

Table 436

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Wheat	0.01
Vegetables	
Tomato	0.5
Cucumber	0.5
Small cucumber used for pickling	0.5
Potato	5
Fruits	
Mandarin orange	5
Orange	5
Tangerine	5
Lemon	5
Pumelo	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Quinces	5
Gooseberry (red, black)	2
Grape	5
Strawberry	2
Persimmon	2
Banana	2
Sweet melons	2

4.436.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 20770; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769 .

4.437 Maleic hydrazide

4.437.1 Major purpose of use: plant growth regulator /herbicide.

4.437.2 ADI: 0.3 mg/kg bw.

4.437.3 Residue: maleic hydrazide.

4.437.4 Maximum residue limit: Shall comply with provisions in the Table 437.

Table 437

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Garlic	15
Onion	15
Scallion	15
Potato	50

4.437.5 Testing method: Vegetables shall be tested referring to methods provided in GB 23200.22.

4.438 Amisulbrom

4.438.1 Major purpose of use: fungicide.

4.438.2 ADI: 0.1 mg/kg bw.

4.438.3 Residue: amisulbrom.

4.438.4 Maximum residue limit: Shall comply with provisions in the Table 438.

Table 438

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05*
Brown rice	0.05*

* The MRL is the temporary limit.

4.439 Azadirachtin

4.439.1 Major purpose of use: pesticide.

4.439.2 ADI: 0.1 mg/kg bw.

4.439.3 Residue: azadirachtin.

4.439.4 Maximum residue limit: Shall comply with provisions in the Table 439.

Table 439

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Head cabbage	0.1
Beverages	
Tea	1

4.439.5 Testing method: Vegetables, tea shall be tested by methods provided in GB 23200.73.

4.440 Indoxacarb

4.440.1 Major purpose of use: pesticide.

4.440.2 ADI: 0.01mg/kg bw.

4.440.3 Residue: indoxacarb.

4.440.4 Maximum residue limit: Shall comply with provisions in the Table 440.

Table 440

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.1
Brown rice	0.1
Mung bean	0.2
Chickpeas	0.2
Cowpea	0.1
Oil seed and oil	
Cotton seed	0.1
Soybean	0.5
Peanut kernel	0.02
Vegetables	
Head cabbage	3
Broccoli	1
Sprouting broccoli	0.5
Cabbage mustard	2
Flower Chinese cabbage	3
Spinach	3
Ordinary cabbage	2
Stem and leaf lettuce	10
Cabbage lettuce	7
Solanaceous vegetables (with the exception of chili)	
Chili	0.5
Potato	0.3
Cactus	0.02
Fruits	
Apple	0.5
Pear	0.2
Stone fruit	1
Cranberry	1
Grape	2
Dried fruits	
Dried prune	3
Raisin	5
Beverages	
Tea	5
Condiments	
Mint	15

4.440.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil, condiments shall be

tested referring to methods provided in GB/T 20770; Vegetables, fruits, dried fruits shall be tested by methods provided in GB/T 20769; Tea shall be tested by methods provided in GB 23200.13.

4.441 Coumaphos

- 4.441.1 Major purpose of use: pesticide.
- 4.441.2 ADI: 0.0003 mg/kg bw.
- 4.441.3 Residue: coumaphos.
- 4.441.4 Maximum residue limit: Shall comply with provisions in the Table 441.

Table 441

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05

- 4.441.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113.

4.442 Ametryn

- 4.442.1 Major purpose of use: herbicide.
- 4.442.2 ADI: 0.072 mg/kg bw.
- 4.442.3 Residue: ametryn.
- 4.442.4 Maximum residue limit: Shall comply with provisions in the Table 442.

Table 442

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Pineapple	0.2
Sugar crops	
Sugarcane	0.05

- 4.442.5 Testing method: Fruits shall be tested by methods provided in GB 23200.8, GB 23200.113; Sugar crops shall be tested referring to methods provided in GB 23200.113, GB/T 23816.

4.443 Atrazine

- 4.443.1 Major purpose of use: herbicide.
- 4.443.2 ADI: 0.02 mg/kg bw.
- 4.443.3 Residue: atrazine.
- 4.443.4 Maximum residue limit: Shall comply with provisions in the Table 443.

Table 443

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.05
Sorghum	0.05
Proso millet	0.05
Vegetables	
Scallion	0.05
Ginger	0.05
Fruits	
Apple	0.05
Pear	0.05
Grape	0.05
Sugar crops	
Sugarcane	0.05

Beverages	
Tea	0.1

4.443.5 Testing method: Cereals shall be tested by methods provided in GB 23200.113, GB/T 5009.132; Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, GB/T 20769, NY/T 761; Sugar crops shall be tested by methods provided in GB/T 5009.132; Tea shall be tested by methods provided in GB 23200.113.

4.444 Rotenone

4.444.1 Major purpose of use: pesticide.

4.444.2 ADI: 0.0004 mg/kg bw.

4.444.3 Residue: rotenone.

4.444.4 Maximum residue limit: Shall comply with provisions in the Table 444.

Table 444

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Head cabbage	0.5

4.444.5 Testing method: Vegetables shall be tested referring to methods provided in GB/T 20769.

4.445 Piperonyl butoxide

4.445.1 Major purpose of use: synergist agent.

4.445.2 ADI: 0.2 mg/kg bw.

4.445.3 Residue: piperonyl butoxide.

4.445.4 Maximum residue limit: Shall comply with provisions in the Table 445.

Table 445

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	30
Wheats	30
Wheat germ	90
Upland crops	30
Coarse cereals	0.2
Wheat flour	10
Whole wheat flour	30
Oil seed and oil Soybean	0.2
Peanut kernel	1
Crude corn oil	80
Vegetables Spinach	50
Stem and leaf lettuce	50
Leaf mustard	50
Radish leaf	50
Tomato	2
Chili	2
Gourd vegetables	1
Root, tuber and tuberous rooted	0.5
Fruits Citrus fruit	5
Melons	1
Dried fruits	0.2
Beverages Tomato juice	0.3
Tangerine juice	0.05
Condiments Dried chili	20

4.445.5 Testing method: Cereals shall be tested by methods provided in GB 23200.34, GB 23200.113; Vegetables, fruits, dried fruits, beverages shall be tested by methods provided in GB 23200.8, GB 23200.113; Oil seed and oil, condiments shall be tested by methods provided in GB 23200.113.

4.446 Sulfotep

4.446.1 Major purpose of use: pesticide.

4.446.2 ADI: 0.001mg/kg bw.

4.446.3 Residue: sulfotep.

4.446.4 Maximum residue limit: Shall comply with provisions in the Table 446.

Table 446

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetables	0.01
Root, tuber and tuberous rooted	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruits	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.446.5 Testing method: Vegetables, fruits shall be tested by methods provided in GB 23200.8, GB 23200.113, NY/T761.

4.447 Ipcnazole

4.447.1 Major purpose of use: fungicide.

4.447.2 ADI: 0.015 mg/kg bw.

4.447.3 Residue: ipconazole.

4.447.4 Maximum residue limit: Shall comply with provisions in the Table 447.

Table 447

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Corn	0.01*
Fresh maize	0.01*
Oil seed and oil	
Cotton seed	0.01*

* The MRL is the temporary limit.

4.448 Butralin

4.448.1 Major purpose of use: herbicide.

4.448.2 ADI: 0.2 mg/kg bw.

4.448.3 Residue: butralin.

4.448.4 Maximum residue limit: Shall comply with provisions in the Table 448.

Table 448

Food Category/Name	Maximum residue limit, mg/kg
Cereals	
Rice	0.05
Brown rice	0.05
Oil seed and oil	
Cotton seed	0.05
Soybean	0.02
Peanut kernel	0.05
Vegetables	
Tomato	0.1
Chili	0.05
Vegetable soybean	0.05
Fruits	
Watermelon	0.1

4.448.5 Testing method: Cereals shall be tested by methods provided in GB/T 20770; Oil seed and oil shall be tested referring to methods provided in GB 23200.9, GB/T 20770, SN/T 3859; Vegetables shall be tested by methods provided in GB 23200.8, GB 23200.69, GB/T 20769; Fruits shall be tested by methods provided in GB 23200.69, GB/T 20769.

4.449 Fenobucarb

4.449.1 Major purpose of use: pesticide.

4.449.2 ADI: 0.06 mg/kg bw.

4.449.3 Residue: fenobucarb.

4.449.4 Maximum residue limit: Shall comply with provisions in the Table 449.

Table 449

Food Category/Name	Maximum residue limit, mg/kg
Cereals Rice	0.5
Vegetables Head cabbage Aucchini	1 0.05

4.449.5 Testing method: Cereals shall be tested by methods provided in GB 23200.112, GB 23200.113, GB/T 5009.145; Vegetables shall be tested by methods provided in NY/T 761, NY/T 1679, SN/T 2560 .

4.450 Pyrametostrobin

4.450.1 Major purpose of use: fungicide.

4.450.2 ADI: 0.004 mg/kg bw.

4.450.3 Residue: pyrametostrobin.

4.450.4 Maximum residue limit: Shall comply with provisions in the Table 450.

Table 450

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	1*

* The MRL is the temporary limit.

4.451 Carfentrazone-ethyl

4.451.1 Major purpose of use: herbicide.

4.451.2 ADI: 0.03 mg/kg bw.

4.451.3 Residue: carfentrazone-ethyl.

4.451.4 Maximum residue limit: Shall comply with provisions in the Table 451.

Table 451

Food Category/Name	Maximum residue limit, mg/kg
Cereals Brown rice Wheat	0.1 0.1
Sugar crops Sugarcane	0.05

4.451.5 Testing method: Cereals, sugar crops shall be tested referring to methods provided in GB 23200.15.

4.452 Tolfenpyrad

4.452.1 Major purpose of use: pesticide.

4.452.2 ADI: 0.006 mg/kg bw.

4.452.3 Residue: tolfenpyrad.

4.452.4 Maximum residue limit: Shall comply with provisions in the Table 452.

Table 452

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Head cabbage Celery cabbage Eggplant	0.5 0.5 0.5
Beverages Tea	50

4.452. Testing method: Vegetables shall be tested by methods provided in GB/T 20769; Tea shall be tested referring to methods provided in GB/T 20769.

4.453 Pyraoxystrobin

4.453.1 Major purpose of use: fungicide.

4.453.2 ADI: 0.0013mg/kg bw.

4.453.3 Residue: pyraoxystrobin.

4.453.4 Maximum residue limit: Shall comply with provisions in the Table 453.

Table 453

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Cucumber	1*

* The MRL is the temporary limit.

4.454 Pinoxaden

- 4.454.1 Major purpose of use: herbicide.
- 4.454.2 ADI: 0.1mg/kg bw.
- 4.454.3 Residue: pinoxaden.
- 4.454.4 Maximum residue limit: Shall comply with provisions in the Table 454.

Table 454

Food Category/Name	Maximum residue limit, mg/kg
Cereals Wheat	0.1*

* The MRL is the temporary limit.

4.455 Fenpyroximate

- 4.455.1 Major purpose of use: Acaricide.
- 4.455.2 ADI: 0.01mg/kg bw.
- 4.455.3 Residue: fenpyroximate.
- 4.455.4 Maximum residue limit: Shall comply with provisions in the Table 455.

Table 455

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil Cotton seed	0.1
Vegetables Solanaceous vegetables Cucumber	0.2
Kidney bean	0.4
Potato	0.05
Fruits Citrus fruit (with the exception of mandarin orange, orange, tangerine) Mandarin orange	0.5
Orange	0.2
Tangerine	0.2
Apple	0.3
Pear	0.3
Hawthorn	0.3
Loquat	0.3
Quinces	0.3
Stone fruit (with the exception of cherry) Cherry	0.4
Goji berry (fresh)	2
Grape	0.5
Strawberry	0.1
Avocado	0.8
Dried fruits Dried prune	0.2
Raisin	0.7
Goji berry (dry)	0.3
Nuts	2
Beverages Hop	0.05
Condiments Dried chili	10

- 4.455.5 Testing method: Oil seed and oil shall be tested referring to methods provided in GB 23200.9, GB/T 20770; Vegetables, dried fruits shall be tested by methods provided in GB/T 20769; Fruits shall be tested by methods provided in GB 23200.8, GB 23200.29, GB/T 20769; Nuts, beverages, condiments shall be tested referring to methods provided in GB/T 20769.

4.456 Flumetsulam

- 4.456.1 Major purpose of use: herbicide.
- 4.456.2 ADI: 1 mg/kg bw.
- 4.456.3 Residue: flumetsulam.
- 4.456.4 Maximum residue limit: Shall comply with provisions in the Table 456.

Table 456

Food Category/Name	Maximum residue limit, mg/kg
Cereals	

	Wheat	0.05
	Corn	0.05
Oil seed and oil		
	Soybean	0.05

4.456.5 Testing method: Cereals, oil seed and oil shall be tested by methods provided in GB 23200.113.

4.457 Ametoctradin

4.457.1 Major purpose of use: fungicide.

4.457.2 ADI: 10 mg/kg bw.

4.457.3 Residue: ametoctradin

4.457.4 Maximum residue limit: Shall comply with provisions in the Table 457.

Table 457

Food Category/Name	Maximum residue limit, mg/kg
Vegetables	
Cucumber	1*
Potato	0.05*
Fruits	
Grape	2*

* The MRL is the temporary limit.

4.458 Aldrin

4.458.1 Major purpose of use: pesticide.

4.458.2 ADI: 0.0001 mg/kg bw.

4.458.3 Residue: aldrin.

4.458.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 458.

Table 458

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.02
Wheats	0.02
Upland crops	0.02
Coarse cereals	0.02
Processed grain	0.02
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Meat from mammals (with the exception of marine mammal)	0.2 (calculated by fat)
Poultry	0.2 (calculated by fat)
Eggs	0.1
Raw milk	0.006

4.458.5 Testing method: Plant-derived foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB 23200.113, GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.19, NY/T 761; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.459 DDT

4.459.1 Major purpose of use: pesticide.

4.459.2 ADI: 0.01 mg/kg bw.

4.459.3 Residue: The sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-DDD.

4.459.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 459.

Table 459

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.1
Wheats	0.1
Upland crops	0.1
Coarse cereals	0.05
Processed grain	0.05
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted (with the exception of carrot)	0.05
Carrot	0.2
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Beverages	
Tea	0.2
Meat from mammals and their products	
Fat content < 10%	0.2 (calculate by the original sample)
Fat content ≥ 10%	2 (calculated by fat)
Aquatic products	0.5
Eggs	0.1
Raw milk	0.02

4.459.5 Testing method: Plant-derived foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB 23200.113, GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.19, NY/T 761; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.460 Dieldrin

4.460.1 Major purpose of use: pesticide.

4.460.2 ADI: 0.0001 mg/kg bw.

4.460.3 Residue: dieldrin.

4.460.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 460.

Table 460

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.02
Wheats	0.02
Upland crops	0.02
Coarse cereals	0.02
Processed grain	0.02
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05

	Other vegetables	0.05
Fruits		
	Citrus fruit	0.02
	Pome fruit	0.02
	Stone fruit	0.02
	Berries and other small fruits	0.02
	Tropical and sub-tropical fruits	0.02
	Melons	0.02
Meat from mammals (with the exception of marine mammal)		0.2 (calculated by fat)
Poultry		0.2 (calculated by fat)
Eggs (fresh)		0.1
Raw milk		0.006

4.460.5 Testing method: Plant-derived foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB 23200.113, GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.19, NY/T 761; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.461 Camphechlor

4.461.1 Major purpose of use: pesticide.

4.461.2 ADI: 0.00025 mg/kg bw.

4.461.3 Residue: camphechlor.

4.461.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 461.

Table 461

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.01*
Wheats	0.01*
Upland crops	0.01*
Coarse cereals	0.01*
Oil seed and oil	
Soybean	0.01*
Vegetables	
Bulb vegetables	0.05*
Brassica vegetables	0.05*
Leaf vegetables	0.05*
Solanaceous vegetables	0.05*
Gourd vegetables	0.05*
Leguminous vegetables	0.05*
Stem vegetables	0.05*
Root, tuber and tuberous rooted	0.05*
Aquatic vegetables	0.05*
Sprout vegetables	0.05*
Other vegetables	0.05*
Fruits	
Citrus fruit	0.05*
Pome fruit	0.05*
Stone fruit	0.05*
Berries and other small fruits	0.05*
Tropical and sub-tropical fruits	0.05*
Melons	0.05*

* The MRL is the temporary limit.

4.461.5 Testing method: Cereals, oil seed and oil, vegetables, fruits shall be tested referring to methods provided in YC/T180.

4.462 Lindane

4.462.1 Major purpose of use: pesticide.

4.462.2 ADI: 0.005 mg/kg bw.

4.462.3 Residue: lindane.

4.462.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 462.

Table 462

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Wheat	0.05
Barley	0.01
Oats	0.01
Rye	0.01
Corn	0.01
Fresh maize	0.01
Sorghum	0.01
Meat from mammals (with the exception of marine mammal)	

Fat content < 10%	0.1 (calculate by the original sample)
Fat content ≥ 10%	1 (calculated by fat)
Edible viscera (mammal)	0.01
Poultry	
Poultry meat (fat)	0.05
Poultry viscera	
Edible poultry viscera	0.01
Eggs	0.1
Raw milk	0.01

4.462.5 Testing method: Plant-derived foods shall be tested by methods provided in GB/T 5009.19, GB/T 5009.146; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.463 HCH

4.463.1 Major purpose of use: pesticide.

4.463.2 ADI: 0.005 mg/kg bw.

4.463.3 Residue: sum of α-HCH, β-HCH, γ-HCH and δ-HCH.

4.463.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 463.

Table 463

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.05
Wheats	0.05
Upland crops	0.05
Coarse cereals	0.05
Processed grain	0.05
Oil seed and oil	
Soybean	0.05
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05
Fruits	
Citrus fruit	0.05
Pome fruit	0.05
Stone fruit	0.05
Berries and other small fruits	0.05
Tropical and sub-tropical fruits	0.05
Melons	0.05
Beverages	
Tea	0.2
Meat from mammals and their products (with the exception of marine mammal)	
Fat content < 10%	0.1 (calculate by the original sample)
Fat content ≥ 10%	1 (calculated by fat)
Aquatic products	0.1
Eggs	0.1
Raw milk	0.02

4.463.5 Testing method: Plant-derived foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB 23200.113, GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in GB 23200.113, GB/T 5009.19, NY/T 761; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.464 Chlordane

4.464.1 Major purpose of use: pesticide.

4.464.2 ADI: 0.0005 mg/kg bw.

4.464.3 Residue: For plant-derived foods, it is the sum of CIS-chlordane and trans-chlordane; For animal-derived foods, it is the sum of CIS-chlordane, trans-chlordane and the oxy-Chlordane.

4.464.4 Extraneous maximum residue limit: Shall comply with provisions in the Table 464.

Table 464

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
--------------------	---

Cereals	0.02
Oil seed and oil Soybean	0.02

Table 464 (continued)

Food Category/Name	Maximum residue limit, mg/kg
Crude vegetable oil	0.05
Vegetable oil	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.02
Pome fruit	0.02
Stone fruit	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Nuts	0.02
Meat from mammals (with the exception of marine mammal)	0.05 (calculated by fat)
Poultry meats	0.5 (calculated by fat)
Eggs	0.02
Raw milk	0.002

4.464.5 Testing method: Plant-derived foods shall be tested by methods provided in GB/T 5009.19; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.465 Mirex

4.465.1 Major purpose of use: pesticide.

4.465.2 ADI: 0.0002 mg/kg bw.

4.465.3 Residue: mirex.

4.465.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 465.

Table 465

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.01
Wheats	0.01
Upland crops	0.01
Coarse cereals	0.01
Oil seed and oil	
Soybean	0.01
Vegetables	
Bulb vegetables	0.01
Brassica vegetables	0.01
Leaf vegetables	0.01
Solanaceous vegetables	0.01
Gourd vegetables	0.01
Leguminous vegetables	0.01
Stem vegetables	0.01
Root, tuber and tuberous rooted	0.01
Aquatic vegetables	0.01
Sprout vegetables	0.01
Other vegetables	0.01
Fruits	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01

4.465.5 Testing method: Cereals, oil seed and oil, vegetables, fruits shall be tested by methods provided in GB/T 5009.19.

4.466 Heptachlor

4.466.1 Major purpose of use: pesticide.

4.466.2 ADI: 0.0001 mg/kg bw.

4.466.3 Residue: sum of heptachlor and heptachlor epoxide.

4.466.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 466.

Table 466

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.02
Wheats	0.02
Upland crops	0.02
Coarse cereals	0.02
Processed grain	0.02
Oil seed and oil	
Cotton seed	0.02
Soybean	0.02
Crude soybean oil	0.05
Soybean oil	0.02
Vegetables	
Bulb vegetables	0.02
Brassica vegetables	0.02
Leaf vegetables	0.02
Solanaceous vegetables	0.02
Gourd vegetables	0.02
Leguminous vegetables	0.02
Stem vegetables	0.02
Root, tuber and tuberous rooted	0.02
Aquatic vegetables	0.02
Sprout vegetables	0.02
Other vegetables	0.02
Fruits	
Citrus fruit	0.01
Pome fruit	0.01
Stone fruit	0.01
Berries and other small fruits	0.01
Tropical and sub-tropical fruits	0.01
Melons	0.01
Poultry meats	0.2
Meat from mammals (with the exception of marine mammal)	0.2
Eggs	0.05
Raw milk	0.006

4.466.5 Testing method: Plant-derived foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in GB/T 5009.19; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

4.467 Endrin

4.467.1 Major purpose of use: pesticide.

4.467.2 ADI: 0.0002 mg/kg bw.

4.467.3 Residue: sum of Endrin, Endrin aldehyde and Endrin-ketone.

4.467.4 Extraneous Maximum Residue Limit: Shall comply with provisions in the Table 467.

Table 467

Food Category/Name	Extraneous Maximum Residue Limit, mg/kg
Cereals	
Rice	0.01
Wheats	0.01
Upland crops	0.01
Coarse cereals	0.01
Oil seed and oil	
Soybean	0.01
Vegetables	
Bulb vegetables	0.05
Brassica vegetables	0.05
Leaf vegetables	0.05
Solanaceous vegetables	0.05
Gourd vegetables	0.05
Leguminous vegetables	0.05
Stem vegetables	0.05
Root, tuber and tuberous rooted	0.05
Aquatic vegetables	0.05
Sprout vegetables	0.05
Other vegetables	0.05

Fruits		
Citrus fruit	0.05	
Pome fruit	0.05	
Stone fruit	0.05	
Berries and other small fruits	0.05	
Tropical and sub-tropical fruits	0.05	
Melons	0.05	
Meat from mammals (with the exception of marine mammal)	0.1 (calculated by fat)	

4.467.5 Testing method: Plant-derived foods (with the exception of vegetables and fruits) shall be tested by methods provided in GB/T 5009.19; Vegetables, fruits shall be tested by methods provided in GB/T 5009.19; Animal-derived food shall be tested by methods provided in GB/T 5009.19, GB/T 5009.162.

Appendix A

(Normative Appendix)
The Food Category and Parts to be Tested

Please refer to the Table A.1 for food categories and the parts to be tested.

Table A.1

Food Category	Category Description	Parts to be Tested
Cereals	Cereals Rice, etc.	The entire kernel
	Wheats Wheat, barley, oats, rye, triticale , etc.	The entire kernel
	Upland crops Corn, fresh maize, sorghum, millet, proso millet, pearl barley, buckwheat, etc.	The entire kernel, fresh maize (including corn kernel and corn cob)
	Coarse cereals Mung bean, pea, Adzuki bean, lentils, chickpeas, lupin, cowpea, Lima bean, etc.	The entire kernel
	Processed grain Rice flour, wheat flour, whole wheat flour, corn grits, corn flour, sorghum flour, barley flour, buckwheat flour, hullless oat flour, sweet potato flour, sorghum flour, rye flour, whole rye flour, rice, brown rice, wheat germ, etc.	
Oil seed and oil	Small-grained oil seeds Rapeseed, sesame, flaxseed, mustard seed, etc.	The entire kernel
	Medium-grained oil seeds Cotton seed, etc.	The entire kernel
	Large-grained oil seeds Soybean, peanut kernel, sunflower seed, camellia seed, etc.	The entire kernel
	Oil Crude vegetable oil: crude soybean oil, crude rapeseed oil, crude peanut oil, crude cotton seed oil, crude corn oil, crude sunflower seed oil Vegetable oil: soybean oil, canola oil, peanut oil, cotton seed oil, virgin olive oil, refined olive oil, sunflower seed oil, corn oil, etc.	
	Bulb onions Garlic, onion, allium Chinense G.Don, etc.	The edible part
Vegetables (Bulb)	Leaf onions Leek, scallion, young garlic sprouts, garlic sprouts, spring onion, etc.	The whole plant
	Lily	The bulb
Vegetables (Brassica)	Head brassicas Head cabbage, kohlrabi, brussels sprouts, red cabbage, kale, curly cabbage, etc.	Whole plant
	Flower-head Brassicas Broccoli, sprouting broccoli, etc.	Whole plant, remove leaf
	Stem Brassicas Cabbage mustard, flower Chinese cabbage, stem mustard, etc.	Whole plant, remove root
Vegetables (Leaf)	Green leaf vegetables Spinach, ordinary cabbage (pakchoi, edible rape, green vegetable), edible amaranth, water spinach, garland chrysanthemum, broad leaf garland chrysanthemum, stem and leaf lettuce, cabbage lettuce, endive, lamb's lettuce, leaf lettuce, leaf mustard, radish leaf, raddish leaf, chicory, taro leaf, stem lettuce leaf, sweet potato leaf, etc.	Whole plant, remove root
	Leaf stalk vegetables Celery, cumin, spherical fennel, etc.	Whole plant, remove root
	Celery cabbage	Whole plant, remove root
Vegetables (Solanaceous)	Tomatoes Tomato, cherry tomato, etc.	Whole fruit (remove stalk)
	Other solanaceous vegetables Eggplant, chili, sweet pepper, hibiscus esculentus, wintercherry, etc.	Whole fruit (remove stalk)
Vegetables (Gourd)	Cucumber, small cucumber used for pickling	Whole fruit (remove stalk)
	Small melons Squash, zucchini, bitter gourd, loofah, lime melon, bottle gourd etc.	Whole fruit (remove stalk)
	Large melon Wax gourd, pumpkin, winter squash, etc.	Whole fruit (remove stalk)
Vegetables (Legume)	Edible podded vegetables Cowpea, kidney bean, edible podded pea, winged bean, hyacinth bean, sword bean, etc.	Whole pod
	Inedible podded vegetables Vegetable soybean, broad bean, pea, lima bean, etc.	Whole bean (remove pod)
Vegetables (stem)	Asparagus, artichoke, rhubarb, stem lettuce, etc.	Whole plant
Vegetables (Stem, root, tuber and tuberous rooted)	Stem and root vegetables Radish, carrot, garden beet, celeriac, root mustard, ginger, horse-radish, turnip, platycodon grandiflorum, etc.	Whole plant, remove the leaf on top and the leaf stalk
	Potato	Whole tuber
	Other root, tuber and tuberous rooted vegetables Sweet potato, Chinese yam, burdock, cassava, taro, pueraria lobata, konjac, etc.	Whole tuber

Vegetables (aquatic vegetables)	Leaf vegetables Cress, watercress, cane shoots, common cattail, etc.	Whole plant, remove the peel of cane shoots
	Fruit vegetables Water chestnut, gorgon euryale, lotus seed, etc.	Whole fruit (remove shell)
	Root vegetables Lotus root, chufa, Sagittaria sagittifolia, etc.	Whole plant
Vegetables (bean sprouts)	Mung bean sprout, soybean sprouts, radish sprouts, alfalfa sprouts, pepper buds, Chinese toon sprout etc.	Whole plant
Vegetables (other)	Daylily, bamboo sprout, cactus , etc.	Whole plant
Dried vegetables	Dried vegetables, dried radish, etc.	Whole plant
Fruits (Citrus)	Mandarin orange, orange, tangerine, lemon, pumelo, bergamot, kumquat, etc.	Whole fruit (remove stalk)
Fruits (pome fruits)	Apple, pear, hawthorn, loquat, quinces, etc.	Whole fruit (remove stalk), loquat, hawthorn shall be tested referring to methods provided in stone fruit
Fruits (stone fruits)	Peach, nectarine, apricot, date (fresh), prune, cherry, greengage, etc.	Whole fruit (remove stalk and the stone); weight of stone shall be included in calculating the MRL
Fruits (Berries and other small fruits)	Vines and shrubs plant Goji berry (fresh), blackberry, blueberry, rubus idaeus, cranberry, current, raspberry, gooseberry, mulberry, shadbush, dewberry (including boysenberry and loganberry), etc.	Whole fruit (remove stalk)
	Small vine climbing fruit Edible peel: Grape (fresh grape and wine grape), cyphomandra betacea, Schisandra chinensis, etc. Inedible peel: Kiwi fruit, passion fruit, etc.	Whole fruit (remove stalk)
	Strawberry	Whole fruit (remove stalk)
	Edible peel Persimmon, red bayberry, olive, fig, star fruit, wax-apple, etc.	Whole fruit (remove stalk), pulp of red bayberry and olive shall be tested, weight of the stone shall be included in calculating the MRL
Fruits (Tropical and sub-tropical fruits)	Inedible peel Small fruit: Litchi, Longan, rambutan, etc.	Whole fruit (remove the stalk and stone) , weight of the stone shall be included in calculating the MRL
	Medium fruits: mango, pomegranate, avocado, sweetsop, guava, clausena lansium, mangosteen, etc.	Whole fruit, remove stone of avocado and mango; test pulp of mangosteen, weight of the stone shall be included in calculating the MRL
	Large fruits: banana, papaya, coconut, etc.	Test the whole banana; Carica papaya shall be tested the whole fruit after removal of the stone; weight of the stone shall be included in calculating the MRL; coconut's juice and pulp shall be tested
Fruits (Tropical and sub-tropical fruits)	Barbed fruits: pineapple, Jack fruit, durian, dragon fruit, etc.	Remove leaf crowne of pineapples and dragon fruit; Jack fruits and durian's pulp shall be tested and the weight of the stone shall be included in calculating the residue limits
	Watermelon	Whole melon
Fruits (Melons)	Sweet melons: Oriental sweet melon, netted melon, honey-dew melon, Bailan melon, Muskmelo, etc.	Whole melon
Dried fruits	Preserved citrus, dried prune, raisin, dried fig, preserved fig, date (dry), Goji berry (dry), etc.	Whole fruit (test pulp, weight of the stone shall be included in calculating the residue limits)
Nuts	Small-grained nuts Apricot kernel, hazelnut, cashew nut, pine nut, pistachio nuts, etc.	Whole fruit (remove shell)
	Large-grained nuts Walnut, castanea mollissima, carya cathayensis, macadamia nut, etc.	Whole fruit (remove shell)
Sugar crops	Sugarcane	The whole sugarcane, remove the leaf on top and the leaf stalk
	Sugar beet	The whole sugarcane, remove the leaf on top and the leaf stalk
Beverages	Tea	
	Coffee bean, cocoa bean	
	Hop	
	Chrysanthemum, rose, etc.	
	Juice Vegetables juice: tomato juice, etc. Fruit juice: orange juice, apple juice, grape juice, etc.	
	Mushrooms	

Edible fungi	Lentinus edodes, needle mushroom, oyster mushroom, agrocybe cylindracea, dictyophora, straw mushroom, morchella, boletus, tricholoma, matsutake, agaricus bisporus, hericium erinaceus, pleurotus nebrodensis, pleurotus eryngii, etc.	Whole plant
	Agaric fungi Agaric, tremella, tremella aurantia, auricularia polytricha, iwatake mushroom, etc.	Whole plant
Condiments	Leafy Chinese parsley, mint, sweet basil, mugwort, purple perilla, spearmint, laurel, parsley, rosemary, citronella, etc.	Whole plant, remove root
	Dried chili	Whole fruit (remove stalk)
	Condiment made from fruits Chili, pepper, Round cardamom, cumin, etc.	Whole fruit
	Condiment made from seeds Mustard, illicium verum, fennel seed, coriander seed, etc.	The entire kernel of the seed
Medicinal plant	Plant root and stem Ginseng, notoginseng, gastrodia elata Bl, Licorice pinellia ternata, angelica sinensis, atactylodis macrocephalae, corydalis yanhusuoetc.	Root and stem
	Leaf and stalk Herba plantaginis, chameleon, artemisia argyi, artemisia linn, dendrobium, etc.	Stalk and leaf
	Flower and fruit Honeysuckle flower, ginkgo, etc.	Flower and fruit
	Fat of mammal animals (with the exception of marine mammal) Portk, beef, lamb, dunkey meat, horse fat, etc.	Meat (bone removed) including fat tissue that has the fat content of <10%
Animal-derived food	Viscera of mammal animals (with the exception of marine mammal) Heart, liver, kidney, tongue, stomach, etc.	Meat (bone removed) including fat tissue that has the fat content of <10%
	Meat from mammals (with the exception of marine mammal) Portk, beef, lamb, dunkey meat, horse meat, etc.	Meat (bone removed) including fat tissue that has the fat content of <10%
	Fat of mammal animals (with the exception of marine mammal) Portk, beef, lamb, dunkey meat, horse fat, etc.	
Animal-derived food	Poultry meats Meat of chicken, duck, goose, etc.	Meat (bone removed)
	Poultry viscera Viscera of chicken, duck, goose, etc.	The whole viscera
	Eggs	The egg (remove shell)
	Raw milk Raw milk of cow, sheep, horse, etc.	
	Milk fat	
	Aquatic products	The edible part, bone and scale removed

Appendix B

(Informative Appendix)

List of Pesticides that are Exempted from Developing Maximum Residue Levels in Foods

Please refer to Table B.1 for the List of Pesticides that are Exempted from Developing Maximum Residue Levels in Foods.

Table B.1

No.	Pesticides's Chinese Common Names	Pesticides's English Common Names
1	苏云金杆菌	<i>Bacillus thuringiensis</i>
2	荧光假单胞杆菌	<i>Pseudomonas fluorescens</i>
3	枯草芽孢杆菌	<i>Bacillus subtilis</i>
4	蜡质芽孢杆菌	<i>Bacillus cereus</i>
5	地衣芽孢杆菌	<i>Bacillus licheniformis</i>
6	短稳杆菌	<i>Empedobacter brevis</i>
7	多粘类芽孢杆菌	<i>Paenibacillus polymyza</i>
8	放射土壤杆菌	<i>Agrobacterium radibacter</i>
9	木霉菌	<i>Trichoderma spp.</i>
10	白僵菌	<i>Beauveria spp.</i>
11	淡紫拟青霉	<i>Paecilomyces lilacinus</i>
12	厚孢轮枝菌(厚垣轮枝孢菌)	<i>Verticillium chlamydosporium</i>
13	耳霉菌	<i>Conidiobolus thromboides</i>
14	绿僵菌	<i>Metarrhizium anisopliae</i>
15	寡雄腐霉菌	<i>Pythium oligadrum</i>
16	菜青虫颗粒体病毒	<i>Pieris rapae Granulosis Virus (PrGV)</i>
17	茶尺蠖核型多角体病毒	<i>Ectropis obliqua nuclear polyhedrosis virus (EoNPV)</i>
18	松毛虫质型多角体病毒	<i>Dendrolimus punctatuscytoplasmic polyhedrosis virus (DpCPV)</i>
19	甜菜夜蛾核型多角体病毒	<i>Spodoptera lituranauclear polyhedrosis virus (SplNPV)</i>
20	黏虫颗粒体病毒	<i>Pseudaletia unipuncta granulosis virus (PuGV)</i>
21	小菜蛾颗粒体病毒	<i>Plutella xylostella granulosis virus (PxGV)</i>
22	斜纹夜蛾核型多角体病毒	<i>Spodoptera lituranauclear polyhedrosis (SINPV)</i>
23	棉铃虫核型多角体病毒	<i>Helicoverpa armigera nuclear polyhedrosis virus (HaNPV)</i>
24	苜蓿银纹夜蛾核型多角体病毒	<i>Autographa californica nuclear polyhedrosis virus (AcNPV)</i>
25	三十烷醇	Triacontanol
26	地中海实蝇引诱剂	Trimedlure
27	聚半乳糖醛酸酶	polygalacturonase
28	超敏蛋白	Harpin protein
29	S-诱抗素	S-Abscisic Acid
30	香菇多糖	Lentrnan
31	几丁聚糖	Chitosan
32	葡聚糖	Glucosan
33	氨基寡糖素	Oligosaccharins
34	解淀粉芽孢杆菌	<i>Bacillus amyloliquefaciens</i>
35	甲基营养型芽孢杆菌	<i>Bacillus methylotrophicus</i>
36	甘蓝夜蛾核型多角体病毒	<i>Mamestra brassicae nuclear polyhedross virus (MbNPV)</i>
37	极细链格孢激活蛋白	Plant activator protein
38	蝗虫微孢子虫	<i>Nosema locustae</i>
39	低聚糖素	Oligosaccharide
40	小盾壳霉	<i>Coniothyrium minitans</i>
41	Z-8-十二碳烯乙酯	Z-8-dodecen-1-yl acetate
42	E-8-十二碳烯乙酯	E-8-dodecen-1-yl acetate
43	Z-8-十二碳烯醇	Z-8-dodecen-1-ol
44	混合脂肪酸	Mixed fatty acids

Index

Index of Pesticides's Chinese Common Names

2, 4-滴和2, 4-滴钠盐	2, 4-D and 2, 4-D Na	4.1
2, 4-滴丁酯	2, -D butylate	4.2
2, 4-滴二甲胺盐	2, 4-D-dimethylamine	4.3
2, 4-滴异辛酯	2, 4-D-ethylhexyl	4.4
2甲4氯(钠)	MCPA (sodium)	4.5
2甲4氯二甲胺盐	MCPA-dimethylammonium	4.6
2 甲 4 氯异辛酯	MCPA-isoctyl	4.7
阿维菌素	abamectin	4.8
矮壮素	chlormequat	4.9
艾氏剂	aldrin	4.458
氨氯吡啶酸	picloram	4.10
氨氯吡啶酸三异丙醇胺盐	picloram-tris (2-hydroxypropyl) ammonium	4.11
氨唑草酮	amicarbazone	4.12
胺苯磺隆	ethametsulfuron	4.13
胺鲜酯	diethyl aminoethyl hexanoate	4.14
百草枯	paraquat	4.15
百菌清	chlorothalonil	4.16
保棉磷	azinphos-methyl	4.17
倍硫磷	fenthion	4.18
苯并烯氟菌唑	benzovindiflupyr	4.19
苯丁锡	fenbutatin oxide	4.20
苯氟磺胺	dichlofluanid	4.21
苯磺隆	tribenuron-methyl	4.22
苯菌灵	benomyl	4.23
苯菌酮	metrafenone	4.24
苯硫威	fenothiocarb	4.25
苯螨特	benoximate	4.26
苯醚甲环唑	difenconazole	4.27
苯嘧磺草胺	safufenacil	4.28
苯嗪草酮	metamitron	4.29
苯噻酰草胺	mefenacet	4.30
苯霜灵	benalaxyl	4.31
苯酰菌胺	zoxamide	4.32
苯线磷	fenamiphos	4.33
苯锈啶	fenpropidin	4.34
苯唑草酮	topramezone	4.35
吡丙醚	pyriproxyfen	4.36
吡草醚	pyraflufen-ethyl	4.37
吡虫啉	imidacloprid	4.38
吡氟禾草灵和精吡氟禾草灵	fluazifop and fluazifop-P-butyl	4.39
吡氟酰草胺	diflufenican	4.40
吡嘧磺隆	pyrazosulfuron-ethyl	4.41
吡噻菌胺	penthiopyrad	4.42
吡蚜酮	pymetrozine	4.43
吡唑草胺	metazachlor	4.44
吡唑醚菌酯	pyraclostrobin	4.45
吡唑萘菌胺	isopyrazam	4.46
苄嘧磺隆	bensulfuron-methyl	4.47
丙草胺	pretilachlor	4.48
丙环唑	propiconazole	4.49
丙硫多菌灵	albendazole	4.50
丙硫菌唑	prothioiconazole	4.51
丙硫克百威	benfuracarb	4.52
丙嗪嘧磺隆	propyrisulfuron	4.53
丙炔噁草酮	oxadiargyl	4.54
丙炔氟草胺	flumioxazin	4.55
丙森锌	propineb	4.56
丙溴磷	profenofos	4.57
草铵膦	glufosinate-ammonium	4.58
草除灵	benazolin-ethyl	4.59
草甘膦	glyphosate	4.60
虫螨腈	chlorsulfapyr	4.61

虫酰肼	tebufenozide	4.62
除虫菊素	pyrethrins	4.63
除虫脲	diflubenzuron	4.64
春雷霉素	kasugamycin	4.65
哒螨灵	pyridaben	4.66
哒嗪硫磷	pyridaphenthion	4.67
代森铵	amobam	4.68
代森联	metiram	4.69
代森锰锌	mancozeb	4.70
代森锌	zineb	4.71
单甲脒和单甲脒盐酸盐	semiamitraz and semiamitraz chloride	4.72
单嘧磺隆	monosulfuron	4.73
单氰胺	cyanamide	4.74
稻丰散	phenthoate	4.75
稻瘟灵	isoprothiolane	4.76
稻瘟酰胺	fenoxanil	4.77
滴滴涕	DDT	4.459
狄氏剂	dieldrin	4.460
敌百虫	trichlorfon	4.78
敌稗	propanil	4.79
敌草胺	napropamide	4.80
敌草腈	dichlobenil	4.81
敌草快	diquat	4.82
敌草隆	diuron	4.83
敌敌畏	dichlorvos	4.84
敌磺钠	fenaminosulf	4.85
敌菌灵	anilazine	4.86
敌螨普	dinocap	4.87
敌瘟磷	edifenphos	4.88
地虫硫磷	fonofos	4.89
丁苯吗啉	fenpropimorph	4.90
丁毗吗啉	pyrimorph	4.91
丁草胺	butachlor	4.92
丁虫腈	flufiprole	4.93
丁氟瞵酯	cyflumetofen	4.94
丁硫克百威	carbosulfan	4.95
丁醚脲	diafenthiuron	4.96
丁噻隆	tebuthiuron	4.97
丁酰肼	daminozide	4.98
丁香菌酯	coumoxystrobin	4.99
啶虫脒	acetamiprid	4.100
啶菌噁唑	pyrisoxazole	4.101
啶酰菌胺	boscalid	4.102
啶氧菌酯	picoxystrobin	4.103
毒草胺	propachlor	4.104
毒氟磷	dufulin	4.105
毒杀芬	camphechlor	4.461
毒死蜱	chloryrifos	4.106
对硫磷	parathion	4.107
多果定	dodine	4.108
多菌灵	carbendazim	4.109
多抗霉素	polyoxins	4.110
多杀霉素	spinosad	4.111
多效唑	paclobutrazol	4.112
噁恶草酮	oxadiazon	4.113
噁霉灵	hymexazol	4.114
噁嗪草酮	oxaziclomefone	4.115
噁霜灵	oxadixyl	4.116
噁唑菌酮	famoxadone	4.117
噁唑酰草胺	metamifop	4.118
二苯胺	diphenylamine	4.119
二甲戊灵	pendimethalin	4.120
二氯吡啶酸	clopyralid	4.121
二氯喹啉酸	quinclorac	4.122
二嗪磷	diazinon	4.123
二氯蒽醌	dithianon	4.124

粉唑醇	flutriafol	4.125
砜嘧磺隆	rimsulfuron	4.126
吠草酮	flurtamone	4.127
吠虫胺	dinotefuran	4.128
吠喃虫酰胺	furan tebufenozide	4.129
伏杀硫磷	phosalone	4.130
氟胺磺隆	triflusulfuron-methyl	4.131
氟胺氰菊酯	tau-fluvalinate	4.132
氟苯虫酰胺	flubendiamide	4.133
氟苯脲	teflubenzuron	4.134
氟吡磺隆	flucetosulfuron	4.135
氟吡甲禾灵和高效氟吡甲禾灵	haloxyfop-methyl and haloxyfop-P-methyl	4.136
氟吡菌胺	fluopicolide	4.137
氟吡菌酰胺	fluopyram	4.138
氟虫腈	fipronil	4.139
氟虫脲	flufenoxuron	4.140
氟啶胺	fluazinam	4.141
氟啶虫胺腈	sulfoxaflor	4.142
氟啶虫酰胺	flonicamid	4.143
氟啶脲	chlorfluazuron	4.144
氟硅唑	flusilazole	4.145
氟环唑	epoxiconazole	4.146
氟磺胺草醚	fomesafen	4.147
氟节胺	flumetralin	4.148
氟菌唑	triflumizole	4.149
氟乐灵	trifluralin	4.150
氟铃脲	hexaflumuron	4.151
氟氯氰菊酯和高效氟氯氰菊酯	cyfluthrin and beta-cyfluthrin	4.152
氟吗啉	flumorph	4.153
氟氰戊菊酯	flucythrinate	4.154
氟噻草胺	flufenacet	4.155
氟烯草酸	flumiclorac	4.156
氟酰胺	flutolann	4.157
氟酰脲	novaluron	4.158
氟唑环菌胺	sedaxane	4.159
氟唑磺隆	flucarbazone-sodium	4.160
氟唑菌酰胺	fluxapyroxad	4.161
福美双	thiram	4.162
福美锌	ziram	4.163
腐霉利	procymidone	4.164
复硝酚钠	sodium nitrophenolate	4.165
咯菌腈	fludioxonol	4.166
硅噻菌胺	silthiofam	4.167
禾草丹	thiobencarb	4.168
禾草敌	molinate	4.169
禾草灵	diclofop-methyl	4.170
环丙嘧磺隆	cyclosulf amuron	4.171
环丙唑醇	cypoconazole	4.172
环嗪酮	hexazinone	4.173
环酰菌胺	fenhexamid	4.174
环酯草醚	pyriflatalid	4.175
磺草酮	sulcotriione	4.176
灰瘟素	blasticidin-S	4.177
己唑醇	hexaconazole	4.178
甲氨基阿维菌素苯甲酸盐	emamectin benzoate	4.179
甲胺磷	methamidophos	4.180
甲拌磷	phorate	4.181
甲苯氟磺胺	tolylfluanid	4.182
甲草胺	alachlor	4.183
甲磺草胺	suffentrazone	4.184
甲磺隆	metsulfuron-methyl	4.185
甲基碘磺隆钠盐	iodosulfuron-methyl-sodium	4.186
甲基毒死蜱	chloryrifos-methyl	4.187
甲基对硫磷	parathion-methyl	4.188
甲基二磺隆	mesosulfuron-methyl	4.189
甲基立枯磷	tolclofos-methyl	4.190

甲基硫环磷	phosfolan-methyl	4.191
甲基硫菌灵	thiophanate-methyl	4.192
甲基嘧啶磷	pirimiphos-methyl	4.193
甲基异柳磷	isofenphos-methyl	4.194
甲硫威	methiocarb	4.195
甲咪唑烟酸	imazapic	4.196
甲萘威	carbaryl	4.197
甲哌鎓	mepiquat chloride	4.198
甲氰菊酯	fenpropathrin	4.199
甲霜灵和精甲霜灵	metalaxyll and metalaxyl-M	4.200
甲羧除草醚	bifenox	4.201
甲氧虫酰肼	methoxyfenozide	4.202
甲氧咪草烟	imazamox	4.203
腈苯唑	fenbuconazole	4.204
腈菌唑	myclobutanil	4.205
精噁唑禾草灵	fenoxaprop-P-ethyl	4.206
精二甲吩草胺	dimethenamid-P	4.207
井冈霉素	jiangangmycin	4.208
久效磷	monocrotophos	4.209
抗倒酯	trinexapac-ethyl	4.210
抗蚜威	pirimicarb	4.211
克百威	carbofuran	4.212
克菌丹	captan	4.213
苦参碱	matrine	4.214
喹禾糠酯	quizalofop-P-tefuryl	4.215
喹禾灵和精喹禾灵	quizalofop and quizalofop-P-ethyl	4.216
喹啉铜	oxine-copper	4.217
喹硫磷	quinalphos	4.218
喹螨醚	fenazaquin	4.219
喹氧灵	quinoxyfen	4.220
乐果	dimethoate	4.221
联苯肼酯	bifenazate	4.222
联苯菊酯	bifenthrin	4.223
联苯三唑醇	bitertanol	4.224
邻苯基苯酚	2-phenylphenol	4.225
林丹	lindane	4.462
磷胺	phosphamidon	4.226
磷化铝	aluminium phosphide	4.227
磷化镁	magnesium phosphide	4.228
磷化氢	hydrogen phosphide	4.229
硫丹	endosulfan	4.230
硫环磷	phosfolan	4.231
硫双威	thiodicarb	4.232
硫酸链霉素	streptomycin sesquissulfate	4.233
硫酰氟	sulfuryl fluoride	4.234
硫线磷	cadusafos	4.235
六六六	HCH	4.463
螺虫乙酯	spirotetramat	4.236
螺螨酯	spirodiclofen	4.237
绿麦隆	chlortoluron	4.238
氯氨吡啶酸	aminopyralid	4.239
氯苯胺灵	chlorpropham	4.240
氯苯嘧啶醇	fenarimol	4.241
氯吡嘧磺隆	halosulfuron-methyl	4.242
氯吡脲	forchlorfenuron	4.243
氯丙嘧啶酸	aminocyclopyrachlor	4.244
氯虫苯甲酰胺	chlorantraniliprole	4.245
氯丹	chlordan	4.464
氯啶菌酯	triclopyricarb	4.246
氯氟吡氧乙酸和氯氟吡氧乙酸异辛酯	fluroxypyr and fluroxypyr-meptyl	4.247
氯氟氰菊酯和高效氯氟氰菊酯	cyhalothrin and lambda-cyhalothrin	4.248
氯化苦	chloropicrin	4.249
氯磺隆	chlorsulfuron	4.250
氯菊酯	permethrin	4.251
氯嘧磺隆	chlorimuron-ethyl	4.252
氯氰菊酯和高效氯氰菊酯	cypermethrin and beta-cypermethrin	4.253

氯噻啉	imidaclothiz	4.254
氯硝胺	dicloran	4.255
氯溴异氰尿酸	chloroisobromine cyanuric acid	4.256
氯唑磷	isazofos	4.257
马拉硫磷	malathion	4.258
麦草畏	dicamba	4.259
咪鲜胺和咪鲜胺锰盐	prochloraz and prochlorar-manganese chloride complex	4.260
咪唑菌酮	fenamidone	4.261
咪唑喹啉酸	imazaquin	4.262
咪唑烟酸	imazapyr	4.263
咪唑乙烟酸	imazethapyr	4.264
醚苯磺隆	triasulfuron	4.265
醚磺隆	cinosulf uron	4.266
醚菊酯	etofenprox	4.267
醚菌酯	kresoxim-methyl	4.268
嘧苯胺磺隆	orthosulfamuron	4.269
嘧草醚	pyriminobac-methyl	4.270
嘧啶肟草醚	pyribenzoxim	4.271
嘧菌环胺	cyprodinil	4.272
嘧菌酯	azoxystrobin	4.273
嘧霉胺	pyrimethanil	4.274
棉隆	dazomet	4.275
灭草松	bentazone	4.276
灭多威	methomyl	4.277
灭菌丹	folpet	4.278
灭线磷	ethoprophos	4.279
灭锈胺	mepronil	4.280
灭蚁灵	mirex	4.465
灭蝇胺	cyromazine	4.281
灭幼脲	chlorbenzuron	4.282
萘乙酸和萘乙酸钠	1-naphthylacetic acid and sodium 1-naphthalacitic acid	4.283
内吸磷	demeton	4.284
宁南霉素	ningnanmycin	4.285
哌草丹	dimepiperate	4.286
扑草净	prometryn	4.287
七氯	heptachlor	4.466
嗪氨灵	triforine	4.288
嗪吡嘧磺隆	metazosulfuron	4.289
嗪草酸甲酯	fluthiacet-methyl	4.290
嗪草酮	metribuzin	4.291
氰草津	cyanazine	4.292
氰氟草酯	cyhalofop-butyl	4.293
氰氟虫腙	metaflumizone	4.294
氰霜唑	cyazofamid	4.295
氰戊菊酯和S-氰戊菊酯	fenvalerate and esfenvalerate	4.296
氰烯菌酯	phenamacril	4.297
炔苯酰草胺	propyzamide	4.298
炔草酯	clodinafop-propargyl	4.299
炔螨特	propargite	4.300
乳氟禾草灵	lactofen	4.301
噻苯隆	thidiazuron	4.302
噻草酮	cycloxydim	4.303
噻虫胺	clothianidin	4.304
噻虫啉	thiacloprid	4.305
噻虫嗪	thiamethoxam	4.306
噻吩磺隆	thifensulfuron-methyl	4.307
噻吩酰胺	thifluzamide	4.308
噻节因	dimethipin	4.309
噻菌灵	thiabendazole	4.310
噻菌铜	thiediazole copper	4.311
噻螨酮	hexythiazox	4.312
噻霉酮	benzothiazolinone	4.313
噻嗪酮	buprofezin	4.314
噻酮磺隆	thiencarbazone-methyl	4.315
噻唑磷	fosthiazate	4.316
噻唑锌	zinc thiazole	4.317

三苯基氢氧化锡	fentin hydroxide	4.318
三苯基乙酸锡	fennacetate	4.319
三氟甲吡醚	pyridaly	4.320
三氟羧草醚	acifluorfen	4.321
三环锡	cyhexain	4.322
三环唑	ricyclazole	4.323
三甲苯草酮	tralkoxydim	4.324
三氯吡氧乙酸	riclopyr	4.325
三氯杀螨醇	dicofol	4.326
三氯杀螨砜	tetradifon	4.327
三乙膦酸铝	foseyl-aluminium	4.328
三唑醇	riadimenol	4.329
三唑磷	riazophos	4.330
三唑酮	riadimefon	4.331
三唑锡	azocycloid	4.332
杀草强	amirole	4.333
杀虫单	hiosulap-monosodium	4.334
杀虫环	hiocyclam	4.335
杀虫脒	chlordimeform	4.336
杀虫双	thiosultap-disodium	4.337
杀铃脲	riflumuron	4.338
杀螺胺乙醇胺盐	niclosamide-ol amine	4.339
杀螟丹	cartap	4.340
杀螟硫磷	fenitrothion	4.341
杀朴磷	methidathion	4.342
杀线威	oxamyl	4.343
莎稗磷	ani洛fos	4.344
申嗪霉素	phenazino-l-carboxylic acid	4.345
生物苄呋菊酯	bioresmethrin	4.346
虱螨脲	lufenuron	4.347
双草醚	bispyribac-sodium	4.348
双氟磺草胺	florasulam	4.349
双胍三辛烷基苯磺酸盐	iminoctadinetris (albesilate)	4.350
双甲脒	amitraz	4.351
双炔酰菌胺	mandipropamid	4.352
霜霉威和霜霉威盐酸盐	propamocarb and propamocarb hydrochloride	4.353
霜脲氰	cymoxanil	4.354
水胺硫磷	isocarbophos	4.355
四氟醚唑	tetraconazole	4.356
四聚乙醛	metaldehyde	4.357
四氯苯酞	phthalide	4.358
四氯硝基苯	tecnazene	4.359
四螨嗪	clofentezine	4.360
特丁津	terbutylazine	4.361
特丁硫磷	terbufos	4.362
涕灭威	aldicarb	4.363
甜菜安	desmedipham	4.364
甜菜宁	phemmedipham	4.365
调环酸钙	prohexadione-calcium	4.366
威百亩	metam-sodium	4.367
萎锈灵	carboxin	4.368
肟菌酯	trifloxystrobin	4.369
五氟磺草胺	penoxsulam	4.370
五氯硝基苯	quintozene	4.371
戊菌唑	penconazole	4.372
戊唑醇	tebuconazole	4.373
西草净	simetryn	4.374
西玛津	simazine	4.375
烯丙苯噻唑	probenazole	4.376
烯草酮	clethodim	4.377
烯虫酯	methoprene	4.378
烯啶虫胺	nitenpyram	4.379
烯禾啶	sethoxydim	4.380
烯肟菌胺	fenaminstrobin	4.381
烯肟菌酯	enestroburin	4.382
烯酰吗啉	dimethomorph	4.383

烯效唑	uniconazole	4.384
烯唑醇	diniconazole	4.385
酰嘧磺隆	amidosulfuron	4.386
硝苯菌酯	meptyldinocap	4.387
硝磺草酮	mesotriione	4.388
辛菌胺	xinjunan	4.389
辛硫磷	phoxim	4.390
辛酰溴苯腈	bromoxynil octanoate	4.391
溴苯腈	bromoxynil	4.392
溴甲烷	methyl bromide	4.393
溴菌腈	bromothalonii	4.394
溴螨酯	bromopropylate	4.395
溴氰虫酰胺	cyantraniliprole	4.396
溴氰菊酯	deltamethrin	4.397
溴硝醇	bronopoi	4.398
蚜灭磷	vamidothion	4.399
亚胺硫磷	phosmet	4.400
亚胺唑	imibenconazole	4.401
亚砜磷	oxydemeton-methyl	4.402
烟碱	nicotine	4.403
烟嘧磺隆	nicosulfuron	4.404
盐酸吗啉胍	moroxydine hydrochloride	4.405
氯乐果	omethoate	4.406
野麦畏	triallate	4.407
野燕桔	difenzoquat	4.408
依维菌素	ivermectin	4.409
乙拌磷	disulfoton	4.410
乙草胺	acetochlor	4.411
乙虫腈	ethiprole	4.412
乙基多杀菌素	spinetoram	4.413
乙硫磷	ethion	4.414
乙螨唑	etoxazole	4.415
乙霉威	diethofencarb	4.416
乙嘧酚	ethirimoi	4.417
乙嘧酚磺酸酯	bupirimate	4.418
乙蒜素	ethylicin	4.419
乙羧氟草醚	fluoroglycofen-ethyl	4.420
乙烯菌核利	vinclozolin	4.421
乙烯利	ethephon	4.422
乙酰甲胺磷	acephate	4.423
乙氧快草黄	ethofumesate	4.424
乙氧氟草醚	oxyfluorfen	4.425
乙氧磺隆	ethoxysulfuron	4.426
乙氧喹啉	ethoxyquin	4.427
异丙草胺	propisochlor	4.428
异丙甲草胺和精异丙甲草胺	metolachlor and S-metolachlor	4.429
异丙隆	isoproturon	4.430
异丙威	isoprocarb	4.431
异稻瘟净	iprobenfos	4.432
异狄氏剂	endrin	4.467
异噁草酮	clomazone	4.433
异噁唑草酮	isoxaflutole	4.434
异菌脲	iprodione	4.435
抑霉唑	imazalil	4.436
抑芽丹	maleic hydrazide	4.437
吲唑磺菌胺	amisulbrom	4.438
印楝素	azadirachtin	4.439
茚虫威	indoxacarb	4.440
蝇毒磷	coumaphos	4.441
莠灭净	ametryn	4.442
莠去津	atrazine	4.443
鱼藤酮	rotenone	4.444
增效醚	piperonyl butoxide	4.445
治螟磷	sulfotep	4.446
种菌唑	ipconazole	4.447
仲丁灵	butralin	4.448

仲丁威	fenobucarb	4.449
唑胺菌酯	pyrametostrobin	4.450
唑草酮	carfentrazone-ethyl	4.451
唑虫酰胺	tolfenpyrad	4.452
唑菌酯	pyraoxystrobin	4.453
唑啉草酯	pinoxaden	4.454
唑螨酯	fenpyroximate	4.455
唑嘧磺草胺	flumetsulam	4.456
唑嘧菌胺	ametoctradin	4.457

Index of the Pesticides' English Common Names

1-naphthylacetic acid and sodium 1-naphthalacitic acid	萘乙酸和萘乙酸钠	4.283
2, 4-D and 2, 4-D Na	2,4-滴和2,4-滴钠盐	4.1
2, 4-D butylate	2,4-滴丁酯	4.2
2, 4-D-dimethylamine	2,4-滴二甲胺盐	4.3
2, 4-D-ethylhexyl	2,4-滴异辛酯	4.4
2-phenylphenol	邻苯基苯酚	4.225
abamectin	阿维菌素	4.8
acephate	乙酰甲胺磷	4.23
acetamiprid	啶虫脒	4.100
acetochlor	乙草胺	4.411
acifluorfen	三氟羧草醚	4.321
alachlor	甲草胺	4.183
albendazole	丙硫多菌灵	4.50
aldicarb	涕灭威	4.363
aldrin	艾氏剂	4.458
aluminium phosphide	磷化铝	4.227
ametoctradin	唑嘧菌胺	4.457
ametryn	莠灭净	4.442
amicarbazone	氨唑草酮	4.12
amidosulfuron	酰嘧磺隆	4.386
aminocyclopyrachlor	氯丙嘧啶酸	4.244
aminopyralid	氯氨吡啶酸	4.239
amisulbrom	吲唑磺菌胺	4.438
amitraz	双甲脒	4.351
amitrole	杀草强	4.333
amobam	代森铵	4.68
anilazine	敌菌灵	4.86
anilofos	莎稗磷	4.344
atrazine	莠去津	4.443
azadirachtin	印楝素	4.439
azinphos-methyl	保棉磷	4.17
azocyclotin	三唑锡	4.332
azoxystrobin	嘧菌酯	4.273
benalaxyd	苯霜灵	4.31
benazolin-ethyl	草除灵	4.59
benfuracarb	丙硫克百威	4.52
benomyl	苯菌灵	4.23
bensulfuron-methyl	苄嘧磺隆	4.47
bentazone	灭草松	4.276
benzothiazolinone	噁霉酮	4.313
benzovindiflupyr	苯并烯氟菌唑	4.19
benzoximate	苯螨特	4.26
bifenazate	联苯肼酯	4.222
bifenox	甲羧除草醚	4.201
bifenthrin	联苯菊酯	4.223
bioresmethrin	生物苄呋菊酯	4.346
bispuryribac-sodium	双草醚	4.348
bitertanol	联苯三唑醇	4.224
blasticidin-S	灰瘟素	4.177
boscalid	啶酰菌胺	4.102
bromopropylate	溴螨酯	4.395
bromothalonil	溴菌腈	4.394
bromoxynil	溴苯腈	4.392
bromoxynil octanoate	辛酰溴苯腈	4.391
bronopol	溴硝醇	4.398
bupirimate	乙嘧酚磺酸酯	4.418
buprofezin	噻嗪酮	4.314
butachlor	丁草胺	4.92
butralin	仲丁灵	4.448
cadusafos	硫线磷	4.235
camphechlor	毒杀芬	4.461
captan	克菌丹	4.213
carbaryl	甲萘威	4.197
carbendazim	多菌灵	4.109
carbofuran	克百威	4.212

carbosulfan	丁硫克百威	4.95
carboxin	萎锈灵	4.368
carfentrazone-ethyl	唑草酮	4.451
cartap	杀螟丹	4.340
chlorantraniliprole	氯虫苯甲酰胺	4.245
chlorbenzuron	灭幼脲	4.282
chlordan	氯丹	4.464
chlordimeform	杀虫脒	4.336
chlorfenapyr	虫螨腈	4.61
chlorfluazuron	氟啶脲	4.144
chlorimuron-ethyl	氯嘧磺隆	4.252
chlormequat	矮壮素	4.9
chloroisobromine cyanuric acid	氯溴异氰尿酸	4.256
chloropicrin	氯化苦	4.249
chlorothalonil	百菌清	4.16
chlorpropham	氯苯胺灵	4.240
chlorpyrifos	毒死蜱	4.106
chlorpyrifos-methyl	甲基毒死蜱	4.187
chlorsulfuron	氯磺隆	4.250
chlortoluron	绿麦隆	4.238
cinosulfuron	醚磺隆	4.266
clethodim	烯草酮	4.377
clodinafop-propargyl	炔草酯	4.299
clofentezine	四螨嗪	4.360
clomazone	异噁草酮	4.433
clopyralid	二氯吡啶酸	4.121
clothianidin	噻虫胺	4.304
coumaphos	蝇毒磷	4.441
coumoxystrobin	丁香菌酯	4.99
cyanamide	单氰胺	4.74
cyanazine	氰草津	4.292
cyantraniliprole	溴氰虫酰胺	4.396
cyazofamid	氰霜唑	4.295
cyclosulfamuron	环丙嘧磺隆	4.171
cycloxydim	噁草酮	4.303
cyflumetofen	丁氟磷酯	4.94
cylfluthrin and beta-cyfluthrin	氟氯氰菊酯和高效氟氯氰菊酯	4.152
cyhalofop-butyl	氰氟草酯	4.293
cyhalothrin and lambda-cyhalothrin	氯氟氰菊酯和高效氯氟氰菊酯	4.248
cyhexatin	三环锡	4.322
cymoxanil	霜脲氰	4.354
cypermethrin and beta-cypermethrin	氯氰菊酯和高效氯氰菊酯	4.253
cyproconazole	环丙唑醇	4.172
cyprodinil	嘧菌环胺	4.272
cyromazine	灭蝇胺	4.281
daminozide	丁酰肼	4.98
dazomet	棉隆	4.275
DDT	滴滴涕	4.459
deltamethrin	溴氰菊酯	4.397
demeton	内吸磷	4.284
desmedipham	甜菜安	4.364
diafenthuron	丁醚脲	4.96
diazinon	二嗪磷	4.123
dicamba	麦草畏	4.259
dichlobenil	敌草腈	4.81
dichlofluanid	苯氟磺胺	4.21
dichlorvos	敌敌畏	4.84
diclofop-methyl	禾草灵	4.170
dicloran	氯硝胺	4.255
dicofoi	三氯杀螨醇	4.326
dieldrin	狄氏剂	4.460
diethofencarb	乙霉威	4.416
diethyi aminoethyi hexanoate	胺鲜酯	4.14
difenoconazole	苯醚甲环唑	4.27
difenzoquat	野燕枯	4.408
diflubenzuron	除虫脲	4.64

diflufenican	吡氟酰草胺	4.40
dimepiperate	哌草丹	4.286
dimethenamid-P	精二甲吩草胺	4.207
dimethipin	噻节因	4.309
dimethoate	乐果	4.221
dimethomorph	烯酰吗啉	4.383
diniconazole	烯唑醇	4.385
dinocap	敌螨普	4.87
dinotefuran	呋虫胺	4.128
diphenylamine	二苯胺	4.119
diquat	敌草快	4.82
disulfoton	乙拌磷	4.410
dithianon	二氯蒽醌	4.124
diuron	敌草隆	4.83
dodine	多果定	4.108
dufulin	毒氟磷	4.105
edifenphos	敌瘟磷	4.88
emamectin benzoate	甲氨基阿维菌素苯甲酸盐	4.179
endosulfan	硫丹	4.230
endrin	异狄氏剂	4.467
enestroburin	烯肟菌酯	4.382
epoxiconazole	氟环唑	4.146
ethametsulfuron	胺苯磺隆	4.13
ethephon	乙烯利	4.422
ethion	乙硫磷	4.414
ethiprole	乙虫腈	4.412
ethirimol	乙嘧酚	4.417
ethofumesate	乙氧呋草黄	4.424
ethoprophos	灭线磷	4.279
ethoxyquin	乙氧喹啉	4.427
ethoxysulfuron	乙氧磺隆	4.426
ethylicin	乙蒜素	4.419
etofenprox	醚菊酯	4.267
etoxazole	乙螨唑	4.415
famoxadone	噁唑菌酮	4.117
fenamidone	咪唑菌酮	4.261
fenaminosulf	敌磺钠	4.85
fenaminstrobin	烯肟菌胺	4.381
fenamiphos	苯线磷	4.33
fenarimol	氯苯嘧啶醇	4.241
fenazaquin	喹螨醚	4.219
fenbuconazole	腈苯唑	4.204
fenbutatin oxide	苯丁锡	4.20
fenhexamid	环酰菌胺	4.174
fenitrothion	杀螟硫磷	4.341
fenobucarb	仲丁威	4.449
fenothiocarb	苯硫威	4.25
fenoxanil	稻瘟酰胺	4.77
fenoxaprop-P-ethyl	精噁唑禾草灵	4.206
fenpropathrin	甲氰菊酯	4.199
fenpropidin	苯锈啶	4.34
fenpropimorph	丁苯吗啉	4.90
fenpyroximate	唑螨酯	4.455
fenthion	倍硫磷	4.18
fentin acetate	三苯基乙酸锡	4.319
fentin hydroxide	三苯基氢氧化锡	4.318
fenvalerate and esfenvalerate	S-氰戊菊酯和S-氰戊菊酯	4.296
fenpropidin	氟虫腈	4.139
flonicamid	氟啶虫酰胺	4.143
florasulam	双氟磺草胺	4.349
fluazifop and fluazifop-P-butyl	吡氟禾草灵和精吡氟禾草灵	4.39
fluazinam	氟啶胺	4.141
flubendiamide	氟苯虫酰胺	4.133
flucarbazone-sodium	氟唑磺隆	4.160
flucetosulfuron	氟吡磺隆	4.135
flucythrinate	氟氰戊菊酯	4.154

fludioxonil	咯菌腈	4.166
flufenacet	氟噻草胺	4.155
flufenoxuron	氟虫脲	4.140
flufiprole	丁虫腈	4.93
flumetralin	氟节胺	4.148
flumetsulam	唑嘧磺草胺	4.456
flumiclorac	氟烯草酸	4.156
flumioxazin	丙炔氟草胺	4.55
flumorph	氟吗啉	4.153
fluopicolide	氟吡菌胺	4.137
fluopyram	氟吡菌酰胺	4.138
fluoroglycofen-ethyi	乙羧氟草醚	4.420
fluroxypy and fluroxypy-memptyf	氯氟吡氧乙酸和氯氟吡氧乙酸异辛酯	4.247
flurtamone	吠草酮	4.127
flusilazole	氟哇唑	4.145
fluthiacet-methyi	嗪草酸甲酯	4.290
flutolanil	氟酰胺	4.157
flutriafol	粉唑醇	4.125
fluxapyroxad	氟唑菌酰胺	4.161
folpet	灭菌丹	4.278
fomesafen	氟磺胺草醚	4.147
fonofos	地虫硫磷	4.89
forchlorfenuron	氯吡脲	4.243
fosetyl-alu minium	三乙膦酸铝	4.328
fosthiazate	噻唑磷	4.316
furan tebufenozone	吠喃虫酰肼	4.129
glufosinate-ammonium	草铵膦	4.58
glyphosate	草甘膦	4.60
halosulfuron-methyi	氯吡嘧磺隆	4.242
haloxyfop-methyl and haloxyfop-P-methyl	氟吡甲禾灵和高效氟吡甲禾灵	4.136
HCH	六六六	4.463
heptachlor	七氯	4.466
hexaconazole	己唑醇	4.178
hexaflumuron	氟铃脲	4.151
hexazinone	环嗪酮	4.173
hexythiazox	噻嗪酮	4.312
hydrogen phosphide	磷化氢	4.229
hymexazof	噁霉灵	4.114
imazalil	抑霉唑	4.436
imazamox	甲氧咪草烟	4.203
imazapic	甲咪唑烟酸	4.196
imazapyr	咪唑烟酸	4.263
imazaquin	咪唑喹啉酸	4.262
imazethapyr	咪唑乙烟酸	4.264
imibenconazole	亚胺唑	4.401
imidaclorpid	吡虫啉	4.38
imidaclothiz	氯噻啉	4.254
iminoctadinetris (albesilate)	双胍三辛烷基苯磺酸盐	4.350
indoxacarb	茚虫威	4.440
iodosulfuron-methyl-sodium	甲基碘磺隆钠盐	4.186
ipconazole	种菌唑	4.447
iprobenfos	异稻瘟净	4.432
iprodione	异菌脲	4.435
isazofos	氯唑磷	4.257
isocarbophos	水胺硫磷	4.355
isofenphos-methyl	甲基异柳磷	4.194
isoprocarb	异丙威	4.431
isoprothiolane	稻瘟灵	4.76
isoproturon	异丙隆	4.430
isopyrazam	吡唑萘菌胺	4.46
isoxaflutole	异噁唑草酮	4.434
ivermectin	依维菌素	4.409
jiangangmycin	井冈霉素	4.208
kasugamycin	春雷霉素	4.65
kresoxim-methyl	醚菌酯	4.268
lactofen	乳氟禾草灵	4.301

lindane	林丹	4.462
lufenuron	虱螨脲	4.347
malathion	马拉硫磷	4.258
maleic hydrazide	抑芽丹	4.437
mancozeb	代森锰锌	4.70
mandipropamid	双炔酰菌胺	4.352
matrine	苦参碱	4.214
MCPA (sodium)	2甲4氯(钠)	4.5
MCPA-dimethyl ammonium	2甲4氯二甲胺盐	4.6
MCPA-isoctyl	2甲4氯异辛酯	4.7
mefenacet	苯噻酰草胺	4.30
megnesium phosphide	磷化镁	4.228
mepiquat chloride	甲哌鎓	4.198
mepronil	灭锈胺	4.280
meptyldinocap	硝苯菌酯	4.387
mesosulfuron-methyl	甲基二磺隆	4.189
mesotrione	硝磺草酮	4.388
metaflumizone	氰氟虫腙	4.294
metalaxyll and metalaxyl-M	甲霜灵和精甲霜灵	4.200
metaldehyde	四聚乙醛	4.357
metamifop	噁唑酰草胺	4.118
metamitron	苯嗪草酮	4.29
metam-sodium	威百亩	4.367
metazachlor	吡唑草胺	4.44
metazosulfuron	嘧啶噁磺隆	4.289
methamidophos	甲胺磷	4.180
methidathion	杀扑磷	4.342
methiocarb	甲硫威	4.195
methomyl	灭多威	4.277
methoprene	烯虫酯	4.378
methoxyfenozide	甲氧虫酰肼	4.202
methyl bromide	溴甲烷	4.393
metiram	代森联	4.69
metolachlor and S-metolachlor	异丙甲草胺和精异丙甲草胺	4.429
metrafenone	苯菌酮	4.24
metribuzin	嗪草酮	4.291
metsulfuron-methyl	甲磺隆	4.185
mirex	灭蚁灵	4.465
molinate	禾草敌	4.169
monocrotophos	久效磷	4.209
monosulfuron	单嘧磺隆	4.73
moroxydine hydrochloride	盐酸吗啉胍	4.405
myclobutanil	腈菌唑	4.205
napropamide	敌草胺	4.80
niclosamid-olamine	杀螺胺乙醇胺盐	4.339
nicosulfuron	烟嘧磺隆	4.404
nicotine	烟碱	4.403
ningnanmycin	宁南霉素	4.285
nitenpyram	烯啶虫胺	4.379
novaluron	氟酰脲	4.158
omethoate	氧乐果	4.406
orthosulfamuron	嘧苯胺磺隆	4.269
oxadiargyl	丙炔噁草酮	4.54
oxadiazon	噁草酮	4.113
oxadixyl	噁霜灵	4.116
oxamyl	杀线威	4.343
oxaziclomefone	噁嗪草酮	4.115
oxine-copper	喹啉铜	4.217
oxydemeton-methyl	亚砜磷	4.402
oxyfluorfen	乙氧氟草醚	4.425
paclobutrazol	多效唑	4.112
paraquat	百草枯	4.15
parathion	对硫磷	4.107
parathion-methyl	甲基对硫磷	4.188
penconazole	戊菌唑	4.372
pendimethalin	二甲戊灵	4.120

penoxsulam	五氟磺草胺	4.370
penthiopyrad	吡噻菌胺	4.42
permethrin	氯菊酯	4.251
phenamacril	氰烯菌酯	4.297
phenazino-1-carboxylic acid	申嗪霉素	4.345
phenmedipham	甜菜宁	4.365
phenthate	稻丰散	4.75
phorate	甲拌磷	4.181
phosalone	伏杀硫磷	4.130
phosfolan	硫环磷	4.231
phosfolan-methyl	甲基硫环磷	4.191
phosmet	亚胺硫磷	4.400
phosphamidon	磷胺	4.226
phoxim	辛硫磷	4.390
phthalide	四氯苯酞	4.358
picloram	氨基吡啶酸	4.10
picloram-tris (2-hydroxypropyl) ammonium	氨基吡啶酸三异丙醇胺盐	4.11
picoxystrobin	啶氧菌酯	4.103
pinoxaden	唑啉草酯	4.454
piperonyl butoxide	增效醚	4.445
pirimicarb	抗蚜威	4.211
pirimiphos-methyl	甲基嘧啶磷	4.193
polyoxins	多抗霉素	4.110
pretilachlor	丙草胺	4.48
probenazole	烯丙苯噁唑	4.376
prochloraz and prochloraz-manganese chloride complex	咪鲜胺和咪鲜胺锰盐	4.260
procymidone	腐霉利	4.164
profenofos	丙溴磷	4.57
prohexadione-calcium	调环酸钙	4.366
prometryn	扑草净	4.287
propachlor	毒草胺	4.104
propamocarb and propamocarb hydrochloride	霜霉威和霜霉威盐酸盐	4.353
propanil	敌稗	4.79
propargite	炔螨特	4.300
propiconazole	丙环唑	4.49
propineb	丙森锌	4.56
propisochlor	异丙草胺	4.428
propyrifluron	丙噻嘧磺隆	4.53
propyzamide	炔苯酰草胺	4.298
prothioconazole	丙硫菌唑	4.51
pymetrozine	吡蚜酮	4.43
pyraclostrobin	吡唑醚菌酯	4.45
pyraflufen-ethyl	吡草醚	4.37
pyrametostrobin	唑胺菌酯	4.450
pyraoxystrobin	唑菌酯	4.453
pyrazosulfuron-ethyl	吡嘧磺隆	4.41
pyrethrins	除虫菊素	4.63
pyribenzoxim	嘧啶肟草醚	4.271
pyridaben	哒螨灵	4.66
pyridalyl	三氟甲吡唑	4.320
pyridaphenthion	哒嗪硫磷	4.67
pyriftalid	环酯草醚	4.175
pyrimethanil	嘧霉胺	4.274
pyriminobac-methyl	嘧草醚	4.270
pyrimorph	丁毗吗啉	4.91
pyriproxyfen	吡丙醚	4.36
pyrisoxazole	啶菌噁唑	4.101
quinalphos	喹硫磷	4.218
quinclorac	二氯喹啉酸	4.122
quinoxifen	喹氧灵	4.220
quintozene	五氯硝基苯	4.371
quizalofop and quizalofop-P-ethyl	喹禾灵和精喹禾灵	4.216
quizalofop-P-tef uryl	喹禾糠酯	4.215
rimsulfuron	砜嘧磺隆	4.126
rotenone	鱼藤酮	4.444
saflufenacil	苯嘧磺草胺	4.28

sedaxane	氟唑环菌胺	4.159
semiamitraz and semiamitraz chloride	单甲脒和单甲脒盐酸盐	4.72
sethoxydim	烯禾啶	4.380
silthiofam	硅噻菌胺	4.167
simazine	西玛津	4.375
simetryn	西草净	4.374
sodium nitrophenolate	复硝酚钠	4.165
spinetoram	乙基多杀菌素	4.413
spinosad	多杀霉素	4.111
spirodiclofen	螺螨酯	4.237
spirotetramat	螺虫乙酯	4.236
streptomycin sesquissulfate	硫酸链霉素	4.233
sulcotrione	磺草酮	4.176
sulfentrazone	甲磺草胺	4.184
sulfotep	治螟磷	4.446
sulfoxaflor	氟啶虫胺腈	4.142
sulfuryl fluoride	硫酰氟	4.234
tau-fluvalinate	氟胺氰菊酯	4.132
tebuconazole	戊唑醇	4.373
tebufenozide	虫酰肼	4.62
tebuthiuron	丁噁隆	4.97
tecnazene	四氯硝基苯	4.359
teflubenzuron	氟苯脲	4.134
terbufos	特丁硫磷	4.362
terbutylazine	特丁津	4.361
tetraconazole	四氟醚唑	4.356
tetradrfon	三氯杀螨砜	4.327
thiabendazole	噻菌灵	4.310
thiacloprid	噻虫啉	4.305
thiamethoxam	噻虫嗪	4.306
thidiazuron	噻苯隆	4.302
thiediazole copper	噻菌铜	4.311
thien carbazole-methyl	噻酮磺隆	4.315
thifensulfuron-methyl	噻吩磺隆	4.307
thifluzamide	噻呋酰胺	4.308
thiobencarb	禾草丹	4.168
thiocyclam	杀虫环	4.335
thiodicarb	硫双威	4.232
thiophanate-methyl	甲基硫菌灵	4.192
thiosultap-disodium	杀虫双	4.337
thiosultap-monosodium	杀虫单	4.334
thiram	福美双	4.162
tolclofos-methyl	甲基立枯磷	4.190
tolfenpyrad	唑虫酰胺	4.452
tolylfluanid	甲苯氟磺胺	4.182
topramezone	苯唑草酮	4.35
tralkoxydim	三甲苯草酮	4.324
triadimefon	三唑酮	4.331
triadimenol	三唑醇	4.329
triallate	野麦畏	4.407
triasulfuron	醚苯磺隆	4.265
triazophos	三唑磷	4.330
tribenuron-methyl	苯磺隆	4.22
trichlorfon	敌百虫	4.78
triclopyr	三氯吡氧乙酸	4.325
triclopyricarb	氯啶菌酯	4.246
Tricyclazole	三环唑	4.323
trifloxystrobin	肟菌酯	4.369
triflumizole	氟菌唑	4.149
triflumuron	杀铃脲	4.338
trifluralin	氟乐灵	4.150
triflusulfuron-methyl	氟胺磺隆	4.131
triforine	嗪氨基	4.288
trinexapac--thyf	抗倒酯	4.210
unicornazole	烯效唑	4.384
vamidothion	蚜灭磷	4.399

vinclozolin	乙烯菌核利	4.421
xinjunan	辛菌胺	4.389
zinc thiazole	噻唑锌	4.317
zineb	代森锌	4.71
ziram	福美锌	4.163
oxamido	苯酰菌胺	4.32

Attachments:

No Attachments.