

Voluntary Report – Voluntary - Public Distribution

Date: June 29, 2022

Report Number: CH2022-0073

Report Name: PRC Releases Draft MRL Standards for Public
Comments

Country: China - People's Republic of

Post: Beijing

Report Category: Sanitary/Phytosanitary/Food Safety

Prepared By: FAS Beijing Staff

Approved By: Garrett McDonald

Report Highlights:

On June 16, 2022, the People's Republic of China (PRC), Ministry of Agriculture and Rural Affairs (MARA) released two draft National Food Safety Standards for maximum residue limits covering a total of 98 pesticides in foods for public comment. The deadline for submitting comments is July 15, 2022. This report provides an unofficial translation of the MARA Letter soliciting public comments, the two draft MRL standards, and the form for comment submission.

Summary:

On June 16, 2022 the Ministry of Agriculture and Rural Affairs (MARA) released a [Letter](#) soliciting public comments on two draft National Food Safety Standards for maximum residue limits covering a total of 98 pesticides in foods for public comments. The first draft standard, [“Maximum residue limits for 43 pesticides \(including Difenoconazole in food\) \(Draft for Comments\)”](#), proposes 130 maximum residue limits of 43 pesticides. The second draft standard, [“Maximum residue limits for 55 pesticides \(including Abamectin in food\) \(Draft for Comments\)”](#), proposes 343 maximum residue limits of 55 pesticides.

Foods covered under the standards include corn, soybean, barley, rye, sorghum, rice, rapeseed, ginseng, tomato, cherry, strawberry, blueberry, and oranges, among others.

MARA’s prior practice has been to notify draft MRL standards for public comment and, subsequently, notify them to the WTO. FAS China will continue to monitor the status of these draft standards and report new developments.

This report provides an unofficial translation of the MARA Letter soliciting public comments, the two draft MRL standards, and the form for comment submission.

BEGIN TRANSLATION

Letter Soliciting Public Comments on National Standard - Maximum Residue Limits for 43 Pesticides including Difenoconazole and 55 Pesticides including Abamectin in Food (Draft for Comments)

Date: June 16, 2022 Author: Source: Department of Planting Management, Ministry of Agriculture and Rural Affairs

In accordance with provisions of the *Food Safety Law of the People's Republic of China* and the *Quality Safety Law of Agricultural Products of the People's Republic of China*, our Department organized the development of standards - *Maximum residue limits for 43 pesticides (including Difenoconazole in food) (Draft for Comments)* and *Maximum residue limits for 55 pesticides (including Abamectin in food) (Draft for Comments)*. We are soliciting public comments (on the two draft standards); to submit comments, please fill in the Form for Comments Submission for each standard and send the comments to the

Secretariat of the National Pesticide Residue Standards Review Committee before July 15, 2022.

Contacts: Luo Yuanyuan

Tel: 010-59194077

Fax: 010-59194107

E-mail: nyclbz@agri.gov.cn

Attachment:

1. Maximum residue limits of 43 pesticides including difenoconazole in food (Draft for Comments)
2. Maximum residue limits of 55 pesticides including abamectin in food (Draft for Comments)
3. Form for Comments Submission on National Standards for Pesticide Residue Limits

Department of Crop Production, Ministry of Agriculture and Rural Affairs

June 16, 2022

Attachment 1:

**National Food Safety Standard Maximum Residue Limits for 43 Pesticides including
Difenoconazole in Food**

(Draft for Comments)

Table of Content

1 SCOPE	1
2 NORMATIVE REFERENCE	1
3 TERMS AND DEFINITIONS	1
4.1 DIFENOCONAZOLE	2
4.2 MEFENACET	2
4.3 PYRACLOSTROBIN	3
4.4 PROPICONAZOLE	4
4.5 BUTACHLOR	4
4.6 BOSCALID	5
4.7 CARBENDAZIM	5
4.8 POLYOXINS	5
4.9 PROPAQUIZAFOP	6
4.10 OXAZICLOMEFONE	6
4.11 QUINCLORAC	7
4.12 FLUOPICOLIDE	7
4.13 FLUOPYRAM	8
4.14 FLUAZINAM	9
4.15 FLUSILAZOLE	9
4.16 FLUOPIMOMIDE	10
4.16.1 MAJOR PURPOSE OF USE: FUNGICIDE	10
4.17 OXATHIPIPROLIN	11
4.18 FLUTOLANIL	11
4.19 LAMBDA-CYHALOTHRIN	12

4.20 BETA-CYPERMETHRIN.....	12
4.21 HEXACONAZOLE	13
4.22 EMAMECTIN BENZOATE	13
4.23 THIOPHANATE-METHYL.....	14
4.24 OXINE-COPPER	14
4.25 BIFENTHRIN.....	15
4.26 SULFURYL FLUORIDE	15
4.27 SPIROTETRAMAT	16
4.28 FLUROXYPYR-MEPTYL.....	16
4.29 AZOXYSTROBIN.....	17
4.30 CYAZOFAMID	17
4.31 THIDIAZURON.....	18
4.32 CLOTHIANIDIN	19
4.33 THIFENSULFURON METHYL.....	20
4.34THIABENDAZOLE	20
4.35LUFENURON.....	21
4.36 PROPAMOCARB HYDROCHLORIDE.....	21
4.37 CYMOXANIL.....	22
4.38 TEBUCONAZOLE	22
4.39 ETHIRIMOL	23
4.40 METOLACHLOR.....	24
4.41 CLOMAZONE.....	24
4.42 IPRODIONE	25
4.43 AMETOCTRADIN	26
1 SCOPE	31
2 NORMATIVE REFERENCE	31
3 TERMS AND DEFINITIONS.....	31
4 TECHNICAL REQUIREMENTS	31
4.1 ABAMECTIN	31
4.2 FENPYRAZAMINE.....	32

4.3 DIFENOCONAZOLE	32
4.4 SAFLUFENACIL	33
4.5 PYRIPROXYFEN	34
4.6 PENTHIOPYRAD	35
4.7PYRACLOSTROBIN	36
4.8 PROPICONAZOLE.....	38
4.9 GLYPHOSATE	39
4.10 CHLORFENAPYR.....	40
4.11 DIQUAT	41
4.12 SPINOSAD	41
4.13 QUINCLORAC	42
4.14 FLUOPYRAM	43
4.15 SULFOXAFLORE.....	44
4.16 FLONICAMID.....	45
4.17 OXATHIPIPROLIN	46
4.18 FLUTOLANIL	47
4.19 NOVALURON	48
4.20 FLUXAPYROXAD	48
4.21 PYDIFLUMETOFEN	49
4.22 FLUDIOXONIL.....	50
4.23 CYPROCONAZOL	52
4.24 FENHEXAMID	52
4.25 CHLORPYRIFOS-METHYL.....	52
4.26 CARBARYL	53
4.27 METHOXYFENOZIDE	54
4.28 IMAZAMOX	55
4.29 PIRIMICARD	56
4.30 DIMETHOATE	56
4.31 PERMETHRIN	57
4.32 KRESOXIM-METHYL.....	58

4.33 CYPRODINI.....	59
4.34 AZOXYSTROBIN.....	59
4.35 BENTAZONE.....	60
4.36 CYPRODINI.....	60
4.37 CYROMAZINE.....	61
4.38 PROPARGITE.....	61
4.39 TRIAZOPHOS.....	62
4.40 OXAMYL.....	63
4.41 MANDIPROPAMID.....	64
4.42 TRIFLOXYSTROBIN.....	64
4.43 TEBUCONAZOLE.....	65
4.44 CLETHODIM.....	65
4.45 CYANTRANILIPROLE.....	66
4.46 OXYDEMETON-METHYL.....	67
4.47 DISULFOTON.....	67
4.48 ACETOCHLOR.....	68
4.49 ETHIPROLE.....	69
4.50 SPINETORAM.....	70
4.51 ISOFETAMID.....	70
4.52 IMAZALIL.....	71
4.53 FENPYROXIMATE.....	72
4.54 AMETOCTRADIN.....	73
4.55 GLUFOSINATE-AMMONIUM.....	74

1 Scope

This standard regulates the 130 maximum residue limits of 43 pesticides including difenoconazole, etc. in food.

This standard applies to foods related to residue limits.

The food categories and testing parts stipulated in GB 2763-2021 (Appendix A) apply to this standard. For instance, the maximum residue limit of a pesticide is applicable for a certain food category, all foods in this category will be applicable to this MRL, except otherwise specified

2 Normative reference

The documents referenced in this standard are essential for the application of this document. For dated references, only the dated versions apply to this standard. For not dated references, the latest versions (including all modifications) apply to this standard. The normative reference documents in this document will be listed when they are merged with GB 2763-2021 into the new version of GB 2763.

3 Terms and definitions

The terms and definitions below apply to this standard.

3.1 Residue definition

Any particular substance in food, agricultural products and animal feed due to the use of pesticides, including the pesticide derivatives which is considered to have toxicological significance, such as pesticide conversion products, metabolites, reaction products and impurities, etc.

3.2 Maximum residue limit (MRL)

The statutory maximum concentration of pesticide residues allowed in the internal or on surface of foods or agricultural products, expressed as the milligrams of pesticide residues per kilogram of foods or agricultural products (mg/kg).

3.3 Acceptable daily intake (ADI)

The estimated amount of a substance, consumed daily for a person's lifetime, without

generating detectable health hazards; expressed by the amount of intake per kilogram of body weight (mg/kg bw).

4 Technical Requirements

4.1 Difenconazole

4.1.1 Major purpose of use: fungicide.

4.1.2 ADI: 0.01 mg/kg bw.

4.1.3 Residue definition: difenconazole.

4.1.4 Maximum residue limit: Shall comply with provisions in the Table 1.

Table 1

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s) Goji berry (fresh)	2
Medicinal plant(s) Goji berry (dry)	10

4.1.5 Testing method: Fruits are tested following methods provided in GB 23200.8, GB 23200.113, GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.8, GB 23200.113, GB 23200.121.

4.2 Mefenacet

4.2.1 Major purpose of use: herbicide.

4.2.2 ADI: 0.007 mg/kg bw.

4.2.3 Residue definition: mefenacet.

4.2.4 Maximum residue limit: Shall comply with provisions in the Table 2.

Table 2

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s) Paddy rice	0.05

4.2.5 Testing method: Cereals are tested following methods provided in GB 23200.113, GB 23200.121.

4.3 Pyraclostrobin

4.3.1 Major purpose of use: fungicide.

4.3.2 ADI: 0.03 mg/kg bw.

4.3.3 Residue definition: pyraclostrobin.

4.3.4 Maximum residue limit: Shall comply with provisions in the Table 3.

Table 3

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Lily bulb (fresh)	0.02
Chili	2
Snake melon	1
Fruit(s)	
Dragon fruit	1
Goji berry (dry)	5
Medicinal plant(s)	
Sanqi (panax notoginseng) root tuber (dry)	2
Sanqi (panax notoginseng) fibrous root(dry)	3
Beimu (fritillaria cirrhosa) (dry)	3
Lily bulb (dry)	0.02
Goji berry (dry)	20
Honeysuckle flower(fresh)	0.5
Honeysuckle flower(dry)	0.5

4.3.5 Testing method: Vegetables, fruits are tested following methods provided in GB 23200.8, GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.8, GB 23200.121.

4.4 Propiconazole

4.4.1 Major purpose of use: fungicide.

4.4.2 ADI:0.07 mg/kg bw.

4.4.3 Residue definition: propiconazole.

4.4.4 Maximum residue limit: Shall comply with provisions in the Table 4.

Table 4

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Goji berry (fresh)	1
Medicinal plant(s)	
Goji berry (dry)	2

4.4.5 Testing method: Fruits are tested following methods provided in GB 23200.8, GB 23200.113, GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.8, GB 23200.113, GB 23200.121.

4.5 Butachlor

4.5.1 Major purpose of use: herbicide.

4.5.2 ADI:0.1 mg/kg bw.

4.5.3 Residue definition: butachlor.

4.5.4 Maximum residue limit: Shall comply with provisions in the Table 5.

Table 5

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	0.05
Brown rice	0.05

4.5.5 Testing method: Cereals are tested following methods provided in GB 23200.113, GB 23200.121.

4.6 Boscalid

4.6.1 Major purpose of use: fungicide.

4.6.2 ADI:0.04 mg/kg bw.

4.6.3 Residue definition: boscalid.

4.6.4 Maximum residue limit: Shall comply with provisions in the Table 6.

Table 6

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Peach	3

4.6.5 Testing method: Fruits are tested following methods provided in GB 23200.113, GB 23200.121.

4.7 Carbendazim

4.7.1 Major purpose of use: fungicide.

4.7.2 ADI:0.03 mg/kg bw.

4.7.3 Residue definition: carbendazim.

4.7.4 Maximum residue limit: Shall comply with provisions in the Table 7.

Table 7

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	2
Brown rice	2

4.7.5 Testing method: Cereals are tested following methods provided in GB 23200.121, GB/T 20770.

4.8 Polyoxins

4.8.1 Major purpose of use: fungicide.

4.8.2 ADI:10 mg/kg bw.

4.8.3 Residue definition: polyoxins B.

4.8.4 Maximum residue limit: Shall comply with provisions in the Table 8.

Table 8

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	0.1 [*]
Brown rice	0.1 [*]
Vegetable(s)	
Tomato	0.1 [*]
Chili	1 [*]
[*] The MRL is the temporary limit.	

4.9 Propaquizafop

4.9.1 Major purpose of use: herbicide.

4.9.2 ADI:0.015 mg/kg bw.

4.9.3 Residue definition: sum of propaquizafop and quizalofop-ethyl acid, expressed as quizalofop-ethyl acid.

4.9.4 Maximum residue limit: Shall comply with provisions in the Table 9.

Table 9

Food Category/Name	Maximum residue limit, mg/kg
Oil seed(s) and oil	
Rapeseed	0.1 [*]
[*] The MRL is the temporary limit.	

4.10 Oxaziclomefone

4.10.1 Major purpose of use: herbicide.

4.10.2 ADI:0.0091 mg/kg bw.

4.10.3 Residue definition: oxaziclomefone.

4.10.4 Maximum residue limit: Shall comply with provisions in the Table 10.

Table 10

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	0.05

4.10.5 Testing method: Cereals are tested following methods provided in GB 23200.34, GB 23200.121.

4.11 Quinclorac

4.11.1 Major purpose of use: herbicide.

4.11.2 ADI:0.4 mg/kg bw.

4.11.3 Residue definition: quinclorac.

4.11.4 Maximum residue limit: Shall comply with provisions in the Table 11.

Table 11

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	1

4.11.5 Testing method: Cereals are tested following methods provided in GB 23200.43.

4.12 Fluopicolide

4.12.1 Major purpose of use: fungicide.

4.12.2 ADI:0.08 mg/kg bw.

4.12.3 Residue definition: fluopicolide.

4.12.4 Maximum residue limit: Shall comply with provisions in the Table 12.

Table 12

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Sweet melons	1
Medicinal plant(s)	
Ginseng(fresh)	0.2
Ginseng(dry)	0.5

4.12.5 Testing method: Fruits are tested following methods provided in GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.121.

4.13 Fluopyram

4.13.1 Major purpose of use: fungicide.

4.13.2 ADI:0.01 mg/kg bw.

4.13.3 Residue definition: fluopyram.

4.13.4 Maximum residue limit: Shall comply with provisions in the Table 13.

Table 13

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Eggplant	0.5
Fruit(s)	
Loquat	0.2
Medicinal plant(s)	
Ginseng(fresh)	0.5
Ginseng(dry)	1

4.13.5 Testing method: Vegetables, fruits are tested following methods provided in GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.121.

4.14 Fluazinam

4.14.1 Major purpose of use: fungicide.

4.14.2 ADI:0.01 mg/kg bw.

4.14.3 Residue definition: fluazinam.

4.14.4 Maximum residue limit: Shall comply with provisions in the Table 14.

Table 14

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Lily bulb (fresh)	0.1
Medicinal plant(s)	
Ginseng(fresh)	0.5
Ginseng(dry)	2
Beimu (fritillaria cirrhosa) (fresh)	0.5
Beimu (fritillaria cirrhosa) (dry)	2
Atractylodes (fresh)	0.5
Atractylodes (dry)	1
Lily bulb (dry)	0.1

4.14.5 Testing method: Vegetables are tested following methods provided in GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.121.

4.15 Flusilazole

4.15.1 Major purpose of use: fungicide.

4.15.2 ADI:0.007 mg/kg bw.

4.15.3 Residue definition: flusilazole.

4.15.4 Maximum residue limit: Shall comply with provisions in the Table 15.

Table 15

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Corn	0.2
Fresh maize	0.2
Fruit(s)	
Goji berry (fresh)	1
Medicinal plant(s)	
Goji berry (dry)	3
Honeysuckle flower(fresh)	3
Honeysuckle flower(dry)	10

4.15.5 Testing method: Cereals are tested following methods provided in GB 23200.9, GB 23200.121, GB/T 20770; Fruits are tested following methods provided in GB 23200.8, GB 23200.53, GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.8, GB 23200.53, GB 23200.121.

4.16 Fluopimomide

4.16.1 Major purpose of use: fungicide.

4.16.2 ADI:0.17 mg/kg bw.

4.16.3 Residue definition: fluopimomide.

4.16.4 Maximum residue limit: Shall comply with provisions in the Table 16.

Table 16

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s) Taro	0.1*
Fruit(s) Grape	1*
*The MRL is the temporary limit.	

4.17 Oxathiapiprolin

4.17.1 Major purpose of use: fungicide.

4.17.2 ADI:4 mg/kg bw.

4.17.3 Residue definition: oxathiapiprolin.

4.17.4 Maximum residue limit: Shall comply with provisions in the Table 17.

Table 17

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s) Chili	0.5*
*The MRL is the temporary limit.	

4.18 Flutolanil

4.18.1 Major purpose of use: fungicide.

4.18.2 ADI:0.09 mg/kg bw.

4.18.3 Residue definition: flutolanil.

4.18.4 Maximum residue limit: Shall comply with provisions in the Table 18.

Table 18

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	2

4.18.5 Testing method: Cereals are tested following methods provided in GB 23200.9, GB23200.113, GB23200.121.

4.19 Lambda-cyhalothrin

4.19.1 Major purpose of use: insecticide.

4.19.2 ADI:0.02 mg/kg bw.

4.19.3 Residue definition: cyhalothrin (sum of isomers).

4.19.4 Maximum residue limit: Shall comply with provisions in the Table 19.

Table 19

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Banana	1

4.19.5 Testing method: Fruits are tested following methods provided in GB 23200.8, GB 23200.113.

4.20 Beta-cypermethrin

4.20.1 Major purpose of use: insecticide.

4.20.2 ADI:0.02 mg/kg bw.

4.20.3 Residue definition: cypermethrin (sum of isomers).

4.20.4 Maximum residue limit: Shall comply with provisions in the Table 20.

Table 20

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Dragon fruit	0.5

4.20.5 Testing method: Fruits are tested following methods provided in GB 23200.8, GB 23200.113.

4.21 Hexaconazole

4.21.1 Major purpose of use: fungicide

4.21.2 ADI:0.005 mg/kg bw.

4.21.3 Residue definition: hexaconazole.

4.21.4 Maximum residue limit: Shall comply with provisions in the Table 21.

Table 21

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	0.5
Brown rice	0.5

4.21.5 Testing method: Cereals are tested following methods provided in GB23200.113, GB 23200.121.

4.22 Emamectin benzoate

4.22.1 Major purpose of use: insecticide.

4.22.2 ADI:0.0005 mg/kg bw.

4.22.3 Residue definition: Emamectin Bla.

4.22.4 Maximum residue limit: Shall comply with provisions in the Table 22.

Table 22

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Leek	0.02
Medicinal plant(s)	
Dendrobium(fresh)	0.05
Dendrobium(dry)	0.5

4.22.5 Testing method: Vegetables are tested following methods provided in GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.121.

4.23 Thiophanate-methyl

4.23.1 Major purpose of use: fungicide.

4.23.2 ADI:0.09 mg/kg bw.

4.23.3 Residue definition: the sum of thiophanate-methyl and carbendazim, expressed as carbendazim.

4.23.4 Maximum residue limit: Shall comply with provisions in the Table 23.

Table 23

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Goji berry (fresh)	20
Medicinal plant(s)	
Goji berry (dry)	50

4.23.5 Testing method: Fruits are tested following methods provided in GB 23200.121, GB/T 20769; Medicinal plants are tested referring to methods provided in GB 23200.121, GB/T 20769.

4.24 Oxine-copper

4.24.1 Major purpose of use: fungicide.

4.24.2 ADI:0.02 mg/kg bw.

4.24.3 Residue definition: oxine-copper.

4.24.4 Maximum residue limit: Shall comply with provisions in the Table 24.

Table 24

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Loquat	1
Peach	2

4.24.5 Testing method: Fruits are tested following methods provided in GB 23200.117.

4.25 Bifenthrin

4.25.1 Major purpose of use: Pesticide/acaricide.

4.25.2 ADI:0.01 mg/kg bw.

4.25.3 Residue definition: Bifenthrin (sum of isomers).

4.25.4 Maximum residue limit: Shall comply with provisions in the Table 25.

Table 25

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Leek	0.5
Fruit(s)	
Peach	0.5

4.25.5 Testing method: Vegetables, fruits are tested following methods provided in GB 23200.113, GB 23200.121, NY/T 761.

4.26 Sulfuryl fluoride

4.26.1 Major purpose of use: insecticide.

4.26.2 ADI:0.01 mg/kg bw.

4.26.3 Residue definition: sulfuryl fluoride.

4.26.4 Maximum residue limit: Shall comply with provisions in the Table 26.

Table 26

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Strawberry	0.01*
*The MRL is the temporary limit.	

4.27 Spirotetramat

4.27.1 Major purpose of use: insecticide.

4.27.2 ADI:0.05 mg/kg bw.

4.27.3 Residue definition: the sum of Spirotetramat and its enol metabolite, expressed as Spirotetramat.

4.27.4 Maximum residue limit: Shall comply with provisions in the Table 27.

Table 27

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Banana	0.5

4.27.5 Testing method: Fruits are tested following methods provided in GB 23200.121.

4.28 Fluroxypyr-meptyl

4.28.1 Major purpose of use: herbicide.

4.28.2 ADI:1 mg/kg bw.

4.28.3 Residue definition: fluroxypyr.

4.28.4 Maximum residue limit: Shall comply with provisions in the Table 28.

Table 28

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Brown rice	0.05

4.28.5 Testing method: Cereals are tested following methods provided in GB/T 22243.

4.29 Azoxystrobin

4.29.1 Major purpose of use: fungicide.

4.29.2 ADI:0.2 mg/kg bw.

4.29.3 Residue definition: azoxystrobin.

4.29.4 Maximum residue limit: Shall comply with provisions in the Table 29.

Table 29

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Fresh maize	0.02
Fruit(s)	
Goji berry (fresh)	15
Red bayberry	1
Medicinal plant(s)	
Goji berry (dry)	30

4.29.5 Testing method: Cereals are tested following methods provided in GB/T 20770; Fruits are tested following methods provided in GB 23200.121, NY/T 1453; Medicinal plants are tested referring to methods provided in GB 23200.121, NY/T 1453.

4.30 Cyazofamid

4.30.1 Major purpose of use: fungicide.

4.30.2 ADI:0.2 mg/kg bw.

4.30.3 Residue definition: cyazofamid.

4.30.4 Maximum residue limit: Shall comply with provisions in the Table 30.

Table 30

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Lily bulb (fresh)	0.05
Medicinal plant(s)	
Sanqi (panax notoginseng)(fresh)	0.2
Sanqi (panax notoginseng) root tuber (dry)	0.2
Sanqi (panax notoginseng) fibrous root(dry)	0.3
Lily bulb (dry)	0.05
Honeysuckle flower(fresh)	0.3
Honeysuckle flower(dry)	0.3

4.30.5 Testing method: Vegetables are tested following methods provided in GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.121.

4.31 Thidiazuron

4.31.1 Major purpose of use: plant growth regulator.

4.31.2 ADI:0.04 mg/kg bw.

4.31.3 Residue definition: thidiazuron

4.31.4 Maximum residue limit: Shall comply with provisions in the Table 31.

Table 31

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	0.02
Brown rice	0.02
Corn	0.1
Fresh maize	0.1
Vegetable(s)	
Chili	0.05
Potato	0.02
Fruit(s)	
Kumquat	0.02
Cherry	0.05
Kiwi fruit	0.1
Strawberry	0.01

4.31.5 Testing method: Cereals, vegetables, Fruits are tested following methods provided in GB 23200.121.

4.32 Clothianidin

4.32.1 Major purpose of use: insecticide.

4.32.2 ADI:0.1 mg/kg bw.

4.32.3 Residue definitionclothianidin.

4.32.4 Maximum residue limit: Shall comply with provisions in the Table 32.

Table 32

Food Category/Name	Maximum residue limit, mg/kg
Oil seed(s) and oil Peanut kernel	0.05
Vegetable(s) Leek	0.5

4.32.5 Testing method: Oil seeds and oil, Vegetables are tested following methods provided in GB 23200.39.

4.33 Thifensulfuron methyl

4.33.1 Major purpose of use: herbicide.

4.33.2 ADI:0.07 mg/kg bw.

4.33.3 Residue definition: thifensulfuron methyl.

4.33.4 Maximum residue limit: Shall comply with provisions in the Table 33.

Table 33

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s) Fresh maize	0.05
Vegetable(s) Potato	0.05

4.33.5 Testing method: Cereals, Vegetables are tested following methods provided in GB 23200.121.

4.34 Thiabendazole

4.34.1 Major purpose of use: fungicide.

4.34.2 ADI:0.1 mg/kg bw.

4.34.3 Residue definition: thiabendazole.

4.34.4 Maximum residue limit: Shall comply with provisions in the Table 34.

Table 34

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Garlic sprouts	7

4.34.5 Testing method: Vegetables are tested following methods provided in GB 23200.121.

4.35 Lufenuron

4.35.1 Major purpose of use: insecticide.

4.35.2 ADI:0.02 mg/kg bw.

4.35.3 Residue definition: lufenuron.

4.35.4 Maximum residue limit: Shall comply with provisions in the Table 35.

Table 35

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Litchi	0.5

4.35.5 Testing method: Fruits are tested following methods provided in GB/T 20769.

4.36 Propamocarb hydrochloride

4.36.1 Major purpose of use: insecticide.

4.36.2 ADI:0.4 mg/kg bw.

4.36.3 Residue definition: propamocarb.

4.36.4 Maximum residue limit: Shall comply with provisions in the Table 36.

Table 36

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Sweet melons	5

4.36.5 Testing method: Fruits are tested following methods provided in GB/T 20769.

4.37 Cymoxanil

4.37.1 Major purpose of use: fungicide.

4.37.2 ADI:0.013 mg/kg bw.

4.37.3 Residue definition: cymoxanil.

4.37.4 Maximum residue limit: Shall comply with provisions in the Table 37.

Table 37

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Lily bulb (fresh)	0.1
Medicinal plant(s)	
Ginseng(fresh)	0.1
Ginseng(dry)	0.1
Sanqi (panax notoginseng)(fresh)	0.1
Sanqi (panax notoginseng) root tuber (dry)	0.1
Sanqi (panax notoginseng) fibrous root(dry)	0.1
Lily bulb (dry)	0.1

4.37.5 Testing method: Vegetables are tested following methods provided in GB/T 20769; Medicinal plants are tested referring to methods provided in GB/T 20769.

4.38 Tebuconazole

4.38.1 Major purpose of use: fungicide.

4.38.2 ADI:0.03 mg/kg bw.

4.38.3 Residue definition: tebuconazole.

4.38.4 Maximum residue limit: Shall comply with provisions in the Table 38.

Table 38

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	3
Brown rice	1
Vegetable(s)	
Lily bulb (fresh)	0.05
Fruit(s)	
Goji berry (fresh)	15
Medicinal plant	
Beimu (fritillaria cirrhosa) (fresh)	0.05
Beimu (fritillaria cirrhosa) (dry)	0.05
Lily bulb (dry)	0.05
Goji berry (dry)	50
Honeysuckle flower(fresh)	5
Honeysuckle flower(dry)	15

4.38.5 Testing method: Cereals are tested following methods provided in GB 23200.113, GB 23200.121; Vegetables, Fruits are tested following methods provided in GB 23200.8, GB 23200.113, GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.113, GB 23200.121.

4.39 Ethirimol

4.39.1 Major purpose of use: fungicide.

4.39.2 ADI:0.035 mg/kg bw.

4.39.3 Residue definition: ethirimol.

4.39.4 Maximum residue limit: Shall comply with provisions in the Table 39.

Table 39

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Strawberry	5

4.39.5 Testing method: Fruits are tested following methods provided in GB 23200.121, GB/T 20769.

4.40 Metolachlor

4.40.1 Major purpose of use: herbicide.

4.40.2 ADI:0.1 mg/kg bw.

4.40.3 Residue definition: metolachlor.

4.40.4 Maximum residue limit: Shall comply with provisions in the Table 40.

Table 40

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Fresh maize	0.1

4.40.5 Testing method: Cereals are tested following methods provided in GB 23200.113, GB 23200.121.

4.41 Clomazone

4.41.1 Major purpose of use: herbicide.

4.41.2 ADI:0.133 mg/kg bw.

4.41.3 Residue definition: clomazone.

4.41.4 Maximum residue limit: Shall comply with provisions in the Table 41.

Table 41

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	0.02

4.41.5 Testing method: Cereals are tested following methods provided in GB 23200.113, GB 23200.121.

4.42 Iprodione

4.42.1 Major purpose of use: fungicide.

4.42.2 ADI:0.06 mg/kg bw.

4.42.3 Residue definition: iprodione.

4.42.4 Maximum residue limit: Shall comply with provisions in the Table 42.

Table 42

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Lily bulb (fresh)	0.1
Medicinal plant(s)	
Atractylodes (fresh)	0.1
Atractylodes (dry)	1
Lily bulb (dry)	0.1
Sanqi (panax notoginseng)(fresh)	0.5
Sanqi (panax notoginseng) root tuber (dry)	5
Sanqi (panax notoginseng) fibrous root(dry)	5
Ginseng(fresh)	0.5
Ginseng(dry)	5
Beimu (fritillaria cirrhosa) (fresh)	0.5
Beimu (fritillaria cirrhosa) (dry)	5

4.42.5 Testing method: Vegetables are tested following methods provided in GB 23200.113, GB 23200.121; Medicinal plants are tested referring to methods provided in GB 23200.113, GB 23200.121.

4.43 Ametoctradin

4.43.1 Major purpose of use: fungicide.

4.43.2 ADI:10 mg/kg bw.

4.43.3 Residue definition: ametoctradin.

4.43.4 Maximum residue limit: Shall comply with provisions in the Table 43.

Table 43

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Litchi	0.2

4.43.5 Testing method: Fruits are tested following methods provided in GB 23200.121.

Attachment 2:

**National Food Safety Standard Maximum Residue Limits for 55 Pesticides including
Abamectin In Food**

(Draft for Comments)

Table of Content

1 SCOPE	1
2 NORMATIVE REFERENCE	1
3 TERMS AND DEFINITIONS	1
4.1 DIFENOCONAZOLE	2
4.2 MEFENACET	2
4.3 PYRACLOSTROBIN	3
4.4 PROPICONAZOLE	4
4.5 BUTACHLOR	4
4.6 BOSCALID	5
4.7 CARBENDAZIM	5
4.8 POLYOXINS	5
4.9 PROPAQUIZAFOP	6
4.10 OXAZICLOMEFONE	6
4.11 QUINCLORAC	7
4.12 FLUOPICOLIDE	7
4.13 FLUOPYRAM	8
4.14 FLUAZINAM	9
4.15 FLUSILAZOLE	9
4.16 FLUOPIMOMIDE	10
4.16.1 MAJOR PURPOSE OF USE: FUNGICIDE	10
4.17 OXATHIPIPROLIN	11
4.18 FLUTOLANIL	11
4.19 LAMBDA-CYHALOTHRIN	12
4.20 BETA-CYPERMETHRIN	12

4.21 HEXACONAZOLE	13
4.22 EMAMECTIN BENZOATE	13
4.23 THIOPHANATE-METHYL.....	14
4.24 OXINE-COPPER	14
4.25 BIFENTHRIN	15
4.26 SULFURYL FLUORIDE	15
4.27 SPIROTETRAMAT	16
4.28 FLUROXYPYR-MEPTYL.....	16
4.29 AZOXYSTROBIN.....	17
4.30 CYAZOFAMID	17
4.31 THIDIAZURON.....	18
4.32 CLOTHIANIDIN	19
4.33 THIFENSULFURON METHYL.....	20
4.34THIABENDAZOLE	20
4.35LUFENURON	21
4.36 PROPAMOCARB HYDROCHLORIDE	21
4.37 CYMOXANIL.....	22
4.38 TEBUCONAZOLE	22
4.39 ETHIRIMOL	23
4.40 METOLACHLOR.....	24
4.41 CLOMAZONE.....	24
4.42 IPRODIONE	25
4.43 AMETOCTRADIN	26
1 SCOPE	31
2 NORMATIVE REFERENCE	31
3 TERMS AND DEFINITIONS.....	31
4 TECHNICAL REQUIREMENTS	31
4.1 ABAMECTIN	31
4.2 FENPYRAZAMINE	32
4.3 DIFENOCONAZOLE	32

4.4 SAFLUFENACIL	33
4.5 PYRIPROXYFEN	34
4.6 PENTHIOPYRAD	35
4.7PYRACLOSTROBIN	36
4.8 PROPICONAZOLE	38
4.9 GLYPHOSATE	39
4.10 CHLORFENAPYR	40
4.11 DIQUAT	41
4.12 SPINOSAD	41
4.13 QUINCLORAC	42
4.14 FLUOPYRAM	43
4.15 SULFOXAFLORE	44
4.16 FLONICAMID	45
4.17 OXATHIPIPROLIN	46
4.18 FLUTOLANIL	47
4.19 NOVALURON	48
4.20 FLUXAPYROXAD	48
4.21 PYDIFLUMETOFEN	49
4.22 FLUDIOXONIL	50
4.23 CYPROCONAZOL	52
4.24 FENHEXAMID	52
4.25 CHLORPYRIFOS-METHYL	52
4.26 CARBARYL	53
4.27 METHOXYFENOZIDE	54
4.28 IMAZAMOX	55
4.29 PIRIMICARD	56
4.30 DIMETHOATE	56
4.31 PERMETHRIN	57
4.32 KRESOXIM-METHYL	58
4.33 CYPRODINI	59

4.34 AZOXYSTROBIN.....	59
4.35 BENTAZONE.....	60
4.36 CYPRODINI.....	60
4.37 CYROMAZINE.....	61
4.38 PROPARGITE.....	61
4.39 TRIAZOPHOS.....	62
4.40 OXAMYL.....	63
4.41 MANDIPROPAMID.....	64
4.42 TRIFLOXYSTROBIN.....	64
4.43 TEBUCONAZOLE.....	65
4.44 CLETHODIM.....	65
4.45 CYANTRANILIPROLE.....	66
4.46 OXYDEMETON-METHYL.....	67
4.47 DISULFOTON.....	67
4.48 ACETOCHLOR.....	68
4.49 ETHIPROLE.....	69
4.50 SPINETORAM.....	70
4.51 ISOFETAMID.....	70
4.52 IMAZALIL.....	71
4.53 FENPYROXIMATE.....	72
4.54 AMETOCTRADIN.....	73
4.55 GLUFOSINATE-AMMONIUM.....	74

1 SCOPE

This standard regulates the 343 maximum residue limits of 55 pesticides including abamectin, etc. in food.

The standard applies to foods related to residue limits.

The food categories and testing parts stipulated in GB 2763-2021 (Appendix A) apply to this document. For instance, the maximum residue limit of a pesticide is applicable for a certain food category, all foods in this category will be applicable to this MRL, except otherwise specified.

2 NORMATIVE REFERENCE

The documents referenced in this standard are essential for the application of this document. For dated references, only the dated versions apply to this standard. For not dated references, the latest versions (including all modifications) apply to this standard. The normative reference documents in this document will be listed when they are merged with GB 2763-2021 into the new version of GB 2763.

3 TERMS AND DEFINITIONS

The terms and definitions below apply to this standard.

3.1 Residue definition

Any particular substance in food, agricultural products and animal feed due to the use of pesticides, including the pesticide derivatives which is considered to have toxicological significance, such as pesticide conversion products, metabolites, reaction products and impurities, etc.

3.2 Maximum residue limit (MRL)

The statutory maximum concentration of pesticide residues allowed in the internal or on surface of foods or agricultural products, expressed as the milligrams of pesticide residues per kilogram of foods or agricultural products (mg/kg).

3.3 Acceptable daily intake (ADI)

The estimated amount of a substance, consumed daily for a person's lifetime, without generating detectable health hazards; expressed by the amount of intake per kilogram of body weight (mg/kg).

4 TECHNICAL REQUIREMENTS

4.1 ABAMECTIN

4.1.1 Major purpose of use: insecticide.

4.1.2 ADI:0.001 mg/kg bw.

4.1.3 Residue definition: abamectin B1a.

4.1.4 Maximum residue limit: Shall comply with provisions in the Table 1.

Table 1

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Scallion	0.08
Head lettuce	0.15

4.1.5 Testing method: Vegetables are tested referring to methods provided in GB 23200.20.

4.2 FENPYRAZAMINE

4.2.1 Major purpose of use: fungicide.

4.2.2 ADI:0.3 mg/kg bw.

4.2.3 Residue definition: fenpyrazamine.

4.2.4 Maximum residue limit: Shall comply with provisions in the Table 2.

Table 2

Food Category/Name	Maximum residue limit, mg/kg
Nut(s)	
Apricot kernel	0.01*
*The MRL is the temporary limit.	

4.3 DIFENOCONAZOLE

4.3.1 Major purpose of use: fungicide.

4.3.2 ADI:0.01 mg/kg bw.

4.3.3 Residue definition: difenoconazole.

4.3.4 Maximum residue limit: Shall comply with provisions in the Table 3.

Table 3

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	8
Rice	0.07
Fresh maize	0.01
Vegetable(s)	
Pea	0.15
Artichoke	1.5
Fruit(s)	
Blueberry	4
Beverage(s)	
Coffee bean	0.01

4.3.5 Testing method: Cereals are tested following methods provided in GB 23200.9; Vegetables, fruits, beverages are tested following methods provided in GB 23200.8.

4.4 SAFLUFENACIL

4.4.1 Major purpose of use: herbicide.

4.4.2 ADI:0.05 mg/kg bw.

4.4.3 Residue definition: saflufenacil.

4.4.4 Maximum residue limit: Shall comply with provisions in the Table 4.

Table 4

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Triticale	0.7*
Fresh maize	0.01*
Oil seed(s) and oil	
Flaxseed	0.6*
Mustard seed	0.6*
vegetable(s)	
Pea	0.01*
*The MRL is the temporary limit.	

4.5 PYRIPROXYFEN

4.5.1 Major purpose of use: insecticide.

4.5.2 ADI:0.1 mg/kg bw.

4.5.3 Residue definition: pyriproxyfen.

4.5.4 Maximum residue limit: Shall comply with provisions in the Table 5.

Table 5

Food Category/Name	Maximum residue limit, mg/kg
Vegetable(s)	
Eggplant	0.6
Chili	0.6
Small cucumber used for pickling	0.04
Squash	0.04
Fruit(s)	
Papaya	0.3
Pineapple	0.01
Sweet melons	0.07
Condiment(s)	
Dried chili	6

4.5.5 Testing method: Vegetables, fruits, condiments are tested following methods provided in GB 23200.64.

4.6 PENTHIOPYRAD

4.6.1 Major purpose of use: fungicide.

4.6.2 ADI:0.1 mg/kg bw.

4.6.3 Residue definition: penthiopyrad.

4.6.4 Maximum residue limit: Shall comply with provisions in the Table 6.

Table 6

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Fresh maize	0.02*
vegetable(s)	
Leaf vegetables	30*
Celery	15*
Gourd vegetables	0.5*
Pod-edible pea	3*
Pea	0.3*
Fruit(s)	
Melons	0.5*
*The MRL is the temporary limit.	

4.7PYRACLOSTROBIN

4.7.1 Major purpose of use: fungicide.

4.7.2 ADI:0.03 mg/kg bw.

4.7.3 Residue definition: pyraclostrobin.

4.7.4 Maximum residue limit: Shall comply with provisions in the Table 7.

Table 7

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Rice	0.03
Oil seed(s) and oil	
Virgin olive oil	0.07
Olive for oil	0.01
Vegetable(s)	
Garlic	0.15
Head lettuce	40
Chicory	0.09
Chili	0.5
Sweet pepper	0.5
Gourd vegetables	0.5
Pod-edible legume vegetables (with the exception of kidney bean)	0.3
Kidney bean	0.6
beans of kidney bean	0.3
Broad bean	0.01
Pea	0.08
Vegetables (Stem, root, tuber and tuberous rooted)	0.02

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Pome fruits	0.7
Rubus idaeus L.	3
Passion fruit	0.2
Olive	0.01
Avocado	0.2
Melons	0.5
Beverage(s)	
Cocoa bean	0.01

4.7.5 Testing method: Cereals, oil seeds and oil, beverages are tested referring to methods provided in GB/T 20769; vegetables, Fruits are tested following methods provided in GB/T 20769.

4.8 PROPICONAZOLE

4.8.1 Major purpose of use: fungicide.

4.8.2 ADI:0.07 mg/kg bw.

4.8.3 Residue definition: propiconazole.

4.8.4 Maximum residue limit: Shall comply with provisions in the Table 8.

Table 8

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Mandarin orange	10
Orange	10
Tangerine	10
Lemon	10
Pomelo	4
Bergamot	10
Cherry	3

4.8.5 Testing method: Fruits are tested following methods provided in GB/T 20769.

4.9 GLYPHOSATE

4.9.1 Major purpose of use: herbicide.

4.9.2 ADI:1 mg/kg bw.

4.9.3 Residue definition: For plant-origin foods (soybean, corn, rape), it is the sum of Glyphosate and N-Acetyl Glyphosate, expressed as Glyphosate; For plant-origin foods (other corps), it is Glyphosate.

4.9.4 Maximum residue limit: Shall comply with provisions in the Table 9.

Table 9

Food Category/Name	Maximum residue limit, mg/kg
Oil seed(s) and oil	
Cottonseed	40
Fruit(s)	
Banana	0.05
Sugar crop(s)	
Sugar beet	15

4.9.5 Testing method: Oil seed and oil, Fruits are tested following methods provided in SN/T 1923; Sugar crops are tested following methods provided in GB/T 23750.

4.10 CHLORFENAPYR

4.10.1 Major purpose of use: insecticide.

4.10.2 ADI:0.03 mg/kg bw.

4.10.3 Residue definition: chlorfenapyr.

4.10.4 Maximum residue limit: Shall comply with provisions in the Table 10.

Table 10

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Soybean	0.08
Crude soybean oil	0.4
Vegetable(s)	
Garlic	0.01
Onion	0.01
Tomato	0.4
Chili	0.3
Potato	0.01
Fruit(s)	
Mandarin orange	1.5
Orange	1.5
Tangerine	1.5
Lemon	0.8
Bergamot	0.8
Papaya	0.3
Sweet melons	0.4

Condiment(s)	
Dried chili	3

4.10.5 Testing method: Oil seed and oil, condiments are tested referring to methods provided in SN/T 1986; Vegetables, Fruits are tested following methods provided in SN/T 1986.

4.11 DIQUAT

4.11.1 Major purpose of use: herbicide.

4.11.2 ADI:0.006 mg/kg bw.

4.11.3 Residue definition: Diquat cation, expressed as dibromide.

4.11.4 Maximum residue limit: Shall comply with provisions in the Table 11.

Table 11

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Barley	5
Rye	1.5
Triticale	1.5
Chickpeas	0.9
Fruit(s)	
Cashew apple	0.02

4.11.5 Testing method: Cereals, Fruits are tested following methods provided in SN/T 0293.

4.12 SPINOSAD

4.12.1 Major purpose of use: insecticide.

4.12.2 ADI:0.02 mg/kg bw.

4.12.3 Residue definition: sum of Spinosad A and Spinosad.

4.12.4 Maximum residue limit: Shall comply with provisions in the Table 12.

Table 12

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Fresh maize	0.01
Oil seed(s) and oil	
Crude cottonseed oil	0.01
Cottonseed oil	0.01
Fruit(s)	
Rubus idaeus L.	1
Condiment(s)	
Dried chili	3

4.12.5 Testing method: Oil seed and oil, condiments are tested referring to methods provided in GB 23200.37; Vegetables, fruits are tested following methods provided in GB/T 20769.

4.13 QUINCLORAC

4.13.1 Major purpose of use: herbicide.

4.13.2 ADI:0.4 mg/kg bw.

4.13.3 Residue definition: quinclorac.

4.13.4 Maximum residue limit: Shall comply with provisions in the Table 13.

Table 13

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	10
Rice	8
Oil seed(s) and oil	
Rapeseed	0.15

4.13.5 Testing method: Cereals are tested following methods provided in GB 23200.43; Oil seed and oil are tested referring to methods provided in GB 23200.43.

4.14 FLUOPYRAM

4.14.1 Major purpose of use: fungicide.

4.14.2 ADI:0.01 mg/kg bw.

4.14.3 Residue definition: fluopyram.

4.14.4 Maximum residue limit: Shall comply with provisions in the Table 14.

Table 14

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	4*
Wheat	0.9*
Barley	0.2*
Oat	0.2*
Rye	0.9*
Triticale	0.9*
Corn	0.02*
Fresh maize	0.01*
Pea	0.7*
Rice	0.5*
Brown rice	1.5*
Oil seed(s) and oil	
Sunflower seed	0.7*

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Chicory	0.15*
Eggplant	0.5*
Artichoke	0.4*
Fruit(s)	
Lemon	1*
Pomelo	0.4*
Bergamot	1*
Blueberry	7*
Cranberry	7*
Currant	7*
Mango	1*
*The MRL is the temporary limit.	

4.15 SULFOXAFLOL

4.15.1 Major purpose of use: insecticide.

4.15.2 ADI:0.05 mg/kg bw.

4.15.3 Residue definition: sulfoxafloL.

4.15.4 Maximum residue limit: Shall comply with provisions in the Table 15.

Table 15

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Corn	0.01*
Fresh maize	0.01*
Sorghum	0.2*
Rice	1*
*The MRL is the temporary limit.	

4.16 FLONICAMID

4.16.1 Major purpose of use: insecticide.

4.16.2 ADI:0.07 mg/kg bw.

4.16.3 Residue definition: flonicamid.

4.16.4 Maximum residue limit: Shall comply with provisions in the Table 16.

Table 16

Food Category/Name	Maximum residue limit, mg/kg
Cereal	
Coarse cereals (with the exception of pea)	0.15
Pea	1
vegetables	
Pod-edible legume vegetables (with the exception of pod-edible pea)	0.7
Pod-edible pea	0.8
Pod inedible legume vegetables (with the exception of pea)	0.3
Pea	0.4

4.16.5 Testing method: Cereals are tested following methods provided in GB 23200.75; vegetables are tested referring to methods provided in GB 23200.75.

4.17 OXATHIPIPROLIN

4.17.1 Major purpose of use: fungicide.

4.17.2 ADI:4 mg/kg bw.

4.17.3 Residue definition: oxathiapiprolin.

4.17.4 Maximum residue limit: Shall comply with provisions in the Table 17.

Table 17

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Corn	0.01*
Oil seed(s) and oil	
Soybean	0.01*
Sunflower seed	0.01*
vegetable(s)	
Ordinary cabbage	10*
Leaf mustard	10*
Turnip leaf	10*
Radish leaf	10*
Other root, tuber and tuberous rooted vegetables	0.04*
Fruit(s)	
Citrus	0.05*
BlackBerry	0.5*
Rubus idaeus L.	0.5*
Dried fruit(s)	
Preserved citrus	0.15*
Condiment(s)	
Sweet basil herb	10*
*The MRL is the temporary limit.	

4.18 FLUTOLANIL

4.18.1 Major purpose of use: fungicide.

4.18.2 ADI:0.09 mg/kg bw.

4.18.3 Residue definition: flutolanil.

4.18.4 Maximum residue limit: Shall comply with provisions in the Table 18.

Table 18

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Brassica vegetables	0.05
Ordinary cabbage	0.07
Turnip leaf	0.07
Radish leaf	0.07

4.18.5 Testing method: Vegetables are tested following methods provided in GB 23200.8.

4.19 NOVALURON

4.19.1 Major purpose of use: insecticide.

4.19.2 ADI:0.01 mg/kg bw.

4.19.3 Residue definition: novaluron.

4.19.4 Maximum residue limit: Shall comply with provisions in the Table 19.

Table 19

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Gourd vegetables	0.2
Fruit(s)	
Melons	0.2

4.19.5 Testing method: Vegetables, Fruits are tested referring to methods provided in GB 23200.34.

4.20 FLUXAPYROXAD

4.20.1 Major purpose of use: fungicide.

4.20.2 ADI:0.02 mg/kg bw.

4.20.3 Residue definition: fluxapyroxad.

4.20.4 Maximum residue limit: Shall comply with provisions in the Table 20.

Table 20

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Potato	0.03*
Other root, tuber and tuberous rooted vegetables	0.03*
Fruit(s)	
Papaya	1*
Beverage(s)	
Coffee bean	0.15*
*The MRL is the temporary limit.	

4.21 PYDIFLUMETOFEN

4.21.1 Major purpose of use: fungicide.

4.21.2 ADI:0.1 mg/kg bw.

4.21.3 Residue definition: pydiflumetofen.

4.21.4 Maximum residue limit: Shall comply with provisions in the Table 21.

Table 21

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Grape	1.5*
Kiwi fruit	1.5*
Dried fruit(s)	
Raisin	4*
*The MRL is the temporary limit.	

4.22 FLUDIOXONIL

4.22.1 Major purpose of use: fungicide.

4.22.2 ADI:0.4 mg/kg bw.

4.22.3 Residue definition: fludioxonil.

4.22.4 Maximum residue limit: Shall comply with provisions in the Table 22.

Table 22

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Pea	0.07
Lentils	0.3
Chickpeas	0.3
vegetable(s)	
Ordinary cabbage	15
Leaf mustard	15
Turnip leaf	15
Radish leaf	15
Celery	15
Gourd vegetables	0.5
Pod-edible legume vegetables	0.6
Pea	0.03
Carrot	1
Fruit(s)	
Rubus idaeus L.	5
Currant	3
Guava	0.5
Pineapple	5
Melons	0.5
Condiment(s)	
Leafy condiments	9

4.22.5 Testing method: Cereal, vegetables and Fruits are tested following methods provided in GB23200.8, Condiments are tested following methods provided in GB 23200.113.

4.23 CYPROCONAZOL

4.23.1 Major purpose of use: fungicide.

4.23.2 ADI:0.02 mg/kg bw.

4.23.3 Residue definition: cyproconazol.

4.23.4 Maximum residue limit: Shall comply with provisions in the Table 23.

Table 23

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Pea	0.02

4.23.5 Testing method: Cereals are tested following methods provided in GB/T 20770.

4.24 FENHEXAMID

4.24.1 Major purpose of use: fungicide.

4.24.2 ADI:0.2 mg/kg bw.

4.24.3 Residue definition: fenhexamid.

4.24.4 Maximum residue limit: Shall comply with provisions in the Table 24.

Table 24

Food Category/Name	Maximum residue limit, mg/kg
Fruits	
Rubus idaeus L.	15*
*The MRL is the temporary limit.	

4.25 CHLORPYRIFOS-METHYL

4.25.1 Major purpose of use: insecticide.

4.25.2 ADI:0.01 mg/kg bw.

4.25.3 Residue definition: chlorpyrifos-methyl.

4.25.4 Maximum residue limit: Shall comply with provisions in the Table 25.

Table 25

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Wheat germ	5
vegetable(s)	
Tomato	1
Eggplant	1
Chili	1
Sweet pepper	1
Potato	0.01
Fruit(s)	
Citrus	2
Pome fruits	1
Stone fruits	0.5
Grape	1
Strawberry	0.06

4.25.5 Testing method: Cereals are tested following methods provided in GB 23200.9; Vegetables, Fruits are tested following methods provided in GB/T 20769.

4.26 CARBARYL

4.26.1 Major purpose of use: insecticide.

4.26.2 ADI:0.008 mg/kg bw.

4.26.3 Residue definition: carbaryl.

4.26.4 Maximum residue limit: Shall comply with provisions in the Table 26.

Table 26

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Wheat	2
Wheat flour	0.2
Wheat germ	1
Oil seed(s) and oil	
Sunflower seed	0.2
Crude soybean oil	0.2
Crude corn oil	0.1
Crude sunflower seed oil	0.05
vegetable(s)	
Tomato	5
Fruit(s)	
Cranberry	5
Nut(s)	1
Sugar crop(s)	
Sugar beet	0.1
Beverage(s)	
Tomato juice	3
Condiment(s)	
Dried chili	2

4.26.5 Testing method: Cereals, oil seed and oil, nuts, Sugar crops , beverages, condiments are tested following methods provided in GB 20769; vegetables, Fruits are tested following methods provided in GB/T 20769.

4.27 METHOXYFENOZIDE

4.27.1 Major purpose of use: insecticide.

4.27.2 ADI:0.1 mg/kg bw.

4.27.3 Residue definition: methoxyfenozide.

4.27.4 Maximum residue limit: Shall comply with provisions in the Table 27.

Table 27

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Fresh maize	0.02
vegetable(s)	
Leaf lettuce	30
Head lettuce	15
Leaf mustard	30
Gourd vegetables	0.3
Kidney bean	2
Fruit(s)	
Melons	0.3

4.27.5 Testing method: Cereals are tested referring to methods provided in GB/T 20769; Vegetables, Fruits are tested following methods provided in GB/T 20769.

4.28 IMAZAMOX

4.28.1 Major purpose of use: herbicide.

4.28.2 ADI:3 mg/kg bw.

4.28.3 Residue definition: imazamox.

4.28.4 Maximum residue limit: Shall comply with provisions in the Table 28.

Table 28

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Barley	0.02
vegetable(s)	
Pea	0.05

4.28.6 Testing method: Cereals are tested following methods provided in GB/T 20770; vegetables are tested referring to methods provided in GB/T 20770.

4.29 PIRIMICARD

4.29.1 Major purpose of use: insecticide.

4.29.2 ADI:0.02 mg/kg bw.

4.29.3 Residue definition: pirimicard.

4.29.4 Maximum residue limit: Shall comply with provisions in the Table 29.

Table 29

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Stone fruits	3

4.29.5 Testing method: Fruits are tested following methods provided in GB 23200.113.

4.30 DIMETHOATE

4.30.1 Major purpose of use: insecticide.

4.30.2 ADI:0.002 mg/kg bw.

4.30.3 Residue definition: dimethoate.

4.30.4 Maximum residue limit: Shall comply with provisions in the Table 30.

Table 30

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Barley	2

4. 30.5 Testing method: Cereals are tested following methods provided in GB 23200.113.

4.31 PERMETHRIN

4.31.1 Major purpose of use: insecticide.

4.31.2 ADI:0.05 mg/kg bw.

4.31.3 Residue definition: permethrin.

4.31.4 Maximum residue limit: Shall comply with provisions in the Table 31.

Table 31

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Brussels sprouts	1
Savoy	5
Tomato	1
Chili	1
Sweet pepper	1
Kidney bean	1
Asparagus	1
Fruit(s)	
Rubus idaeus L.	1
Currant	2
Grape	2
Kiwi fruit	2
Sweet melons	0.1

4.31.5 Testing method: Vegetables, Fruits are tested following methods provided in GB 23200.113.

4.32 KRESOXIM-METHYL

4.32.1 Major purpose of use: fungicide.

4.32.2 ADI:0.4 mg/kg bw.

4.32.3 Residue definition: kresoxim-methyl.

4.32.4 Maximum residue limit: Shall comply with provisions in the Table 32.

Table 32

Food Category/Name	Maximum residue limit, mg/kg
Oil seed(s) and oil	
Olive	0.2
Vegetable(s)	
Garlic	0.01
Leek	10
Sweet pepper	0.3
Gourd vegetables	0.5
Turnip	0.05
Fruit(s)	
Peach	1.5
Currant	0.9
Mango	0.1
Melons	0.5
Nut(s)	
Pecan	0.05
Sugar crop(s)	
Sugar beet	0.05

4.32.5 Testing method: Oil seed and oil, vegetables, fruits, nuts, Sugar crops are tested following methods provided in GB 23200.113.

4.33 CYPRODINI

4.33.1 Major purpose of use: fungicide.

4.33.2 ADI:0.03 mg/kg bw.

4.33.3 Residue definition: cyprodini.

4.33.4 Maximum residue limit: Shall comply with provisions in the Table 33.

Table 33

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Ordinary cabbage	15
Turnip leaf	15
Radish leaf	15
Celery	30
Artichoke	4
Potato	0.01
Fruit(s)	
Pome fruits	2
Pomegranate	0.04
Guava	1.5
Nut(s)	0.04

4.33.5 Testing method: Vegetables, Fruits are tested following methods provided in GB/T 20769; Nuts are tested referring to methods provided in GB/T 20769.

4.34 AZOXYSTROBIN

4.34.1 Major purpose of use: fungicide.

4.34.2 ADI:0.2 mg/kg bw.

4.34.3 Residue definition: azoxystrobin.

4.34.4 Maximum residue limit: Shall comply with provisions in the Table 34.

Table 34

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Sorghum	10
Coarse cereals	0.07
vegetable(s)	
Head lettuce	3
Fruit(s)	
Grape	2

4.34.5 Testing method: Cereals are tested following methods provided in GB/T 20770; vegetables, Fruits are tested following methods provided in GB 23200.54.

4.35 BENTAZONE

4.35.1 Major purpose of use: herbicide.

4.35.2 ADI:0.09 mg/kg bw.

4.35.3 Residue definition: the sum of bentazone, 6 -hydroxy bentazone and 8-hydroxy bentazone, expressed as bentazone

4.35.4 Maximum residue limit: Shall comply with provisions in the Table 35.

Table 35

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Pea	0.5*
*The MRL is the temporary limit.	

4.36 CYPRODINI

4.36.1 Major purpose of use: insecticide.

4.36.2 ADI:0.02 mg/kg bw.

4.36.3 Residue definition: cyprodini.

4.36.4 Maximum residue limit: Shall comply with provisions in the Table 36.

Table 36

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Wheat germ	2

4.36.5 Testing method: Cereals are tested following methods provided in SN/T 0134.

4.37 CYROMAZINE

4.37.1 Major purpose of use: insecticide.

4.37.2 ADI:0.06 mg/kg bw.

4.37.3 Residue definition: cyromazine.

4.37.4 Maximum residue limit: Shall comply with provisions in the Table 37.

Table 37

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Solanaceous vegetables	1
Lima bean	1

4.37.5 Testing method: Vegetables are tested following methods provided in NY/T 1725.

4.38 PROPARGITE

4.38.1 Major purpose of use: acaricide.

4.38.2 ADI:0.01 mg/kg bw.

4.38.3 Residue definition: propargite.

4.38.4 Maximum residue limit: Shall comply with provisions in the Table 38.

Table 38

Food Category/Name	Maximum residue limit, mg/kg
Oil seed(s) and oil	
Peanut	0.1
Vegetable(s)	
Tomato	2
Fruit(s)	
Stone fruits	4
Grape	7
Nut(s)	
Apricot kernel	0.1
Walnut	0.3
Beverage(s)	
Orange juice	0.3
Apple juice	0.2
Grape juice	1

4.38.5 Testing method: Oil seed and oil are tested referring to methods provided in GB 23200.9; vegetables, fruits are tested following methods provided in GB 23200.8; Nuts are tested referring to methods provided in GB 23200.8; Beverages are tested referring to methods provided in NY/T 1721.

4.39 TRIAZOPHOS

4.39.1 Major purpose of use: insecticide.

4.39.2 ADI: 0.001 mg/kg bw.

4.39.3 Residue definition: triazophos.

4.39.4 Maximum residue limit: Shall comply with provisions in the Table 39.

Table 39

Food Category/Name	Maximum residue limit, mg/kg
Condiment(s)	
Cardamom	4
Coriander seed	0.1
Fennel seed	0.1

4.39.5 Testing method: Condiments are tested following methods provided in GB 23200.116.

4.40 OXAMYL

4.40.1 Major purpose of use: insecticide.

4.40.2 ADI:0.009 mg/kg bw.

4.40.3 Residue definition: the sum of oxamyl and oxamyl oxime, expressed as oxamyl

4.40.4 Maximum residue limit: Shall comply with provisions in the Table 40.

Table 40

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Brussels sprout	0.01*
Cherry tomato	0.01*
Eggplant	0.01*
Summer squash	0.04*
Fruit(s)	
Watermelon	0.01*
Sugar crop(s)	
Sugar beet	0.01*
*The MRL is the temporary limit.	

4.41 MANDIPROPAMID

4.41.1 Major purpose of use: fungicide.

4.41.2 ADI:0.2 mg/kg bw.

4.41.3 Residue definition: mandipropamid.

4.41.4 Maximum residue limit: Shall comply with provisions in the Table 41.

Table 41

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Pod-edible legume vegetables	1*
Beverages(s)	
Cocoa bean	0.06*
*The MRL is the temporary limit.	

4.42 TRIFLOXYSTROBIN

4.42.1 Major purpose of use: fungicide.

4.42.2 ADI:0.04 mg/kg bw.

4.42.3 Residue definition: trifloxystrobin

4.42.4 Maximum residue limit: Shall comply with provisions in the Table 42.

Table 42

Food Category/Name	Maximum residue limit, mg/kg
Oil seed(s) and oil	
Cotton seed	0.4
vegetable(s)	
Flower-head brassicas vegetables	0.5
Spinach	20
Gourd vegetables	0.3
Fruit(s)	
Melons	0.3
Medicinal plant(s)	
Ginseng	0.03

4.42.5 Testing method: Oil seed and oil, Medicinal plant are tested referring to methods provided in GB 23200.8; vegetables, Fruits are tested following methods provided in GB 23200.8.

4.43 TEBUCONAZOLE

4.43.1 Major purpose of use: fungicide.

4.43.2 ADI:0.03 mg/kg bw.

4.43.3 Residue definition: tebuconazole.

4.43.4 Maximum residue limit: Shall comply with provisions in the Table 43.

Table 43

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	1.5

4.43.5 Testing method: Cereals are tested following methods provided in GB 23200.113.

4.44 CLETHODIM

4.44.1 Major purpose of use: herbicide.

4.44.2 ADI:0.01 mg/kg bw.

4.44.3 Residue definition: The sum of clethodim and its metabolite (sulfoxide and sulphone), expressed as clethodim.

4.44.4 Maximum residue limit: Shall comply with provisions in the Table 44.

Table 44

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Pea	2*
*The MRL is the temporary limit.	

4.45 CYANTRANILIPROLE

4.45.1 Major purpose of use: insecticide.

4.45.2 ADI:0.03 mg/kg bw.

4.45.3 Residue definition: cyantraniliprole.

4.45.4 Maximum residue limit: Shall comply with provisions in the Table 45.

Table 45

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Rice	0.01*
Fruit(s)	
Cranberry	0.08*
Wine grape	1*
Strawberry	1.5*
Mango	0.7*
*The MRL is the temporary limit.	

4.46 OXYDEMETON-METHYL

4.46.1 Major purpose of use: insecticide.

4.46.2 ADI:0.0003 mg/kg bw.

4.46.3 Residue definition: sum of demeton-S-methyl, oxydemeton-methyl and demeton-S-methylsulphon, expressed as oxydemeton-methyl.

4.46.4 Maximum residue limit: Shall comply with provisions in the Table 46.

Table 46

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Kidney bean	0.1

4.46.5 Testing method: Cereals are tested following methods provided in GB 23200.121.

4.47 DISULFOTON

4.47.1 Major purpose of use: insecticide.

4.47.2 ADI:0.0003 mg/kg bw.

4.47.3 Residue definition: the sum of disulfoton, thiol-internally absorbed phosphorus and their sulfoxides and sulfones, expressed as disulfoton.

4.47.4 Maximum residue limit: Shall comply with provisions in the Table 47.

Table 47

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Wheat	0.2*
Barley	0.2*
Coarse cereals	0.2*
Oil seed(s) and oil	
Cotton seed	0.1*
Peanut	0.1*
Sugar crop(s)	
Sugar beet	0.2*
Beverage(s)	
Coffee bean	0.2*
*The MRL is the temporary limit.	

4.48 ACETOCHLOR

4.48.1 Major purpose of use: herbicide.

4.48.2 ADI:0.01 mg/kg bw.

4.48.3 Residue definition: acetochlor.

4.48.4 Maximum residue limit: Shall comply with provisions in the Table 48.

Table 48

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Wheat	0.02*
Barley	0.04*
Oat	0.04*
Rye	0.04*
Triticale	0.04*
Buckwheat	0.04*
Fresh maize	0.04*
Millet	0.04*
Pea	0.02*
Lentils	0.15*
Chickpeas	0.15*
Lupin	0.15*
Hyacinth bean	0.15*
Broad bean	0.15*
Pigeon pea	0.15*
Oil seed(s) and oil	
Sunflower seed	0.04*
vegetable(s)	
Pod-edible legume vegetables	0.02*
Sugar crop(s)	
Sugar beet	0.15*
* The MRL is the temporary limit.	

4.49 ETHIPROLE

4.49.1 Major purpose of use: insecticide.

4.49.2 ADI:0.005 mg/kg bw.

4.49.3 Residue definition: ethiprole.

4.49.4 Maximum residue limit: Shall comply with provisions in the Table 49.

Table 49

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Paddy rice	3
Rice	0.4
Beverage(s)	
Coffee bean	0.07
Coffee bean (baked)	0.2

4.49.5 Testing method: Cereals, beverages are tested referring to methods provided in GB/T 20769.

4.50 SPINETORAM

4.50.1 Major purpose of use: insecticide.

4.50.2 ADI:0.05mg/kg bw.

4.50.3 Residue definition: spinetoram.

4.50.4 Maximum residue limit: Shall comply with provisions in the Table 50.

Table 50

Food Category/Name	Maximum residue limit, mg/kg
Fruit(s)	
Sweet melons	0.01*
* The MRL is the temporary limit.	

4.51 ISOFETAMID

4.51.1 Major purpose of use: fungicide.

4.51.2 ADI:0.05 mg/kg bw.

4.51.3 Residue definition: isofetamid.

4.51.4 Maximum residue limit: Shall comply with provisions in the Table 51.

Table 51

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Pod-edible legume vegetables	0.6*
Fruit(s)	
Pome fruits	0.6*
Peach	3*
Nectarine	3*
Apricot	3*
Plum	0.8*
Cherry	4*
Blackberry	3*
Rubus idaeus L.	3*
Dried fruit(s)	
Prune	3*
* The MRL is the temporary limit.	

4.52 IMAZALIL

4.52.1 Major purpose of use: fungicide.

4.52.2 ADI:0.03 mg/kg bw.

4.52.3 Residue definition: imazalil.

4.52.4 Maximum residue limit: Shall comply with provisions in the Table 52.

Table 52

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Barley	0.01
Triticale	0.01

4.52.5 Testing method: Cereals are tested referring to methods provided in GB/T 20769.

4.53 FENPYROXIMATE

4.53.1 Major purpose of use: acaricide.

4.53.2 ADI:0.01 mg/kg bw.

4.53.3 Residue definition: fenpyroximate.

4.53.4 Maximum residue limit: Shall comply with provisions in the Table 53.

Table 53

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Chili	0.2
Sweet pepper	0.2
Summer squash	0.06
Pod-edible legume vegetables	0.5
Fruit(s)	
Rubus idaeus L.	0.2
Sweet melons	0.2
Dried fruit(s)	
Dried apple	1
Beverage(s)	
Tea	8
Coffee bean	0.07

4.53.5 Testing method: Vegetables, Fruits are tested following methods provided in GB/T 20769; Dried fruits are tested referring to methods provided in GB/T 20769; Tea are tested following methods provided in GB 23200.13; Others beverages are tested referring to methods provided in GB 23200.13.

4.54 AMETOCTRADIN

4.54.1 Major purpose of use: fungicide.

4.54.2 ADI:10 mg/kg bw.

4.54.3 Residue definition: ametoctradin.

4.54.4 Maximum residue limit: Shall comply with provisions in the Table 54.

Table 54

Food Category/Name	Maximum residue limit, mg/kg
vegetable(s)	
Garlic	1.5*
Onion	1.5*
Scallion	20*
Brassica vegetables	9*
Celery	20*
Solanaceous vegetables	1.5*
Gourd vegetables	3*
Fruit(s)	
Melons	3*
Dried fruit(s)	
Raisin	20*
Beverage(s)	
Hop	30*
Condiment(s)	
Dried chili	15*

*The MRL is the temporary limit.

4.55 GLUFOSINATE-AMMONIUM

4.55.1 Major purpose of use: herbicide.

4.55.2 ADI:0.01 mg/kg bw.

4.55.3 Residue definition: For plant-origin foods, it is the sum of glufosinate-ammonium, N-acetylglufosinate and 3-(methylphosphonyl) propionic acid, expressed as Glufosinate-ammonium.

4.55.4 Maximum residue limit: Shall comply with provisions in the Table 55.

Table 55

Food Category/Name	Maximum residue limit, mg/kg
Cereal(s)	
Corn	0.1
Oil seed(s) and oil	
Soybean	2

4.55.5 Testing method: Cereals, oil seed and oil are tested following methods provided in SN/T 4850.

Attachment 3:

Form for Solicitation of Comments on National Standards for Pesticide Residue Limits

Expert		Title		E-mail	
Name of the standard				Tel	
Employer		Address		Postal code	
Comments on revision of standard					
No.	Chapter/article No.	Comments on revision		Reason	

Signature of the expert:

Reviewed on:

END OF TRANSLATION

Attachments:

No Attachments.